

WALCO USA CATALOGUE INDEX 2024

"A" to "R" JANUARY PRICE UPDATES

A	PALLET FORK _____ Renegade1	
	BALE SPEARS _____	1
	QUICK TACH _____	2
	BALE SPEAR _____ All American	3
	BALE UN-ROLLER _____	3
	3PH CONCRETE WEIGHTS _____	3
	WEIGHT BOXES _____	3
B	LOADER ATTACHMENTS _____ Renegade	1
	BALE CART, _____ Creekbank Welding	2
	WAGONS & DUMP TRAILERS	
C	TREE CLIPPER/TREE PULLER _____ Precision	1
	GRAPPLE ATTACHMENTS _____ Precision	2
D	WAGONS & FEEDERS _____ John BM	1
	WAGON RUNNING GEAR _____ Agrimaster	2
E	SHEEP FEEDERS/GATES _____ Marweld	1
F	WHEEL RAKES _____ Faza	1
	DISC MOWERS / SICKEL _____ Faza	1
G	GRAVITY BINS _____ Gerber	1
	GRAVITY BOX _____ Agrimaster	2
	GRAVITY BOX & AUGERS _____ Lab Welding	
H	TILLERS _____ Breviglieri	1
	MULCHING MOWER _____ Breviglieri	2
	ROW TILLER _____ Breviglieri	3
	TILLERS _____ FMP	4
	MOWERS - DISC/SICKEL _____ FMP	4
I	PUSH BROOM SWEEPER _____ Broomer	1
	POWER SWEEPER _____ Bellonmit	2
J	HARROWS _____ Walco	1
K	GRADER BLADES _____ Walco	1
	LAND LEVELLER _____ Renegade	1
L	ROTARY MOWER _____ Whistler	1
	SKIDSTEER MOWER _____ Walco	1
	TOOL ARM _____ Walco	1
M	FINISHING MOWER _____ Walco	
N	DUMP TRAILERS _____ Renegade	1
	DUMP BOXES _____	
	DUMP CART - POLY _____ Renegade	1
	AUTOMATIC HITCH _____ Renegade	1
	SPRAYERS _____ Fimco	2

O	3 P.H. CULTIVATOR _____	1
	3 P.H. DISC HARROW _____	1
	3 P.H. LANDSCAPE RAKE _____	1
	3 P.H. BOX SCRAPER BLADE _____	1
	3 P.H. PLOWS _____	2
	3 P.H. DIRT SCOOP _____	2
	3 P.H. POTATO PLOW _____	2

P	POST HOLE DIGGER _____ Renegade	
---	---------------------------------	--

Q	FERTILIZER SPREADER _____ Faza	1
	CEMENT/COMPOST MIXER _____ Faza	1
	DRY MATERIAL SPREADERS _____	2

R	WOOD SPLITTER _____ Renegade	1
	WOOD CHIPPER _____ Renegade	1
	CIRCULAR CORDWOOD SAW _____ Marwood	2
	FORESTRY WINCH _____ Konigwieser	2

"S" MAY PRICE UPDATES

S	SNOW BLOWERS _____ Renegade	1
	SNOW PUSHERS _____ Renegade	2
	SNOW BLADES _____ Renegade	3

"T" to "Y" SEPTEMBER PRICE UPDATES

T	TIRE CHAIN	
---	------------	--

U	CARGO CONTROL	
	Packaged Components	
	Display Stand	

V	TILLAGE PARTS	
---	---------------	--

W	HITCH PINS AND ACCESSORIES	
---	----------------------------	--

X	MISCELLANEOUS:	
	Rubber Tarp Ties	
	Grinding Wheels	
	Warning Flags	
	Marker Flags	
	Oil Cans	
	Grinding Wheels	
	Utility Knife	
	LED Flood light, Flashing Lights	
	LED Equipment Lights	
	Electric Winch	

Y	RIDING TOY TRACTORS & Attachments	
---	-----------------------------------	--

"Z" JANUARY PRICE UPDATES

Z	TILLAGE EQUIPMENT _____ He-Va	
---	-------------------------------	--

TERM SCHEDULE

Dealer terms on list prices

20% & 2% in 30 days.

2% interest per month, on overdue accounts.

All prices are in US dollars.

FREIGHT: F.O.B Randolph MN

Pallet Forks – Renegade

FOURCHES À PALETTE



SKID STEER OR TRACTOR LOADER

CHARGEUR SKID STEER OU CHARGEUR DE TRACTEUR

Full guard for increased operator protection
Non-slip step on each side
High strength alloy steel
Sliding adjustable forks can be locked in multiple positions

Garde de protection pour la sécurité de l'opérateur.
Marchepied antidérapant
Alliage d'acier à haute résistance
Fourches coulissantes ajustables et verrouillables à multiples positions.

2000 lb. with 42" Forks
3700 lb. with 48" Forks
2000 lbs. avec fourches de 42"
3700 lbs. avec fourches de 48"



WALK THRU GUARD

Universal Skid Steer Attachment Only

GRILLE OUVERTE

Attachement Skid Steer Universel Seulement

124400 3700 lb. with 48" Forks
124400 3700 lb. avec Fourches 48"



3PH PALLET FORKS

FOURCHES À PALETTES 3PH

Capacity 2000 lb. Top Mesh 42"
Works well with hydraulic top link (not included)

Capacité 2000 lbs. Grille maillée 42"
Fonctionne bien avec une attache 3 p.h. hydraulique, non incluse.

Pallet Fork & Bale Spear

FOURCHE à PALETTES & PIC à BALLE

Skidsteer Attachment or Euro Mount

Attache rapide type skid steer ou Euro

39" Tripple Spears Skid Steer Mount - Guard Optional

Pic triple 39" Attache rapide Skid - Garde Optionnel



124801
42" Skid Steer
124800
48" Skid Steer
124804
48" Euro Mount
124805
42" Euro Mount



124428

42" or 48" Tine Lift Capacity 3700 lb.

Palettes de 42" ou 48" Capacité de levage 3700 #

Bale Spears – Renegade**PIQUE À BALLE**


SHOWN WITH UNIVERSAL SKID STEER Q-TACH DÉMONTRÉ



SHOWN WITH UNIVERSAL SKID STEER Q-TACH DÉMONTRÉ



SHOWN WITH UNIVERSAL SKID STEER Q-TACH DÉMONTRÉ

**OPTIONAL GUARD**

Large square bales - 2 high
Fits double & triple prong.

GARDE OPTIONNEL

S'adapte au pique double & triple

SINGLE PRONG 3PH**PIQUE SIMPLE 3 PH**

For tractors 25 hp & up.
Lower spears 1-1/4" x 13-1/4"
Center spear 2" x 39-1/2"
Category 1 & 2 hitch pins
1000 lb. capacity

Tracteur 25 HP & Plus
Stabilisateurs 1-1/4" x 13-1/4"
Pic central 2" x 39"
Catégorie 1 & 2
1000 lbs capacité

**SINGLE PRONG****BPT BALE TINE with 2 Stabilizer Tines**

2000 lb. Capacity @ 24" Load Center - Tine 39" or 49"

PIQUE SIMPLE

Pique boulonné avec 2 dents stabilisatrices.

2000 lb. Capacité @24" Centre de la charge. Pique 39"ou 49"

DOUBLE PRONG**BPT BALE TINE @ 30" spacing**

For Round or Large Square bales – Tine 32, 39" or 49"

Not to be used for carrying 2 bales stacked on top of each other without optional guard shown below

PIQUE DOUBLE

PIQUES BOULONNÉS @ 30" d'espacement.

Pour balles rondes ou carrées – Pique 32",39" ou 49"

Ne doit pas être utilisé pour transporter 2 balles empilées une sur l'autre sans le garde de protection optionnel démontré plus bas.

TRIPLE PRONG**BPT BALE TINE @ 23" spacing**

Handles 4 x 4 x 8 Square Bales – Tines 32, 39" or 49"

Not to be used for carrying 2 bales stacked on top of each other without optional guard shown below

PIQUE TRIPLE

PIQUES BOULONNÉS @ 23" d'espacement

Manipule, balles carrées 4'x4'x8'. Piques 32",39" ou 49"

Ne doit pas être utilisé pour transporter 2 balles empilées une sur l'autre sans le garde de protection optionnel démontré plus bas.

BALE SPEAR

Two stabilizers - non-adjustable - front end loader or 3PH

PIQUE À BALLE

2 Stabilisateurs - non-ajustable – Chargeur frontal ou 3PH



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Round Bale Un-Roller

DÉROULEUR DE BALES RONDES

SECTION

A



Easily Move Your Bales to a Convenient Feeding Area with the tractor 3ph Bale Unroller

HANDLES BALES

4', 5' or 6' diameter
4' to 5' long - up to 1500 lb.

Arms are controlled by a 2" x 10" hydraulic cylinder.

This pulls the arms in to the spear so bale can be unrolled evenly and efficiently for easy feeding.

avec Un Dérouleur de balles sur le 3 points du tracteur
Déplacer facilement vos balles vers l'espace d'alimentation appropriée

ACCEPTE DES BALES

de 4', 5' ou 6' de diamètre,
4' à 5' de long
jusqu'à un poids de 1500

Les bras sont activés par un cylindre de 2" x 10" qui resserrent sur la balle. Afin qu'elle puisse être déroulée uniformément et efficacement à des fins d'alimentation.

Concrete Counterweights

CONTREPOIDS DE CIMENT



Use the 3 point hitch cement counterweight to safely lift heavy loads without tipping your tractor



Utilisez le contrepoint de ciment sur attelage 3PH pour lever sécuritairement des chargements sans faire basculer votre tracteur

Weight Boxes

BOITE À PESÉE



STEEL BOX AVAILABLE IN BLACK RED OR ORANGE

BOITE EN ACIER DISPONIBLE EN NOIR ROUGE OU ORANGE

FOR MAXIMUM PERFORMANCE ENSURE THAT YOUR TRACTOR AND EQUIPMENT ARE WELL BALANCED



BOX DIMENSIONS: 30" x 16" x 16" CAT II 40 x 16 x 16
WEIGHT : POIDS : 95 lb.

POUR UN MAXIMUM DE PERFORMANCE ASSUREZ VOUS QUE VOTRE TRACTEUR ET EQUIPEMENT SOIENT BIEN BALANCÉS.
CAPACITY : CAPACITÉ : 450 lb.

DISTRIBUTED BY:



HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax: (819) 395-2624

email: walcoqc@walcoequipment.com



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

A

PAGE 1

WALCO PALLET FORKS

LIST PRICE - EFFECTIVE JANUARY 1, 2024

US DOLLARS

ITEM #	DESCRIPTION	CAPACITY /lb.	WEIGHT /lb.	LIST PRICE
124808	Pallet Fork with 42" forged tine	1200	with skid steer Quick-Tach	531.00
124809	Pallet Fork with 42" forged tine	1200	with grill	461.00
124414	Pallet Fork with 42" forged tine	1200	with JD 440/540 Quick-Tach	581.00
124410	Pallet Fork with 42" forged tine	2000	with skid steer Quick-Tach	652.00
124412	Pallet Fork with 42" forged tine	2000	with Euro Quick-Tach	652.00
124411	Pallet Fork with 42" forged tine	2000	No Attachment	519.00
124413	Pallet Fork with 42" forged tine	2000	with JD 440/540 Quick-Tach	697.00
124399	Pallet Fork with 48" forged tine	2000	with JD 440/540 Quick-Tach	722.00
124385	Pallet Fork with 48" forged tine	2000	with Skid Steer Q-T Mesh Top	610.00
124404	Pallet Fork with 42" forged tine	3700	with Skid Steer Quick Tach	681.00
124409	Pallet Fork with 42" forged tine	3700	with Euro Quick-Tach	681.00
124405	Pallet Fork with 48" forged tine	3700	with skid steer Quick Tach	685.00
124407	Pallet Fork with 48" forged tine	3700	with Euro Quick-Tach	697.00
124406	Pallet Fork with 48" forged tine	3700	No Attachment Mesh Top	602.00
145547	Pallet Fork with 48" forged tine	3700	with JD640 Quick-Tach	1245.00
124408	Pallet Fork with 48" forged tine	3700	with JD 440/540 Quick-Tach	996.00
124400	Pallet Fork with 48" forged tine	3700	walk through w/Skid Str Q-T	768.00
124401	Pallet Fork with 42" forged tine	3700	walk through w/Skid Str Q-T	768.00
124402	Pallet Fork with 48" forged tine	3700	walk through - No Attachment	747.00
124395	Pallet Fork with 48" forged tine	5500	with Skid Steer Quick Tach	1108.00
124396	Pallet Fork with 48" forged tine	5500	with Euro Quick-Tach	1000.00
145620	Pallet Fork with 48" forged tine	5500	with JD640 Quick-Tach	1407.00
143037	Pallet Fork with 48" forged tine	5500	No Attachment	1145.00
145685	Pallet Fork with 48" forged tine	7500	with Skid Steer Quick Tach	1569.00
145685	Pallet Fork with 48" forged tine	7500	with Euro Tach	1569.00
124380	3 P.H. Pallet Fork with 42" tine, top mesh, Capacity 2000 lb.		270	1025.00
124801	Pallet Fork with 42" tine	3700	Skidsteer attachment	691.00
124800	Pallet Fork with 48" tine	3700	Skidsteer attachment	689.00
124804	Pallet Fork with 48" tine	3700	Euro Mount	768.00
124805	Pallet Fork with 42" tine	3700	Euro Mount	747.00

WALCO BALE SPEARS

ITEM #	DESCRIPTION	WEIGHT /lb.	LIST PRICE
124428	Triple Bale Spear 39" tine with Skidsteer Mount - no guard		539.00
124429	Optional Guard for bale spear		215.00
124415	Bale Spear - Single 39"	with skid steer Quick-Tach	125
124416	Bale Spear - Single 39"	with Euro Quick-Tach	134
124417	Bale Spear - Single 39"	No Attachment	205.00
124420	Bale Spear - Double 39"	with skid steer Quick-Tach	180
124421	Bale Spear - Double 39"	with Euro Quick-Tach	165
124422	Bale Spear - Double 39"	No Attachment	245.00
124425	Bale Spear - Triple 39"	with skid steer Quick-Tach	156
124426	Bale Spear - Triple 39"	with Euro Quick-Tach	171
124427	Bale Spear - Triple 39"	No attachment	270.00
143149	SPECIAL 4-PRONG BALE SPEAR three 32" and one 49"		795.00
	Single 49"	Add on	15.00
	Double 49"	Add on	30.00
	Triple 49"	Add on	46.00
124430	Bale Spear Guard for Double & Triple		175.00
143125	Spear Only 32"	13	46.00
143123	Spear Only 39"	18	54.00
143124	Spear Only 49"	26	72.00
143122	Spear Sleeve	4	15.00
800595	3 PH Bale Spear Capacity 1000 lb.		66
			265.00
124320	Bale Spear with 2 Stabilizers - front end loader or 3PH		625.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065

TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

A

PAGE 2



QUICK TACH

LIST PRICE - EFFECTIVE JANUARY 1, 2024

ITEM #	DESCRIPTION	LIST PRICE
143859	Weld-on JD 640 Quick Tach	245.00
124435	Weld-on Euro Quick-Tach	100.00
124436	Weld-on skid steer Quick-Tach	108.00
143856	Weld-on skid steer Quick Tack - full plate 76#	199.00
143631	JD 440/540 Quick Tach - primed	220.00
143075	Bottom Kick-out 15degrees skid steer Quick Tach	249.00
143016	Unifit Brackets Kit w/bolts Not suited for Pallet Forks	162.00
143637	II model Quick-Tach Weld Euro Complete Plate	149.00
143025	Quick-Tach Bolt ALO & Stoll	158.00
146364	Quick Fit BLQ F10 - less attachment	826.00

ADAPTER

ITEM #	DESCRIPTION	LIST PRICE
146324	Euro to Universal Skid Steer	623.00
146340	Weld-On Quick Mount Converter Frame – Skid-Steer to blank (not painted)	535.00
143156	Renegade Adaptor – Skidsteer to 3 PH	382.00
143157	Renegade Adaptor – 3 PH to Skidsteer (male)	540.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

A

PAGE 3

LIST PRICE - EFFECTIVE JANUARY 1, 2024



COMPACT EQUIPMENT HITCH

US DOLLARS

ITEM #	MODEL	DESCRIPTION	WEIGHT /lb.	LIST PRICE
800594	Cat. I	Heavy Duty Steel Compact Quick Hitch 26" wide, adjustable top link ball bracket. Includes 7/8 mounting pins	66	187.00
800596	Cat. II	Heavy Duty Steel Compact Quick Hitch 32" wide, adjustable top link ball bracket. Includes 7/8 mounting pins		278.00



BALE SPEARS ALL AMERICAN

ITEM #	MODEL #	DESCRIPTION	WEIGHT	LIST PRICE
124310	SPR-PR	3 PH Hay Spear - 2" Heavy duty adjustable forged spear	148 lb.	486.00
124305	AA12H5FS1	3 PH Hay Spear - 2" non-adjust. forged main spear	136 lb.	436.00



ROUND BALE UN-ROLLER

ITEM #	DESCRIPTION	LIST PRICE
140072	Tractor 3ph Round Bale UN-ROLLER	2606.00



3PH CONCRETE WEIGHTS

ITEM #	DESCRIPTION	LIST PRICE
179990	Counter Weight for tractor 2,500 lb.	1158.00
179991	Counter Weight for tractor 5,000 lb.	2136.00



WEIGHT BOX

ITEM #	DESCRIPTION	CAPACITY / lb.	BOX wt.	LIST PRICE
180018	3PH Steel Weight Box - 30" x 16" x 16" - Orange	450 - sand	126 lb.	411.00
180005	3PH Steel Weight Box - 30" x 16" x 16" - Red	450 - sand	126 lb.	411.00
180024	3PH Steel Weight Box - 30" x 16" x 16" - Black	450 - sand	126 lb.	411.00
179995	3PH Steel Weight Box - 40" x 16" x 16" - Black	600 - sand	Cat. II	618.00



Loader Attachments – Renegade

ATTACHEMENTS POUR CHARGEURS



60" to 84" 27" Deep - 18" High
Low Profile (shown with tooth bar option)
Material 1/4" End Plates and Wrap
Welded cutting edge

GODET POUR CHARGEUR SKID

60" à 84" 27" profond – 18" haut.
Profile bas (démontré avec barre dentelée, option)
Matériel ¼" Contour et base
Pré-perforé pour barre de coupe boulonnée, option.



SNOW BUCKET

60" to 120" - 38" Deep 32" High
3/16" Material 1/4" End Plates
3/4" x 6" Bottom Cutting Edge
Mesh Screen for improved visibility

GODET À NEIGE

60" à 120" – 38" profond- 32" haut.
Matériel 3/16" contour – ¼" base.
Couteau 3/4" x 6" standard
Haut ajourée pour vision améliorée.



MANURE FORK WITH 36" TINE

60" – 8 tines
72" – 9 Tines
84" – 11 Tines

FOURCHE À FUMIER UNIVERSAL SKID STEER

60"	avec 8	36" pics
72"	avec 9	36" pics
84"	avec 11	36" pics



**BALE GRAPPLE WITH
HYDRAULIC CYLINDER & HOSES**
DESIGNED FOR GENTLE HANDLING
OF HEAVY WRAPPED BALES
Accepts standard 8" stroke cylinder
Opens to 71"

Pince à balle Avec
cylindre et boyaux hydrauliques inclus.
Conçu pour une manipulation en
douceur de lourdes balles
Accepte un cylindre à course
standard de 8" Ouverture jusqu'à 71

ROCK BUCKET – FLAT BOTTOM GODET À ROCHES – FOND PLAT



ROCK BUCKET WITH GRAPPLE GODET À ROCHES



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

B-1

PAGE 1



LOADER ATTACHMENTS

LIST PRICE - EFFECTIVE JANUARY 1, 2024

Walco Renegade loader buckets can be used in multiple applications. Each design offers unique features. All buckets are drilled and constructed with strong, durable material.

CUTTING EDGES: corners are welded together to ensure longer wear and added durability.
Sizes up to 84" are welded (1/2" x 6"). Sizes 96" and up, are welded (3/4" x 6")

All Renegade skid steer loader buckets come with Safety Treads to prevent accidents.
Steps give feet a solid foundation, and texture prevents slipping when wet or muddy.



SKID STEER BUCKET - LOW PROFILE

1/4" material for bucket body
3/4" x 6" Cutting edge
27" Deep
18" High

SKID STEER		EURO TACH		US DOLLARS	
ITEM #	ITEM #	MFG. #	DESCRIPTION	APPROX.WT/LB	LIST PRICE
144400		60WALP	60" Bucket - Low profile – no teeth	335	812.00
144401		66WALP	66" Bucket - Low profile – no teeth	380	850.00
144402		72WALP	72" Bucket - Low profile – no teeth	385	880.00
144403		78WALP	78" Bucket - Low profile – no teeth	400	920.00
144404		84WALP	84" Bucket - Low profile – no teeth	420	960.00



SKID STEER BUCKET -LOW PROFILE - LONG BOTTOM

1/4" Material for bucket body
3/4" x 6" Cutting edge
36" Deep
18" High

SKID STEER		EURO TACH		US DOLLARS	
ITEM #	ITEM #	MFG. #	DESCRIPTION	APPROX.WT/LB	LIST PRICE
144411		66WALB	66" Bucket - Low profile – no teeth – w/long bottom	416	968.00
144412		72WALB	72" Bucket - Low profile – no teeth – w/long bottom	442	1010.00
144413		78WALB	78" Bucket - Low profile – no teeth – w/long bottom	448	1065.00
144414		84WALB	84" Bucket - Low profile – no teeth – w/long bottom	465	1110.00



SKID STEER BUCKET – SNOW AND LITTER

Use for a variety of light materials such as grain, seed and mulch.
Get maximum use of the lifting capacity of the skid steer machine.
1/4" Material for bucket body 1/2" Bottom Plate
37" Deep - 24" High

SKID STEER		EURO TACH		US DOLLARS	
ITEM #	ITEM #	MFG. #	DESCRIPTION	APPROX.WT/LB	LIST PRICE
144427		72WASL	72" Bucket - Snow & Litter	525	1040.00
144428		78WASL	78" Bucket - Snow & Litter	550	1080.00
144429		84WASL	84" Bucket - Snow & Litter		1125.00



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

B-1

PAGE 2

LIST PRICE - EFFECTIVE JANUARY 1, 2024



SNOW BUCKET - SKID STEER

3/16" Material for bucket body - 1/4" End Plates
3/4" x 6" Welded Cutting Edge - Installed
38" Deep
32" High

SKID STEER EURO TACH

ITEM #	DESCRIPTION	CAPACITY	HIGHT	WIDTH	APPROX.WT/LB	LIST PRICE
145003	Skid str snow bucket 3/16" wrap 1/4" sides	40 cu. ft.	32-1/2"	96"	915	1780.00



MANURE FORK - UNIVERSAL SKID STEER



145212



145211

SKID STEER EURO TACH

ITEM #	ITEM #	MFG. #	DESCRIPTION	APPROX.WT/LB	LIST PRICE
145211	145212		60" Manure Fork with 8 - 36" tines		1645.00
145215	145216		72" Manure Fork with 9 - 36" tines		1795.00
145217	145218		84" Manure Fork with 11 - 36" tines		1995.00



BALE SQUEEZER

With hydraulic cylinder and hoses
Designed for gentle handling of heavy wrapped silage bales
Accepts standard 8" stroke implement cylinder
Opens up to 71"

SKID STEER EURO TACH

ITEM #	ITEM #	MFG. #	DESCRIPTION	APPROX.WT/LB	LIST PRICE
146425			Bale Squeezer complete with hoses and cylinder	aprox. 575	2145.00



ROCK BUCKET

FLAT BOTTOM - SKID STEER & TRACTOR LOADER

18.4" High
34" Deep
Tines 3/8" thick, Approx. 3" spacing



SKID STEER EURO TACH

ITEM #	ITEM #	MFG. #	DESCRIPTION	APPROX.WT/LB	LIST PRICE
146621		60FBRB	60" Rock Bucket - flat bottom		1405.00
146622		66FBRB	66" Rock Bucket - flat bottom		1518.00
146623		72FBRB	72" Rock Bucket - flat bottom		1650.00
146624		78FBRB	78" Rock Bucket - flat bottom	470	1780.00
146625		84FBRB	84" Rock Bucket - flat bottom		1910.00



ROOT GRAPPLE - ECONO

THE ROOT GRAPPLE rakes away debris in a single pass.
The round bottom bar is the necessary tool for back fill.
Separates dirt from logs, brush, rock, or demolition debris.
Tines curve upward to avoid damaging topsoil or utility cables
Up to 25 HP only

SKID STEER EURO TACH

ITEM #	ITEM #	MFG. #	DESCRIPTION	APPROX.WT/LB	LIST PRICE
146686	146687		66" Root Grapple - Econo	450	3000.00


MULTI-PURPOSE WAGONS



MODEL 4572

...with 4-Wheel Steering

- Two position hitch which extends for tractor hauling and retracts for manual use.
- Automatic parking brake (brake released when handle is pulled forward)
- Excellent choice for feeding large, square bales inside barns.
- End-Gates removable.
- Deck on 4572D locks up and latches down.
- Track width is 28".



MODEL 4572 D

Model	Platform	Tire Size	Capacity
4560	30 x 60	4.80 x 8	1,500 lbs.
4572	30 x 72	4.80 x 8	1,500 lbs.
4584	30 x 84	4.80 x 8	1,500 lbs.
45100	30 x 100	4.80 x 8	1,500 lbs.
4572 D	30 x 72	4.80 x 8	1,500 lbs.
4160	30 x 60	13 x 5.00 - 6	1,200 lbs.

MEDIUM DUTY WAGONS



MODEL 4160



MODEL 4160

The Medium Duty Wagon is a cost effective alternative where the added features of the Multi-Purpose Wagon are not needed.

- Two-wheel axle pivot steering provides very short turning radius.
- 13 x 5.00-6 tires are capable of carrying 1,200 lbs.

ROTARY BALE CART



#RO 48
STANDARD ROTARY
BALE CART

- Low cost method of feeding round bales in the stable
- Four wheel steering for tight corners
- Easy to convert from two to four wheel steering or vice-versa; simply move one bolt
- Rotary table mounted on tapered roller bearings
- Table lock to prevent undesired rotation
- Brake on when handle is up
- Can be supplied with quick change brackets for easily switching handle to front or rear



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

ATV Dump Trailers

Creekbank Welding



↑ ATV 12

- 32" x 48" box
- 12 cu. ft.
- AT18 x 9.5-8 knobby ATV tires
- lift out tail gate



↑ ATV 20

- 42" x 60" box
- 20 cu. ft.
- AT22 x 11-8 knobby ATV tires
- lift out tail gate




↑ ATV 25

- 42" x 56" box
- 25 cu. ft. cap
- drop centre floor
- AT22 x 11-8 knobby ATV tires
- lift out tail gate



→ ATV 30

- 48" x 66" box
- 30 cu. ft. cap
- drop centre floor
- walking tandem axles
- AT22 x 11-8 knobby ATV tires
- lift out tail gate



← ATV 30HD

The hydraulic dump version of the ATV30 has a single acting cylinder and a 12V hydraulic power pack installed. Up and down remote switch has a 20 ft. cord. 12V power can be drawn from tow vehicle or by an auxilliary battery.



HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

B-2

PAGE 1

CREEKBANK WELDING
**ROTARY BALE CART &
MULTI-PURPOSE WAGONS**
LIST PRICE – EFFECTIVE JANUARY 1, 2024

ROTARY BALE CART

4 WHEEL STEERING (4.8 x 8 tires)

US DOLLARS



ITEM #	DESCRIPTION	LIST PRICE
143501 RO-48	Rotary Bale Cart	1496.00
143502 RO-48 QC	Rotary Bale Cart o/w Quick Change Tongue	1529.00

MULTI-PURPOSE WAGONS

4 WHEEL STEERING (4.8 x 8 tires) 1500 lb. capacity



ITEM #	DESCRIPTION	LIST PRICE
143511 4560	30 x 60" Platform	1361.00
143512 4572	30 x 72" Platform	1390.00
143513 4584	30 x 84" Platform	1419.00
143514 45100	30 x 100" Platform	1457.00
143515 4572D	30 x 72" Platform	1697.00

MEDIUM DUTY WAGONS

2 WHEEL STEERING (13 x 5.00 - 6 tires) 1200 lb. capacity



ITEM #	DESCRIPTION	LIST PRICE
143520 4160	30 x 60" Platform	844.00
143521 4172	30 x 72" Platform	877.00
143522 4184	30 x 84" Platform	908.00
143523 41100	30 x 100" Platform	944.00

ATV DUMP TRAILERS



ITEM #	MODEL	DESCRIPTION	LIST PRICE
143535	ATV30 HD	Red Hydraulic Dump Trailer - 12-volt power pack – up/down remote	2603.00
143540	ATV30 HD	Black	



143536	ATV30 Red	48" x 66" Box – 30 cubic feet capacity – drop floor	1567.00
143541	ATV30 Black		



143537	ATV25 Red	42" x 56" Box – 25 cubic feet capacity – drop floor	973.00
143542	ATV25 Black		



143538	ATV20 Red	42" x 60" Box – 20 cubic feet capacity	930.00
143543	ATV20 Black		



143539	ATV12 Red	32" x 48" Box – 12 cubic feet capacity	762.00
143544	ATV12 Black		

The Tree Clipper – PRECISION mfg.

LE COUPE ARBRE

Remove Unwanted Trees & Limbs



Clear your fence rows for more production. Side trimming for approximately 160 acres can pay for a "Hy-Reach Clipper."

Excellent for storm clean-up, or right-of-way clearing. Rotate tree clipper head up to 180° to remove overhead tree limbs. Clear commercial or residential areas with ground-level tree and brush cutting. Cut dead or live limbs up to 9" in diameter Easily cut firewood without the use of a chain saw. Work safely on uneven terrain. Can be used with most tractors and skid steers. Minimum hydraulic pressure required 2000psi

Enlève Arbres et grosses branches indésirables

Dégager vos abords de clôtures pour plus de production. Nettoyage d'appoint pour environ 160 acres et économisez la valeur d'un Émondeur de haute portée.

Excellent pour nettoyage après tempête, ou un dégagement immédiat. Rotation de la tête de coupe jusqu'à 180° permet d'enlever les hautes branches. Dégager les abords de clôtures, les emplacements commerciaux ou résidentiels avec le coupe-arbre, au ras du sol. Coupe arbres, branches mortes ou vivantes, jusqu'à 9" de diamètre. Coupe facilement le bois de chauffage sans l'usage d'une scie à chaîne. Travail sécuritaire sur terrain inégal. Peut s'utiliser avec la majorité des tracteurs ou chargeurs Skid. 2000 PSI minimum exigé.



Model TC6451 Telescopic Clipper head with 36" telescope. Ideal for clean-up along ditches and waterways.



CLAMPER for tree Clipper with Hardened T1 Clamping Blades. Greased Pivot Points. Backstop to prevent tree from falling back Center Load Support on new models. Welded Clamping Cylinder

Extra sets of hydraulic outlets X-TRA VALVE KIT

Used for adding grapples, blades, mowers & more. Includes valve and control, valve mounting brackets and hyd. fittings



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



Skid Steer Mount

- 1 Year Warranty
- Power Rotator
- Plumbing Required
- Brackets Included



Contractor Skid Steer Mount

- Power Rotator
- 2 Year Warranty
- Fully Plumbed
- Ready to Use



3 – Point Mount

- Ground Level Cut
- 1 Year Warranty
- 7' Tree Guard Included

Model 525000

ARRACHE ARBRE

THE TREE PULLER



RUGGED CONSTRUCTION

Remove Trees - Roots and all

Powerful jaws for strong grip and pulling power

Spade points to dig roots, and loosen soil

Clear "right-of-ways", roadsides and ditches

NEW 2019 Model with 21" Opening

Guard available as special order only

CONSTRUCTION ROBUSTE

Arrache l'arbre- Racine et tout!

Machoire puissante pour une forte adhérence et force de traction.

Pointe dentelée pour creuser les racines ou ramollir le sol

Construction robuste, permet de dégager les abords de route et fossés



NO MORE STUMPS



PULL MULTIPLE ROOTS OR SHRUBS



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999

Grapple Attachments – PRECISION mfg.

SECTION

GRAPPIN pour équipements

“ADD-A-GRAPPLE”

C

PAGE 2



Large cargo opening
GRANDE CAPACITÉ DE CHARGE

Converts standard bucket or pallet fork into a Grapple
FITS MOST SKID STEERS AND FARM TRACTORS

Securely clamp heavy, bulky or uneven loads for safe transportation. Double Grapple is ideal for large hard to manage loads.


Convertissez votre benne ou une fourche à palettes standard en un grappin

CONVIENT À LA PLUPART DES CHARGEUSES COMPACTES ET TRACTEURS DE FERME

Retient solidement les lourdes, volumineuses ou encombrantes charges pour un transport sécuritaire. Le grappin double est idéal pour les charges volumineuses, difficiles à manipuler.



PALLET FORK GRAPPLE
GRAPPIN FOURCHE À PALETTES



SINGLE GRAPPLE FOR HEAVY SOLID CARGO
See price list for other styles

GRAPPIN SIMPLE POUR CHARGE LOURDE SOLIDE.
VOIR LISTE DE PRIX POUR AUTRE STYLE

Model: 113300

EXTENDED SINGLE ADD-A- GRAPPLE

Recommended for up to 50 hp tractors
50" Grapple Opening
For Buckets 60" to 79" wide
Curved Teeth for wider grip and easy release of material
Easy removal to convert Back to bucket only



Model: 111155

MINI ADD-A-GRAPPLE

Convert bucket 36" to 55" wide
For compact tractor with a Pinned bucket & mini skid steers.
28" Grapple Opening
Curved teeth for wider grip and easy release of material
Easy removal to convert back to bucket only.



STANDARD SINGLE MODEL

Fits most utility or compact tractors
Easily removed when not in use.

MODÈLE SIMPLE RÉGULIER

Compatible à la majorité des chargeurs
Facilement enlevable lorsque non utilisé



TOUGH BUILT DOUBLE GRAPPLE

Wide grapple opening for bulky loads for solid cargo like logs or large bales.

GRAPPIN DOUBLE SOLIDEMENT BÂTI.

Grappin à large ouverture pour charge volumineuse solide comme des billots ou de large balle de foin



SELECT THE GRAPPLE

suited to the power of your equipment

SÉLECTIONNER LE GRAPPIN

adapté à la puissance de votre équipement



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

C

PAGE 1

LOADER ATTACHMENTS

LIST PRICE - EFFECTIVE JANUARY 1, 2024

TREE CLIPPERS

US DOLLARS

ITEM #	DESCRIPTION	WEIGHT	LIST PRICE
121514	TC6451 TREE CLIPPER with 36" Telescope. Boom extends 10' 3" Fully plumbed with couplers, wireless control, 180 degrees rotation Ideal for clean-up along ditches and waterways, at ground level and overhead	1038 lb.	10,815.00



121520	MP010 XTRA VALVE KIT 24 gpm, 12 fittings, switch, wiring, harness and mounting bracket		670.00
121521	MP020 XTRA VALVE KIT 15 gpm, 12 fittings, switch, wiring, harness and mounting bracket		540.00



121515	ED6451 EXTREME DUTY TREE CLIPPER Skid Steer mount Fully plumbed - Hoses / Couplers / Wireless Remote Kit 5 stabilizer bars / extra gussets on rotator / extra long upper and lower plates on clipper head / power rotate up to 110° cut dead or live branches / easy release to avoid limb wedging between blades.	929 lb.	8,140.00
--------	---	---------	----------



121518	GRAPPLE - for TREE CLIPPER C68800 Hardened T1 Clamping Blades. Greased Pivot Points. Backstop to prevent tree from falling back. Welded Clamping Cylinder		2,859.00
--------	--	--	----------



TREE PULLERS

ITEM #	DESCRIPTION		LIST PRICE
121501	525000 TREE PULLER - with 21" opening Includes hoses, cylinder guard, SS Quick Attach Brackets and couplers Brush Guard available only as a special order	548	3,177.00



ADD-A-GRAPPLE CONVERT YOUR PALLET FORK OR BUCKET INTO A GRAPPLE

ITEM #	DESCRIPTION		LIST PRICE
148335	336S27 "PALLET FORK" ADD-A-GRAPPLE Fits Standard 4" wide forks, up to 1.75" thick, hoses NOT included.	197	1,265.00
148339	336LC LOG CLAMP for 336S27 pallet fork add-a-grapple		101.00



148336	339S27 ADJUSTABLE "PALLET FORK" ADD-A-GRAPPLE 3 height settings up to 74" Hoses NOT included Stabilizes loads of brush, limbs, logs, pipe and posts Clamp can be used when sawing firewood.		1,692.00
--------	--	--	----------



146440	HD444D72 "HEAVY DUTY" GRAPPLE RAKE 72" wide double grapples, Universal SS 2 cylinders, guard, & flat face couplers, 11 rake tines, rake pts. Includes hose kit. 6" spacing of tines to sift out dirt.	1186	6,572.00
--------	---	------	----------



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

C

PAGE 2

LOADER ATTACHMENTS

LIST PRICE - EFFECTIVE JANUARY 1, 2024

ITEM #	DESCRIPTION	WEIGHT/lb.	US DOLLARS LIST PRICE
148325	111155 "MINI" BUCKET ADD-A-GRAPPLE to convert buckets 36" to 55" in width to grapple buckets. hoses NOT included. 28" grapple opening.	125	1055.00
148331	113300 EXTENDED SINGLE ADD-A-GRAPPLE Converts Buckets 60" to 79" in width. for up to 50 hp tractors hoses NOT included. 50" Grapple Opening.	176	1265.00
148326	111100 "SINGLE" ADD-A-GRAPPLE Fits utility & compact tractor buckets 60" to 79", hoses NOT included.	147	1,162.00
148327	112200 "DOUBLE" ADD-A-GRAPPLE Fits utility & compact tractor buckets 60" to 79", hoses/guards ARE INCLUDED (K33990)	226	1,900.00
148328	225000 "COMMERCIAL" ADD-A-GRAPPLE Fits back-hoe and large volume buckets 80" to 100" in width, includes hoses. Curved tines for wide grip and easy release	413	2,965.00
148329	222440 "CONTRACTOR" ADD-A-GRAPPLE Fits farm tractor buckets 68" to 90" in width, includes hoses and pioneer couplers. 39" opening. Double grapples clamp down on uneven loads.	387	2,540.00
148330	222550 "CONTRACTOR" ADD-A-GRAPPLE Fits skid steer buckets 68" to 90" in width, includes hoses and flat face couplers.	387	2,647.00
146470	C433D58ss "CONTRACTOR" GRAPPLE RAKE 58" wide double grapples, 2 concealed cylinders, guards & flat face couplers 9 rake tines, Includes hose kit,	903	6,040.00
146480	344D72ss "THE CLOSER" GRAPPLE RAKE Universal SS 915 72" wide, double grapples, 2 concealed cylinders, & flat face couplers, 11 rake tines Includes hose kit. 65" opening.		5,085.00
146490	333D72ss "STANDARD DUTY" GRAPPLE RAKE 72" wide, double grapples, Universal SS. 50" opening. includes hoses, cylinder guards, hose guard, hose wrap, 11 rake tines. 6" spacing.	654	3,707.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



Feeder Wagons – JBM mfg.

Mangeoires

SECTION

D-1

- Constructed of heavy-duty 12ga. steel.
- Feeds round or square bales, grain silage and TMR.
- V floor, ensures easy feed flow to any size cattle.
- Complete T-frame undercarriage.
- Hinged, double-bar sections and rear door allowing for quick and easy clean-out.
- Tight cornering front dolly
- Telescopic quick-hitch tongue.
- Optional plywood inserts for feeding silage.
- Single axle with 4000 lb., 6-bolt hubs & spindles (tandem – 5000 lb. standard on 30' only)
- 245 R16" 10-ply used truck tires



Cammen's
Choice Feeder V Wagons

7' or 8' Wide

12'	28 feeding spaces
16'	34 feeding spaces
20'	40 feeding spaces
24'	46 feeding spaces
30'	52 feeding spaces

- Construites d'acier renforcé 12 ga.
- Pour balles rondes et carrées, ensilage, grain et TMR
- Plancher en V assurant l'écoulement de la nourriture pour tout type de bétail
- Roue d'en avant permettant virage serrés
- Avec charnières, sections double-barre et porte arrière pour nettoyage rapide et facile

- Attelage rapide telescopique
- Inserts en contre-plaqué optionnels pour l'ensilage
- Essieu simple avec 4000 lb., hubs & spindles a 6 bolts (tandem – 5000 lb. standard sur 30' seulement)
- Pneus de camion usagés 10-ply 245 R16"
- Chassis complet en forme de T

- Constructed of heavy-duty 12ga. steel.
- Feeds round or square bales, grain, silage and TMR.
- V floor ensures easy feed flow to outside of pan.
- Complete T-frame undercarriage.
- Tight cornering front dolly.
- Telescopic quick hitch tongue
- Single axle, 4,000 lb., six-bolt hub and spindle (tandem – 5000 lb. standard on 30' only)
- 16" 10-ply truck tires.



Double Bar
Feeder

7' and 8' wide

12'	28 feeding spaces
16'	34 feeding spaces
20'	40 feeding spaces
24'	46 feeding spaces
30'	52 feeding spaces

- Construites d'acier renforcé 12 ga.
- Pour balles rondes et carrées, ensilage, grain et TMR
- Plancher en V assurant l'écoulement de la nourriture en dehors du plateau
- Chassis complet en forme de T

- Roue d'en avant permettant virage serrés
- Attelage rapide telescopique
- Essieu simple avec 4000 lb., hubs & spindles a 6 bolts (tandem – 5000 lb. standard sur 30' seulement)
- Pneus de camion usagés 10-ply 245 R16"

- Constructed of heavy-duty 12ga. steel.
- Feeds grain, silage and TMR.
- Tight cornering front dolly.
- V floor ensures easy feed flow to outside of pan.
- Complete T-frame undercarriage.
- Telescopic quick hitch tongue
- Plywood bolted on inside of double bars to make this an affordable grazer wagon.
- Single axle, 5,000 lb., six-bolt hub and spindles
- 245 R 16" 10-ply used truck tires



Econo
Zero Grazer

7' wide

12'	28 feeding spaces
16'	34 feeding spaces
20'	40 feeding spaces
24'	46 feeding spaces

- Construites d'acier renforcé 12 ga.
- Pour ensilage, grain et TMR
- Roue d'en avant permettant virage serrés
- Plancher en V assurant l'écoulement de la nourriture en dehors du plateau
- Chassis complet en forme de T

- Attelage rapide telescopique
- Contre-plaqué boulonné sur l'intérieur des double-barres pour en faire un wagon d'herbage abordable
- Essieu simple, 5000 lb., hubs & spindles a 6 bolts
- Pneus de camion usagés 10-ply 245 R16"

- Constructed of heavy-duty 12ga. steel.
- Feeds round or square bales, grain, silage and TMR. (6' model required to feed large round bales)
- Complete T-frame undercarriage.
- Tight cornering front dolly.
- Telescopic quick hitch tongue
- Rear door allows easy clean out
- Single axle, 4,000 lb., six-bolt hub and spindles
- 245 R 16" 10-ply used truck tires



BRUK LEDEL
Goatpole

5' or 6' Wide

12'	24 feeding spaces
16'	30 feeding spaces
20'	36 feeding spaces
24'	42 feeding spaces

- Construites d'acier renforcé 12 ga.
- Pour balles rondes et carrées, ensilage, grain et TMR (modele de 6' requis pour l'utilisation de larges balles rondes)
- Chassis complet en forme de T
- Roue d'en avant permettant virage serrés

- Attelage rapide telescopique
- Porte arrière permettant un nettoyage rapide et facile
- Essieu simple avec 4000 lb., hubs & spindles a 6 bolts
- Pneus de camion usagés 10-ply 245 R16"

Feeder Wagons – JBM mfg.

Mangeoires

SECTION

D-1

- Constructed of heavy duty 12ga. steel.
- Feeds grain, silage and TMR.
- Complete T-frame undercarriage.
- "V" floor to ensure feed flow to edge of pan.
- Rear opens for easy clean out.
- Complete T-frame undercarriage.
- Rear door allows easy clean out
- Tight cornering front dolly
- Telescopic quick hitch tongue
- Available with removable tongue hitch.
- Single axle 4,000 lb. Six-bolt hub & spindle.
- (tandem – 5000 lb. standard on 30' only)
- 245 R16" 10-ply truck tires.

- *Construites d'acier renforcé 12 ga.*
- *Pour ensilage, grain et TMR*
- *Chassis complet en forme de T*
- *Plancher en V assurant l'écoulement de la nourriture sur le bord du plateau*
- *Chassis complet en forme de T*



TMR Feeder Wagon

7' wide

12'	28 feeding spaces
16'	34 feeding spaces
20'	40 feeding spaces
24'	46 feeding spaces
30'	52 feeding spaces

- *Porte arriere permettant un nettoyage rapide et facile*
- *Roue d'en avant permettant virage serrés*
- *Attelage rapide telescopique*
- *Aussi disponible avec attelage amovible*
- *Essieu simple avec 4000 lb., hubs & spindles a 6 bolts (tandem – 5000 lb. standard sur 30' seulement)*
- *Pneus de camion usagés 10-ply 245 R16"*

- Heavy duty 12-gauge steel
- Feeds round or square bales, grain, silage and TMR
- "V" floor to ensure feed flow to edge of pan.
- Complete T frame under carriage
- Spring loaded, adjustable locks for any size cattle
- Tight cornering front dolly
- Entry door and raised center runs the length of feeder
- Telescopic quick hitch tongue
- Single axle, 5000 pound, 6-bolt hubs and spindles
- 245 R16" 10 ply used truck tires

- *Acier renforcé 12 ga.*
- *Pour balles rondes et carrées, ensilage, grain et TMR*
- *Plancher en V assurant l'écoulement de la nourriture sur le bord du plateau*
- *Serrures ajustables a ressorts pour toutes tailles de bétail*
- *Chassis complet en forme de T*



Self Locking Feeder

Length:

16'	19 locks
20'	23 locks
24'	27 locks

- *Roue d'en avant permettant virage serrés*
- *Porte d'entrée et centre surélevé a la longueur de la mangeoire*
- *Attelage rapide telescopique*
- *Essieu simple, 5000 lb., hubs & spindles a 6 bolts*
- *Pneus de camion usagés 10-ply 245 R16"*

- Constructed of heavy duty 12-gauge steel
- Feeds round or square bales and grain
- "V" floor to ensure feed flow to edge of pan.
- T-frame undercarriage.
- Telescopic quick hitch tongue
- Tight cornering front dolly
- Single axle 4,000 lb. Six-bolt hub and spindle.
- 245 R16" 10 ply used truck tires

- *Construites d'acier renforcé 12 ga.*
- *Pour balles rondes et carrées et grain*
- *Plancher en V assurant l'écoulement de la nourriture sur le bord du plateau*
- *Chassis complet en forme de T*



Tombstone Feeder

7' Wide

Length:

12', 16', & 20', 24'

- *Attelage rapide telescopique*
- *Roue d'en avant permettant virage serrés*
- *Essieu simple avec 4000 lb., hubs & spindles a 6 bolts*
- *Pneus de camion usagés 10-ply 245 R16"*

Tombstone Skid Feeder, designed with horses in mind.

Protects manes
Eliminates bumps or bruises.
Double bar keeps hay wastage to a minimum.

- Feeds round or square bales or grain
- "V" floor for easy feed flow.
- Constructed of heavy duty 12ga. steel.
- 2" square tube frame



Tombstone Feeder

Width: 7' & 8'

Length:

8', 12', 16', 20'

*Mangeoires Thombstone skid créées en pensant aux chevaux
Protège les crinières et elimine les bosses et les contusions
La double-barre garde le gaspillage de foin au minimum.*

- *Plancher en V assurant l'écoulement de la nourriture*
- *Pour balles rondes et carrées et grain*
- *Construites d'acier renforcé 12 ga.*
- *Cadre en tube de 2" carré*

Works great for vaccinations, artificial insemination, and ear-tagging. Makes it easy to catch cattle in the field. A raised center platform allows for easy access for cattle's head. Double inside bars keep waste to a minimum.



- Constructed of heavy duty 12ga. steel. 2" square tube frame.
- Feeds round or square bales, grain, silage and TMR
- Adjustable spring-loaded locks for any size cattle
- Entry door & raised center "v" platform
- Adjustable spring-loaded locks on all four sides.

Fonctionne bien pour la vaccination, l'insémination artificielle et le marquage d'oreille.

Rend facile la tâche d'attraper le troupeau au champ.

Une plate-forme centrale surélevée permet un accès facile aux têtes du bétail.

- Construites d'acier renforcé 12 ga.
- Cadre en tube de 2" carré
- Pour balles rondes et carrées, ensilage, grain et TMR
- Serrures ajustables à ressorts pour toutes tailles de bétail sur les 4 cotés
- Porte d'entrée & plate-forme centrale surélevée



Locks on all 4 sides

- 8' - 14 locks
- 10' - 16 locks
- 12' - 18 locks
- 16' - 22 locks
- 20' - 26 locks
- 24' - 30 locks

- Constructed of heavy duty 12ga. steel. 2" square tube frame
- Feeds round or square bales
- Heavy-duty 2" square tube frame
- "V" floor for easy feed flow.
- 8" spacing on inside double bars

- Construites d'acier renforcé 12 ga.
- Pour balles rondes ou carrées
- Cadre en tube de 2" carré renforcé
- Plancher en V assurant l'écoulement de la nourriture
- Espacement de 8" à l'intérieur des double-barres




Field-Proven" for horses.

Width: 8'

Length: 8' & 12'

- Feeds round or square bales, grain, silage and TMR
- Constructed of heavy duty 12ga. steel.
- Heavy-duty 2" square tube frame
- "V" floor for easy feed flow.
- Inside double bars 8" apart for minimum feed wastage.
- Constructed of heavy-duty 12ga. steel.

- Pour balles rondes et carrées, ensilage, grain et TMR
- Construites d'acier renforcé 12 ga.
- Cadre en tube de 2" carré renforcé
- Plancher en V assurant l'écoulement de la nourriture
- Barres doubles intérieures à 8" d'écart pour un gaspillage de nourriture minimal.



Designed for dry and haylage bales


Length: 8', 12', 16'

- Feeds round or square bales
- Constructed of heavy duty 12ga. steel.
- Heavy-duty 2" square tube frame
- Optional: Solid steel floor
- Feed Front: • 2" x 2" tube frame
 - 1-1/4" slant bars
 - 12" or 20" Skirt bottom

- Pour balles rondes ou carrées
- Construites d'acier renforcé 12 ga.
- Cadre en tube de 2" carré renforcé

Option: Plancher d'acier solide

- Cotés:
- Cadre en tube 2" x 2"
 - Barres inclinées 1-1/4"
 - Bas: 12" or 20"



Heavy-Duty Rectangular Feeder

Width: 5', 6', or 7'
Length: 8', 12', 16'

Heavy-Duty Feed Fronts



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

The Fence Line Feeder is built for barn yard or fence line feeding.

- Feed grain, silage & TMR
- Constructed of heavy-duty 12ga. steel.
- Heavy-duty 2" square tube frame

La mangeoire a cloture en ligne est batie pour la basse-cour ou l'alimentation en ligne

- Pour grain, ensilage et TMR
- Construites d'acier renforcé 12 ga.
- Cadre en tube de 2" carré renforcé



Width:
34" & 48"

Length:
8', 10', 12', 14',
16', 18', 20', & 24'

Heavy duty multipurpose tub feeder

- Feed grain, silage & TMR
- Constructed of heavy-duty 12ga. steel.
- Heavy-duty 2" square tube frame

Mangeoire cuve multi-usage renforcée

- Pour grain, ensilage et TMR
- Construites d'acier renforcé 12 ga.
- Cadre en tube de 2" carré renforcé



Width:
34" or 48"

Length:
8', 10', 12', 16',
20' & 24'

Multi-purpose walk-in feeder for hay, grain and silage. Rear door provides access and easy clean-out.

- Feeds round or square bales, grain, silage and TMR (5' and 6' required for large round bales)
- Constructed of heavy-duty 12ga. steel.
- Heavy-duty 2" square tube frame
- T-frame undercarriage.
- Walk in rear door for easy clean out

Mangeoire multi-usage walk-in pour foin, grain et ensilage. Porte arriere permettant acces et nettoyage facile.

- Pour balles rondes et carrées, ensilage, grain et TMR (5' et 6' requis pour grosses balles rondes)
- Construites d'acier renforcé 12 ga.
- Cadre en tube de 2" carré renforcé
- Chassis en forme de T
- Porte arriere permettant nettoyage facile.



Widths: 4', 5' or 6'

Length: 10', 12', 16',
20 or 24'



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Bale Wagons – JBM mfg.

Wagons a balles

SECTION

D-1



Heavy-Duty bale hauler with Mesh or Checkered floor

Heavy-Duty bale hauler with Mesh or Checkered floor

Length:

20', 22', 24', 26', 28', 30', 32', & 36'

Widths: 8-1/2' or 9'

- Longitude beams are 10" on racks up to 32' and 12" on 36' racks
- Hauls round or square bales
- Heavy duty formed steel crossbars spaced at 16"
- Heavy-duty formed steel rub guard on sides
- 3lb. grating expanded steel mesh or 1/8" checker plate deck
- Removable front and rear slant gates

- Poutres de 10" sur les racks jusqu'à 32' et 12" sur ceux de 36'
- Pour balles rondes ou carrées
- Barres transversales en acier robuste espacées au 16"
- Gardes de cotés en acier robuste
- Plancher de grillage en acier 3 lbs ou plate-forme en tôle gaufrée 1/8"
- Barrières obliques avant et arrière amovibles

- Hauls 2 Round or big square bales.
- Heavy duty formed steel rub guards on sides
- 4' x 8' mesh floor
- 3 lb. grating expanded steel mesh deck
- Removable front and rear slant end gates
- 2-ton wagon
- 16 x 6.5 - 8-ply tires

- Pour 2 balles rondes ou grosses balles carrées
- Gardes de cotés en acier robuste
- Plancher en grillage 3 lbs de 4' x 8'
- Barrières obliques avant et arrière amovibles
- Wagon 2 tonnes
- Pneus 8-ply 16 x 6.5



The right match for your ATV or compact tractor.

The right match For your ATV or compact tractor.

Length: 8', 12', 16'

- Hauls small square bales
- 6" heavy duty long beams
- Side and front unloading
- 3 lb. Grating expanded steel mesh deck
- 3' front gate opens flat
- 72" wide side opening eliminates bale jams while unloading
- Easy to assemble

- Pour petites balles carrées
- Poutres de 6" robustes
- Déchargement avant et latéral
- Plancher de grillage en acier 3 lbs
- Porte avant de 3' qui s'ouvre à plat
- Ouverture latérale de 72" éliminant le bourrage pendant le déchargement
- Facile à assembler



Efficiently brings your bales in from the field.

Efficiently brings your bales in from the field.

Width: 8-1/2'

Length: 20' x 24'



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Bale Wagons – JBM mfg.

Wagons a balles

SECTION

D-1



Eliminate tearing plastic wrapped bales!
Designed for round or square bales.

Eliminate tearing plastic wrapped bales!
Designed for round or square bales

Width: 8-1/2' or 9'

Length: 16', 18', 20', 22', 24', 28', 30', 32', & 36'

- 10" heavy duty longitude beams (12" beams on 36' length)
- Heavy duty formed steel cross bars spaced 20"
- Heavy-duty formed steel side rub guard.
- Removable front and rear slant gates

- Poutres de 10" (12" sur ceux de 36')
- Barres transversales en acier robuste espacées au 20"
- Gardes de cotés en acier robuste
- Barrières obliques avant et arriere amovibles



Width: 8-1/2 and 9'

Length: 20', 24', 30', & 36'

- For 4', 5', or 6' diameter bales
- Curved or straight crossbars welded solid.
- 10" heavy duty longitude beams (12" beams on 36' length)
- 5" x 3" HSS steel cross bars
- Removable front and rear slant gates

- Pour balles de 4', 5', ou 6' de diametre
- Barres transversales soudées courbes ou droites
- Poutres de 10" (12" sur ceux de 36')
- Barres transversales profils creux de 5" x 3"
- Barrières obliques avant et arriere amovibles



TOUGH 2-BEAM BALE HAULER
Heavy 5" x 3" curved crossbars for load stability.

TOUGH 2-BEAM BALE HAULER
Heavy 5" x 3" curved crossbars for load stability.

Width: 8'

Length: 20' & 24'

- Removable front and back end-gates
 - Adjustable tongue for easy hook-up
 - Approx. 27" from ground to cross-bar
 - Telescopic quick hitch tongue
 - Removable front and rear slant end gates
 - **20' model** Capacity: 16,000 lb.
 - Hauls up to 11, 5' diameter or 8, 6' diameter round bales
 - 5,000 lb. 6 bolt Hub and spindles front and rear
- Tire options:
11L x 15" 8-ply new implement tires
11L x 15" 12-ply new implement highway service tires
245 R16" 10-ply used truck tires

- Barrières obliques avant et arriere amovibles
 - Attelage ajustable pour accrochage facile
 - Approx. 27" du sol a la barre transversale
 - Attelage rapide telescopique
 - **Modele 20'** Capacité: 16,000 lb.
 - Transporte jusqu'a 11 balles rondes de 5' de diametre ou 8 de 6' de diametre
 - 5000 lb., hubs & spindles a 6 bolts
- Options pour les pneus:
Pneus neufs 8-ply 11L x 15"
Pneus neufs 12-ply 11L x 15" highway service
Pneus de camions usagés 10-ply 245 R16"

- **24' model** Capacity: 20,000 lb.
 - Hauls up to 14, 5' diameter or 11, 6' diameter round bales
 - 5,000 lb. 6 bolt Hub and spindles front
 - 5,000 lb. 8 bolt Hub and spindles rear
- Tire options:
11R x 15 8 ply new implement tires front
12.5L x 15 highway service tires rear

- **Modele 24'** Capacité: 20,000 lb.
 - Transporte jusqu'a 14 balles rondes de 5' de diametre ou 11 de 6' de diametre
 - 5000 lb., hubs & spindles a 6 bolts en avant
 - 5000 lb., hubs & spindles a 8 bolts en arriere
- Options pour les pneus:
Pneus neufs 8-ply 11L x 15" en avant
Pneus 12.5L x 15 highway service en arriere



- Capacité 1-1/2 tonne
- Essieu tandem
- Tuyaux inclus
- Attelage pivotant
- Hayon verrouillable
- Jack 2000 lbs

- Cotés en acier de 18" amovibles
- Plancher en acier 12 ga. de 48 x 78"
- Cylindre double-action 3" x 12"
- Pneus pour gazon 18/850
- 1000 lb., hubs & spindles a 5 bolts



- 1-1/2 Ton Capacity
- Tandem Axle
- Removeable 18" formed steel sides
- 48 x 78" deck 12ga formed steel
- One double-acting 3" x 12" cylinder
- Hoses included
- Swivel hitch
- 2000 drop leg jack
- Latching tailgate
- 18/850 turf saver tires
- 1,000 lb. five bolt spindle and hub



- Capacité 5 tonnes
- Essieu simple
- Attelage pivotant
- Tuyaux inclus
- Jack 8000 lbs
- Pneus 8-ply 11L x 15

- Support pour extensionner les cotés avec planche de 8"
- Cotés en acier de 24" amovibles
- Hayon a ouverture automatique avec porte a grain
- Cylindre double-action 24" x 4"
- Plancher en acier 3/16. de 6' x 10'
- 5000 lb., hubs & spindles a 6 bolts



- 5-ton Capacity
- Single Axle
- Removeable 24" formed steel sides
- Brackets to extend side height w/plank 8"
- Self-opening tailgate with a grain door
- 6' x 10' deck 3/16 formed steel
- One double-acting 24" x 4" cylinder
- Hoses included
- Swivel hitch
- 8000 drop leg Jack
- 5,000 lb. 6 bolt hub & spindle s
- 11L x 15 8-ply new implement tires



- Capacité 5 tonnes
- Essieu simple
- Attelage pivotant
- Tuyaux inclus
- Jack 8000 lbs
- Pneus 8-ply 11L x 15

- Support pour extensionner les cotés avec planche de 8"
- Cotés en acier de 12" amovibles
- Plancher en acier 3/16. de 6' x 10'
- Cylindre double-action 24" x 4"
- 5000 lb., hubs & spindles a 6 bolts
- Portillon coulissant en bois



- 5-ton Capacity utility trailer
- Single Axle
- Removeable 12" formed steel sides
- Brackets to extend side height w/plank 8"
- 6' x 10' deck 3/16 formed steel
- One double-acting 4" x 24" cylinder
- Hoses included
- Swivel hitch
- Slide-out wood plank tailgate
- 8000 drop leg Jack
- 5,000 lb. six bolt hub and spindles
- 11L x 15" 8-ply new implement tires



- Capacité 8 tonnes
- Essieu tandem
- Attelage pivotant
- Tuyaux inclus
- Jack 8000 lbs
- Pneus 8-ply 11L x 15

- Cotés en acier de 24" amovibles
- Hayon a ouverture automatique avec porte a grain
- Plancher en acier 3/16. de 6' x 10'
- Cylindre double-action 24" x 4"
- 6000 lb., hubs & spindles a 6 bolts
- Support pour extensionner les cotés avec planche de 8"



- 8-ton Capacity Utility Trailer
- Tandem Axle
- Removeable 24" formed steel sides
- Self-opening tailgate with a grain door
- 6' x 10' heavy duty formed steel deck
- Brackets to extend side height w/plank 8"
- One double-acting 4" x 24" cylinder
- Hoses included
- 8000 drop leg Jack
- Swivel hitch
- 6,000 lb. six bolt hub and spindles
- 11L x 15' 8-ply new implement tires

Remorques a bascule



- 12-Ton - Standard Mighty Dumper
- 7' x 12' deck, heavy duty formed steel
- Brackets to extend side height w/plank 12"
- Twin 4" x 24" double acting cylinders
- Hoses included
- 6500 lb. eight bolt hub and spindles
- Swivel hitch
- Self opening tail-gate with grain door
- 8000 drop leg Jack
- 12.5 x 15" 12-ply new highway service tires

- Remorque a bascule standard de 12 tonnes
- Plancher en acier robuste 7' x 12'
- Support pour extensionner les cotés avec planche de 12"
- Doubles cylindres double-action 24" x 4"
- Tuyaux inclus

- 6500 lb., hubs & spindles a 8 bolts
- Attelage pivotant
- Hayon a ouverture automatique avec porte a grain
- Jack 8000 lbs
- Pneus neufs 12.5 x 15 highway service



BUILT FOR BRUTAL USE

- 12-ton capacity
- Hydraulic tail-gate with grain door opens 3' above sides
- 7' x 12' heavy duty deck with 2' sides
- 1/4" Steel floor, w/ cross members -12"
- 2 double acting 4" x 24" cylinders
- Hoses and ends included
- Swivel hitch
- 8000 drop leg Jack
- 6,500 lb. 8-bolt, hub and spindles
- 12.5 x 15" 12-ply new highway service tires

La remorque DIRT BOSS concue pour les gros travaux

- Capacité 12 tonnes
- Hayon hydraulique avec porte a grain ouvrant 3' plus haut que les cotés
- Plancher robuste 7' x 12' avec cotés de 2'
- Plancher en acier 1/4" avec barres transversales de 12"
- 2 cylindres double-action 24" x 4"
- Tuvaux inclus

- Attelage pivotant
- Jack 8000 lbs
- 6500 lb., hubs & spindles a 8 bolts
- Pneus neufs 12.5 x 15 highway service



Ruggedly built for dirt, stones, manure or grain.

1/4" steel floor and 3/16" thick formed sides
Hydraulic tailgate, with grain door opens wide for no-obstruction dumping.
Size: 7-1/2' x 16' deck.

- 2-1/2' high sides with brackets for wooden extensions
- Telescopic cylinder
- Hoses included
- 12,000 lb. drop leg jack and swivel hitch
- 8-bolt 12,000 lb. hub and spindles
- Includes 550/60 x 25.5 floatation tires



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

D-1

PAGE 1

FEEDER WAGONS

JANUARY 1, 2024

US DOLLARS

ITEM #	DESCRIPTION	SIZE	LIST PRICE
141400	CATTLEMAN'S CHOICE FEEDER WAGONS – with dolly (16" 10 Ply used Truck Tires Included)	7 x 12	5761.00
141401	CATTLEMAN'S CHOICE FEEDER WAGONS – with dolly	7 x 16	6232.00
141402	CATTLEMAN'S CHOICE FEEDER WAGONS – with dolly	7 x 20	7158.00
141403	CATTLEMAN'S CHOICE FEEDER WAGONS – with dolly	7 x 24	7879.00
141404	CATTLEMAN'S CHOICE FEEDER WAGONS – with dolly	8 x 12	6053.00
141405	CATTLEMAN'S CHOICE FEEDER WAGONS – with dolly	8 x 16	6539.00
141406	CATTLEMAN'S CHOICE FEEDER WAGONS – with dolly	8 x 20	7526.00
141407	CATTLEMAN'S CHOICE FEEDER WAGONS – with dolly	8 x 24	8114.00
141420	Optional Plywood Inserts	12'	774.00
141421		16'	1030.00
141422		20'	1290.00
141423		24'	1547.00
141430	DOUBLE BAR FEEDER WAGONS – with dolly (16" 10 Ply used Truck Tires Included)	7 x 12	5311.00
141431	DOUBLE BAR FEEDER WAGONS – with dolly	7 x 16	5914.00
141432	DOUBLE BAR FEEDER WAGONS – with dolly	7 x 20	6641.00
141433	DOUBLE BAR FEEDER WAGONS – with dolly	7 x 24	7362.00
141434	DOUBLE BAR FEEDER WAGONS – with dolly	8 x 12	5679.00
141435	DOUBLE BAR FEEDER WAGONS – with dolly	8 x 16	6227.00
141436	DOUBLE BAR FEEDER WAGONS – with dolly	8 x 20	7004.00
141437	DOUBLE BAR FEEDER WAGONS – with dolly	8 x 24	7818.00
141499	PORTABLE BUNK FEEDERS – with dolly	6 x 12	4646.00
141500	PORTABLE BUNK FEEDERS – with dolly	6 x 20	5474.00
141501	PORTABLE BUNK FEEDERS – with dolly	6 x 24	5669.00
141460	ECONO GRAZER WAGONS (16" 10 Ply used Truck Tires Included)	7 x 12	5413.00
141461	ECONO GRAZER WAGONS	7 x 16	6585.00
141462	ECONO GRAZER WAGONS	7 x 20	7316.00
141463	ECONO GRAZER WAGONS	7 x 24	7889.00
141470	SINGLE BAR TMR FEEDER WAGONS – with dolly- (16" 10 Ply used Truck Tires Included)	7 x 12	4953.00
141471	SINGLE BAR TMR FEEDER WAGON – with dolly	7 x 16	5439.00
141472	SINGLE BAR TMR FEEDER WAGON – with dolly	7 x 20	6007.00
141473	SINGLE BAR TMR FEEDER WAGON – with dolly	7 x 24	6349.00
141478	SINGLE BAR TMR FEEDER WAGON – with dolly	7 x 30	8054.00
141480	SELF LOCKING FEEDER WAGONS (16" 10 Ply used Truck Tires Included)	19 16'	8068.00
141481	SELF LOCKING FEEDER WAGONS	23 20'	9516.00
141482	SELF LOCKING FEEDER WAGONS	FEEDING SPACES 27 24'	10,560.00
	LOCKING HEAD RAIL FEED FRONT	per 2' section	266.00
141490	TOMBSTONE FEEDER WAGONS – with dolly- (16" 10 Ply used Truck Tires Included)	7 x 12	5019.00
141491	TOMBSTONE FEEDER WAGONS – with dolly	7 x 16	5536.00
141492	TOMBSTONE FEEDER WAGONS – with dolly	7 x 20	6227.00
141493	TOMBSTONE FEEDER WAGONS – with dolly	7 x 24	6887.00
141428	Solid Axle Tandem for feeder wagons	Add	941.00
141510	SELF LOCKING HAY & GRAIN FEEDERS	8'	3750.00
141515	SELF LOCKING HAY & GRAIN FEEDERS	10'	4415.00
141511	SELF LOCKING HAY & GRAIN FEEDERS	12'	4886.00
141512	SELF LOCKING HAY & GRAIN FEEDERS	16'	5961.00
141513	SELF LOCKING HAY & GRAIN FEEDERS	20'	6933.00
141514	SELF LOCKING HAY & GRAIN FEEDERS	24'	7802.00
141520	TOMBSTONE SKID FEEDERS	7 x 8	2108.00
141521	TOMBSTONE SKID FEEDERS	7 x 12	2921.00
141522	TOMBSTONE SKID FEEDERS	7 x 16	3699.00
141524	TOMBSTONE SKID FEEDERS	8 x 8	2272.00
141525	TOMBSTONE SKID FEEDERS	8 x 12	3049.00
141526	TOMBSTONE SKID FEEDERS	8 x 16	3854.00
141530	BIG BEN HAY FEEDERS	8 x 8	2630.00
141531	BIG BEN HAY FEEDERS	8 x 12	3377.00
141534	Optional Door on one end		271.00



ITEM #	DESCRIPTION	SIZE	LIST PRICE
141632	DOUBLE BAR RECTANGULAR FEEDERS for 4' and 5' bales	7 x 8 12"	2333.00
141633	DOUBLE BAR RECTANGULAR FEEDERS for 4' and 5' bales	7 x 12 12"	3041.00
141558	DOUBLE BAR RECTANGULAR FEEDERS for 4' and 5' bales	7 x 16 12"	3791.00
141636	DOUBLE BAR RECTANGULAR FEEDERS for 5' and 6' bales	8 x 8 12"	2579.00
141637	DOUBLE BAR RECTANGULAR FEEDERS for 5' and 6' bales	8 x 12 12"	3274.00
141638	DOUBLE BAR RECTANGULAR FEEDERS for 5' and 6' bales	8 x 16 12"	4078.00
141540	DOUBLE BAR RECTANGULAR FEEDERS for 4' and 5' bales	7 x 8 8"	2466.00
141541	DOUBLE BAR RECTANGULAR FEEDERS for 4' and 5' bales	7 x 12 8"	3234.00
141542	DOUBLE BAR RECTANGULAR FEEDERS for 4' and 5' bales	7 x 16 8"	3950.00
141544	DOUBLE BAR RECTANGULAR FEEDERS for 5' and 6' bales	8 x 8 8"	2717.00
141545	DOUBLE BAR RECTANGULAR FEEDERS for 5' and 6' bales	8 x 12 8"	3535.00
141546	DOUBLE BAR RECTANGULAR FEEDERS for 5' and 6' bales	8 x 16 8"	4298.00
141548	Optional Door on one end		271.00



141550	RECTANGULAR FEEDERS – no floor	5 x 8	1243.00
141551	HEAVY DUTY RECTANGULAR FEEDERS	5 x 12	1586.00
141552	HEAVY DUTY RECTANGULAR FEEDERS	5 x 16	2052.00
141554	HEAVY DUTY RECTANGULAR FEEDERS	6 x 8	1340.00
141555	HEAVY DUTY RECTANGULAR FEEDERS	6 x 12	1678.00
141556	HEAVY DUTY RECTANGULAR FEEDERS	6 x 16	2134.00
141568	HEAVY DUTY RECTANGULAR FEEDERS	7 x 8	1412.00
141569	HEAVY DUTY RECTANGULAR FEEDERS	7 x 12	1816.00
141570	HEAVY DUTY RECTANGULAR FEEDERS	7 x 16	2205.00



141590	HEAVY DUTY FEED FRONTS	20" skirt x 8'	373.00
141591	HEAVY DUTY FEED FRONTS	20" skirt x 10'	476.00
141592	HEAVY DUTY FEED FRONTS	20" skirt x12'	563.00
141593	HEAVY DUTY FEED FRONTS	20" skirt x 14'	655.00
141594	HEAVY DUTY FEED FRONTS	20" skirt x 16'	742.00
141595	HEAVY DUTY FEED FRONTS	20" skirt x 18'	839.00
141596	HEAVY DUTY FEED FRONTS	20" skirt x 20'	921.00
141597	HEAVY DUTY FEED FRONTS	20" skirt x 22'	1018.00
141598	HEAVY DUTY FEED FRONTS	20" skirt x 24'	1120.00



141600	FENCE LINE BUNK FEEDERS - 34" standard width	8'	1361.00
141601	FENCE LINE BUNK FEEDERS 34"	10'	1566.00
141602	FENCE LINE BUNK FEEDERS 34"	12'	1632.00
141603	FENCE LINE BUNK FEEDERS 34"	14'	1688.00
141604	FENCE LINE BUNK FEEDERS 34"	16'	1816.00
141605	FENCE LINE BUNK FEEDERS 34"	18'	2041.00
141606	FENCE LINE BUNK FEEDERS 34"	20'	2123.00
141607	FENCE LINE BUNK FEEDERS 34"	22'	2210.00
141608	FENCE LINE BUNK FEEDERS 34"	24'	2384.00



141620	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	34 x 8	1013.00
141621	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	34 x 10	1161.00
141622	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	34 x 12	1397.00
141623	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	34 x 16	1734.00
141624	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	34 x 20	1949.00
141625	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	34 x 24	2174.00
141626	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	48 x 8	1177.00
141627	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	48 x 10	1346.00
141628	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	48 x 12	1632.00
141629	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	48 x 16	1960.00
141630	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	48 x 20	2093.00
141631	HEAVY DUTY TUB FEEDERS	11" deep 34" top to 20" flat bottom	48 x 24	2338.00



141640	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	4 x 10	2087.00
141641	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	4 x 12	2282.00
141642	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	4 x 16	2456.00
141643	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	4 x 20	2809.00
141644	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	4 x 24	3106.00
141645	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	5 x 10	2272.00
141646	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	5 x 12	2527.00
141647	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	5 x 16	2732.00
141648	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	5 x 20	3065.00
141649	HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	5 x 24	3310.00
141650	Walco HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	6 x 10	2425.00
141651	Walco HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	6 x 12	2773.00
141652	Walco HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	6 x 16	3019.00
141653	Walco HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	6 x 20	3315.00
141654	Walco HEAVY DUTY BUNK FEEDERS	11" deep 34" top to 20" flat bottom	6 x 24	3515.00

141655	Optional Kick Panel (per foot)		33.00
--------	--------------------------------	--	-------

141483	LOCKING HEADRAIL FEED FRONT	2'	266.00
141484		4'	455.00
141485		6'	665.00
141486		8'	880.00
141487		10'	1074.00
141488		12'	1279.00



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

D-1

PAGE 3

ALL STEEL BALE RACKS (RUNNING GEAR NOT INCLUDED)

JANUARY 1, 2024

US DOLLARS

ITEM #	DESCRIPTION	SIZE	LIST PRICE
141702	HEAVY DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 20	4594.00
141703	HEAVY DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 22	4881.00
141704	HEAVY DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 24	5254.00
141705	HEAVY DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 26	5567.00
141706	HEAVY DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 28	5868.00
141707	HEAVY DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 30	6206.00
141708	HEAVY DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 32	6963.00
141709	HEAVY DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 36	8114.00
141722	HEAVY DUTY ALL STEEL FLAT RACKS - Checker Plate	8.5 x 20	5219.00
141723	HEAVY DUTY ALL STEEL FLAT RACKS - Checker Plate	8.5 x 22	5587.00
141724	HEAVY DUTY ALL STEEL FLAT RACKS - Checker Plate	8.5 x 24	5986.00
141725	HEAVY DUTY ALL STEEL FLAT RACKS - Checker Plate	8.5 x 26	6462.00
141726	HEAVY DUTY ALL STEEL FLAT RACKS - Checker Plate	8.5 x 28	6805.00
141727	HEAVY DUTY ALL STEEL FLAT RACKS - Checker Plate	8.5 x 30	7163.00
141728	HEAVY DUTY ALL STEEL FLAT RACKS - Checker Plate	8.5 x 32	7961.00
141729	HEAVY DUTY ALL STEEL FLAT RACKS - Checker Plate	8.5 x 36	9199.00
141740	REGULAR DUTY ALL STEEL FLAT RACKS Mesh	8.5 x 16	3310.00
141741	REGULAR DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 18	3576.00
141742	REGULAR DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 20	3832.00
141743	REGULAR DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 22	4175.00
141744	REGULAR DUTY ALL STEEL FLAT RACKS - Mesh	8.5 x 24	4507.00
	Also available in - 1/8" checker plate floor		call for price
141745	COMPACT WAGON W/RACK & WHEELS	4 x 8	3812.00
	RACK ONLY WITH STEEL MESH DECK		1842.00
	ALL STEEL BALE THROWER RACKS		
141748	ALL STEEL BALE THROWER RACKS - 10" beam	8 x 20	6022.00
	Set up Charge		215.00
	ALL STEEL ROUND BALE RACKS		
141750	4' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 20	2957.00
141751	4' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 24	3479.00
141752	4' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 30	4139.00
141753	4' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 36	5347.00
141762	4' DIAMETER BALES - WELDED / CURVED	8.5 x 20	3080.00
141763	4' DIAMETER BALES - WELDED / CURVED	8.5 x 24	3576.00
141764	4' DIAMETER BALES - WELDED / CURVED	8.5 x 30	4236.00
141765	4' DIAMETER BALES - WELDED / CURVED	8.5 x 36	5387.00
141800	5' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 20	2707.00
141801	5' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 24	3244.00
141802	5' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 30	3934.00
141803	5' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 36	4886.00
141812	5' DIAMETER BALES - WELDED / CURVED	8.5 x 20	2829.00
141813	5' DIAMETER BALES - WELDED / CURVED	8.5 x 24	3351.00
141814	5' DIAMETER BALES - WELDED / CURVED	8.5 x 30	4001.00
141815	5' DIAMETER BALES - WELDED / CURVED	8.5 x 36	4942.00
141850	6' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 20	2517.00
141851	6' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 24	2952.00
141852	6' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 30	3576.00
141853	6' DIAMETER BALES - WELDED / STRAIGHT	8.5 x 36	4576.00
141862	6' DIAMETER BALES - WELDED / CURVED	8.5 x 20	2589.00
141863	6' DIAMETER BALES - WELDED / CURVED	8.5 x 24	3049.00
141864	6' DIAMETER BALES - WELDED / CURVED	8.5 x 30	3704.00
141865	6' DIAMETER BALES - WELDED / CURVED	8.5 x 36	4799.00
141900	ALL STEEL BALE KING RACKS	8.5 x 16	2783.00
141901	ALL STEEL BALE KING RACKS	8.5 x 18	3331.00
141902	ALL STEEL BALE KING RACKS	8.5 x 20	3668.00
141903	ALL STEEL BALE KING RACKS	8.5 x 22	3934.00
141904	ALL STEEL BALE KING RACKS	8.5 x 24	4206.00
141905	ALL STEEL BALE KING RACKS	8.5 x 28	4789.00
141906	ALL STEEL BALE KING RACKS	8.5 x 30	4953.00
141907	ALL STEEL BALE KING RACKS	8.5 x 32	5306.00
141908	ALL STEEL BALE KING RACKS	8.5 x 36	6073.00

OPTIONS FOR ALL RACKS

141920	Rear Light Kit		870.00
141921	Rear Plug		118.00
141922	Adjustable Extended Hitch		363.00
141923	Winch & Tie Down Straps (per set)	3" x 30'	200.00
141928	Winch Track per 6 feet		200.00
141927	Riser Kit for Truck Tires		174.00
141929	Reach Supports for 24' Reach (installed)		225.00

SEE TERM SCHEDULE FOR DEALER DISCOUNTS. ALL PRICES F. O. B. RANDOLPH, MN AND SUBJECT TO CHANGE WITHOUT NOTICE.



NOTE: Please see Walco Catalogue section "D-2" for wagon running gear.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

D-1

PAGE 4

JANUARY 1, 2024

US DOLLARS



ITEM #	DESCRIPTION	SIZE	LIST PRICE
141940	MIGHTY BALE HAULER for 6' bales	11L x 15 8-ply new Implement Tires	8.5' x 20' 6242.00
141941	MIGHTY BALE HAULER for 6' bales	245R x 16 Used Truck Tires	8.5' x 20' 5439.00
141942	MIGHTY BALE HAULER for 6' bales	11L x 15 8-ply new Implement Tires	8.5' x 24' 6897.00
141943	MIGHTY BALE HAULER for 6' bales	245R x 16 Used Truck Tires	8.5' x 24' 6267.00
141944	MIGHTY BALE HAULER for 5' bales	245R x 16 Used Truck Tires	8.5' x 20' 5618.00

MIGHTY DUMPERS



ITEM #	DESCRIPTION	SIZE	LIST PRICE
141950	MIGHTY DUMPER - T-150	w/18 x 850-8 4 ply tires	5029.00



141951	MIGHTY DUMPER - S-500 SINGLE	w/ 11L x 15 8 ply tires	8580.00
141952	MIGHTY DUMPER - S-500 SINGLE	w/ 11L x 15 12 ply tires – hwy. service	9041.00
141953	MIGHTY DUMPER - S-500 SINGLE	w/ 245R-16" used truck tires	8355.00



141954	MIGHTY DUMPER - S-500L LOW SIDE	w/ 245R-16" used truck tires	7623.00
141955	MIGHTY DUMPER - S-500L LOW SIDE	w/ 11L x 15 8 ply tires	7920.00



141957	MIGHTY DUMPER - T-800 TANDEM	w/11L x 15 8 ply tires	9895.00
141958	MIGHTY DUMPER - T-800 TANDEM	w/11L x 15 12 ply tires – hwy. service	10,795.00
141959	MIGHTY DUMPER - T-800 TANDEM	w/245R-16 used truck tires	9486.00



141960	MIGHTY DUMPER - T-1200 (3' sides)	w/12.5 x 15 12 ply tires – hwy. service	14,147.00
141961	MIGHTY DUMPER - T-1200 (4.5' sides)	w/12.5 x 15 12 ply tires – hwy. service	14,500.00
Optional Hydraulic Tail Gate (available on T1200 Dumper)			1177.00



141965	DIRT BOSS - T-1500	15 Ton 445 x 22.5 good used truck tires	32,120.00
141966	DIRT BOSS - T-1500	15 Ton 600/50 new floatation 16 ply	38,378.00

WHEEL-BASE OF WAGON FOR RACKS

NOTE: ALWAYS specify wheel-base, when ordering wagons

FLAT RACKS & BALE KING, CHECKER PLATE

RACK LENGTH	TANDOM WAGON	4-WHEEL WAGON
36 ft.	24 ft.	N/A
32 ft.	22 ft.	24 ft.
30 ft.	20 ft.	22 ft.
28 ft.	18 ft.	20 ft. 18' for 22.5 truck tires
26 ft.	18 ft.	20 ft. 16' for 22.5 truck tires
24 ft.	16 ft.	18 ft. 14' for 22.5 truck tires
22 ft.	14 ft.	16 ft.
20 ft.	N/A	14 ft.
18 ft.	N/A	12 ft.
16 ft.	N/A	11 ft.

ROUND BALE RACKS

RACK LENGTH	TANDOM WAGON	4-WHEEL WAGON
20 ft.	N/A	14 ft.
24 ft.	16 ft.	16 ft.
30 ft.	20 ft.	20 ft.
36 ft.	24 ft.	N/A

BALE THROWER RACKS

20 ft.	14 ft.
24 ft.	18 ft.

NOTE: Please see Walco Catalogue section "D" for wagon running gear.



FARM WAGONS

From 5 to 15 ton
Loading Capacities

9 MODELS TO CHOOSE FROM

HEAVY DUTY - BUILT TO LAST

Double Reach - Proven better for years!
Flexible and Strong

PRO-SERIES 5 TON WAGON

Model RS50 SPECIFICATIONS



Axles	4" x 3" .188 Wall
Spindle	1-3/4"
Hub	5 Bolt
Hub Capacity	2500 lb.
Bearings	Taper Roller
Steering Rod	7/8"
Tongue	Quick Hitch
Reach	2-3/8" O.D. .188 Wall
Stakes	38" - 42" Adjustable
Track	78"
Approx. Weight	450 lbs.

PRO-SERIES 8 TON WAGON

Model RS80 SPECIFICATIONS



Axles	5" x 3" .188 Wall
Spindle	1-3/4"
Hub	6 Bolt
Hub Capacity	4000 lb.
Bearings	Taper Roller
Steering Rod	1"
Tongue	Quick Hitch
Reach	3" O.D. .188 Wall
Stakes	38" - 42" Adjustable
Track	78"
Approx. Weight	570 lbs.

PRO-SERIES 10 TON WAGON

Model RS105 SPECIFICATIONS



Axles	6" x 3" .188 Wall
Spindle	2"
Hub	6 Bolt
Hub Capacity	5000 lb.
Bearings	Taper Roller
Steering Rod	1"
Tongue	Quick Hitch
Reach	3" O.D. .188 Wall
Stakes	38" - 42" Adjustable
Track	78"
Approx. Weight	610 lbs.

STEERING PINS - Tapered pin with slotted nuts so you can tighten steering again and again.

TIE ROD ENDS - Tapered, hardened bronze bushings with dust cap to keep dirt out.

WHEEL BASE - 15' wheel base standard or varied length on request.

Wide variety of wheels and tires

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

WALCO USA

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcogc@walcoequipment.com

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

PRO-SERIES 11 TON WAGON**Model RS110 SPECIFICATIONS**

Axles	6" x 3" .188 Wall
Spindle	2-1/4"
Hub	8 Bolt
Hub Capacity	6500 lb.
Bearings	Taper Roller
Steering Rod	1"
Tongue	Quick Hitch
Reach	3" O.D. .188 Wall
Stakes	38" - 42" Adjustable
Track	78"
Approx. Weight	685 lbs.

PRO-SERIES 12 TON TANDEM WAGON**Model RS120T SPECIFICATIONS**

Axles	6" x 3" .188 Wall
Spindle	2-1/4" Front 2-1/4" Rear
Hub	6 or 8 Bolt
Hub Capacity	5000 lb.
Bearings	Taper Roller
Steering Rod	1"
Tongue	Quick Hitch
Reach	3" O.D. .188 Wall
Stakes	38" - 42" Adjustable
Track	78"
Approx. Weight	990 lbs.

PRO-SERIES 13 TON WAGON**Model RS130 SPECIFICATIONS**

Axles	8" x 4" .188 Wall
Spindle	2-1/2"
Hub	8 Bolt
Hub Capacity	8000 lb.
Bearings	Taper Roller
Steering Rod	1-1/8"
Tongue	Quick Hitch
Reach	3-1/2" O.D. .188 Wall
Stakes	38" - 42" Adjustable
Track	86"
Approx. Weight	815 lbs.

PRO-SERIES 14 TON TANDEM WAGON**Model RS140T SPECIFICATIONS**

Axles	8" x 4" .188 Wall
Spindle	2-1/4" Front 2-1/2" Rear
Hub	8 Bolt
Hub Capacity	6500 lb.
Bearings	Taper Roller
Steering Rod	1-1/8"
Tongue	Quick Hitch
Reach	3-1/2" O.D. .188 Wall
Stakes	38" - 42" Adjustable
Track	86"
Approx. Weight	1570 lbs.

STEERING PINS - Tapered pin with slotted nuts so you can tighten steering again and again.

TIE ROD ENDS - Tapered, hardened bronze bushings with dust cap to keep dirt out.

WHEEL BASE - 15' wheel base standard or varied length on request.

Wide variety of wheels and tires

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

PRO-SERIES 15 TON WAGON

Model RS150 SPECIFICATIONS



Axles	8" x 4" .250 Wall
Spindle	2-3/4"
Hub	8 Bolt
Hub Capacity	8000 lb.
Bearings	Taper Roller
Steering Rod	1-1/4"
Tongue	Quick Hitch
Reach	3-1/2" O.D. .188 Wall
Stakes	42" Fixed
Track	86"
Approx. Weight	1560 lbs.



Bronze Bushings with Rubber O-Rings on King Pins and Tongue. Keeps out Dirt and Moisture.



Tapered Roller Bearings on tongue pivot for smoother turning and better trailing. eliminates swaying on road.



Tapered stainless steel steering pins and hardened bronze bushings give you the option of tightening the steering repeatedly.

PRO-SERIES *COMBINE HEADER* - Agrimaster



Model RS70HC SPECIFICATIONS

Axles	4" x 3" .188 Wall
Spindle	1-3/4"
Hub	6 Bolt
Hub Capacity	4000 lb.
Bearings	Taper Roller
Steering Rod	7/8"
Tongue	Quick Hitch
Reach	2-3/8" O.D. .188 Wall
Stakes	N/A
Track	84"
Weight	1180 lbs. Aprox.



STEERING PINS - Tapered pin with slotted nuts so you can tighten steering again and again.

TIE ROD ENDS - Tapered, hardened bronze bushings with dust cap to keep dirt out.

WHEEL BASE - 15' wheel base standard or varied length on request. Wide variety of wheels and tires

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax: (819) 395-2624

e-mail: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax: (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

D-2

PAGE 1

AGRIMASTER WAGONS

US LIST PRICE - EFFECTIVE JANUARY 1, 2024

PRO SERIES 5-8-10-12-13-14-15-20 TON WAGONS

2012 All Wagons Have Bearings on King Pins

STANDARD REACH IS 15 ft.

ITEM #		US DOLLARS	SHIP WT.
138409	RS50 Pro Series 5-ton wagons 		
	5 ton less rims (5 bolt, 4 1/2 " bolt pattern)	2414.00	440 lbs.
138410	RS80 Pro Series 8-ton wagons 		
	8 ton less rims (6 bolt, 6" bolt pattern, 4.625" pilot hole)	2637.00	550 lbs.
138413	RS105 Pro Series 10-ton wagons 		
	10 ton less rims (6 bolt, 6" bolt pattern, 4.625" pilot hole)	2750.00	590 lbs.
138416	RS120 (NEW) Pro Series 12-ton 4-wheel 		
	12 ton less rims (8 bolt, 8" bolt pattern, 6" pilot hole)	3120.00	725 lbs.
138420	RS120T Pro Series 12 ton tandem 6-wheel 6 bolt		
	12 ton Tandem less rims (6 bolt, 6" bolt pattern, 4.625" pilot hole)	3900.00	980 lbs.
138425	RS125T Pro Series 12 ton tandem 6-wheel 8 bolt		
	12 ton Tandem less rims (8 bolt, 8" bolt pattern, 6" pilot hole)	4050.00	1030 lbs.
138430	RS130 Pro Series 13-ton wagons 		
	13 ton less rims	3566.00	800 lbs.
138434	RS140 (NEW) Pro Series 14-ton wagon 4 wheel 		
	14 ton less rims	3715.00	850 lbs.
138435	RS140T Pro Series 14 ton tandem 6-wheel wagon		
	14 ton Tandem less rims	5275.00	1250 lbs.
138440	RS150RA (NEW) Pro Series 15-ton wagon (rocking axle on front now)		
	15 ton less rims 	5350.00	1600 lbs.
140623	RS200RA 20 ton less rims (8 bolt, 8" bolt pattern, 6" pilot hole)	6686.00	2000 lbs.
	12 ft wheel base standard over 12ft add / ft / reach	32.00	
140621	4-wheel surge drum brake comes with brake tongue	3005.00	
138241	SPBK Tongue single spring balancer kits for 5-20 ton	105.00	
	Pro Series extra length reaches add per ft. per reach		
140655	2 3/8"x.188R 2 3/8" OD for 5-ton wagons: add / ft. / reach	12.00/ft.	
140656	3".188R 3" OD reach 10-11-12 ton add / ft. /reach	16.00/ft.	
140657	3 1/2".188 3 1/2"OD for 13-ton reach add / ft. / reach	19.00/ft.	
140658	6x4 x.188 wall 6" x 4"x.188" 15 ton & 20-ton reach add / ft. / reach	32.00/ft.	

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

D-2

PAGE 2

PRO SERIES COMBINE HEADER CARRIERS

US LIST PRICE - EFFECTIVE JANUARY 1, 2024

			US DOLLARS	
139896	Pro Series Combine Header Wagon 20 ft Less Tires		4620.00	
139898	Pro Series Combine Header Wagon 25 ft Less Tires		4865.00	
139899	Pro Series Combine Header Wagon 30 ft Less Tires		5930.00	
139897	Pro Series Combine Header Wagon 36 ft Less Tires		6350.00	
Shipping weights are approximate only.				
Quickhitch tongue included on all wagons.				
Up to 15' wheel base, on standard reach				
12 and 14-ton tandem up to 20 ft wheel base is standard				

RIMS & TIRES (SAME AS RENEGDE SHEET)

ITEM #	DESCRIPTION			US DOLLARS
140053	20.5 x 8 x 10	12 ply Tire on	10 x 6 x 6 Rim	\$ 135.00 each
140052	225 / 75 x 15	Tire on	15 x 6 x 6 Rim	\$ 190.00 each
140045	26 x 12	12 ply Tire on	12 x 10.5 x 6 Rim	\$ 215.00 each
140044	11 x 15	12 ply Tire on	15 x 8 x 6 H.D. Rim	\$ 285.00 each

NOTE: 4 tires and rims are needed to complete the combine head carrier

AGRIMASTER RIMS & TIRES

ITEM #	MFG #	DESCRIPTION	SHIP WEIGHT/LBS.	US DOLLARS
135051	156545R	15" x 6" x 5 bolt rim	25.5	\$ 62.00
135054	1566R	15" x 6" x 6 bolt rim	25.5	\$ 67.00
135055	1586R	15" x 8" x 6 bolt rim	28.5	\$ 74.00
137213	15106R	15" x 10" x 6 bolt rim	32.5	\$ 89.00
135063	15108R	15" x 10" x 8 bolt rim		\$ 93.00
135058	1666R	16" x 6" x 6 bolt rim	25	\$ 73.00
135059	1686R	16" x 8" x 6 bolt rim	35.5	\$ 73.00
135076	1688R	16" x 8 x 8 bolt rim	35.5	\$ 86.00
135066	16108R	16" x 10" x 8 bolt rim	40	\$ 89.00
135073	16.1164R	16.1" x 14" x 8 bolt rim		\$ 200.00
135069	2258R	22.5" x 8.25" x 8 bolt rim	75	\$ 145.00
138277	22511258R	22.5" x 11.25" x 8 bolt rim	92	\$ 245.00

CONTINUED ON NEXT PAGE



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

D-2

PAGE 3

AGRIMASTER RIMS & TIRES

US LIST PRICE - EFFECTIVE 2024

ITEM #	MFG #	DESCRIPTION	SHIP WEIGHT/LBS.	US DOLLARS
137221		22 x 13.5 x 8 bolt rim		\$ 274.00
	76015TT	7.60 x 15 - 8 ply tire & tube	28	\$ 150.00
136190	111512TT	11L x 15 - 12 ply tire	44	\$ 208.00
137218	1251510TT	12.5L x 15 - 10 ply tire	39	\$ 237.00
	245R16TT	245 R 16 P/U tire & tube	46.5	\$ 74.00
	76015TM	7.60 x 15 - 8 ply tire mounted on 15" x 6" x 6 bolt rim	53.5	\$ 172.00
136187	11158TM	11L x 15 - 8 ply tire mounted on 15" x 8" x 6 bolt rim	61.5	\$ 172.00
	111512TM	11L x 15 - 12 ply tire mounted on 15" x 8" x 6 bolt rim	76.5	\$ 237.00
	1115128TM	11L x 15 - 12 ply tire mounted on 15" x 10" x 8 bolt rim	76.5	\$ 245.00
137201	1251510TM	12.5L x 15 - 10 ply tire mounted on 15" x 10" x 6 bolt rim	81	\$ 290.00
137202	1251510TM8	12.5L x 15 - 10 ply tire mounted on 15" x 10" x 8 bolt 13" rim	81	\$ 298.00
	1251614TM8	12.5L x 16 - 14 ply tire mounted on 16" x 10" x 8 bolt rim		\$ 440.00
138292	165161TM	16.5L x 16.1" - 10 ply tire mounted on 16.1" x 14" x 8 bolt	152	\$ 726.00
	195161TM	19.5L x 16.1" - 10 ply tire mounted on 16.1" x 16" x 8 bolt		\$ 889.00
	215161TM	21.5L x 16.1" - 14 ply tire mounted on 16.1" x 14" x 8 bolt		\$ 1,145.00
	15CTM	used 15" Truck tire mounted on 15" x 6" x 5 bolt rim	53	\$ 105.00
	15NCTM	New! 15" Truck Tire mounted on 15" x 6" x 5 bolt rim	53	\$ 290.00
	245R16TM	used 245 R 16 P/U tire mounted on 16" x 8" x 6 bolt rim	75	\$ 133.00
	245R16NTM	New! 245 R 16 P/U tire mounted on 16" x 8" x 6 bolt rim	75	\$ 356.00
	11225TMHD	used 11 x 22.5" truck tire mounted on 22.5" x 8.25" 8 bolt rim H.D.		\$ 215.00
	11225NTM	New! 11 x 22.5" truck tire mounted on 22.5" x 8.25" 8 bolt rim	210	\$ 795.00
	12225TMHD	used 12 x 22.5" truck tire mounted on 22.5" x 8.25" 8 bolt rim H.D.		\$ 237.00
	12225NTM	New! 12 x 22.5" truck tire mounted on 22.5" x 8.25" 8 bolt rim	220	\$ 964.00
135094	425225TM11	used 425 x 22.5" truck tire mounted on 22.5"x11.75"x 8 bolt rim	257	\$ 385.00
	425225NTM11	New! 425 x 22.5" truck tire mounted on 22.5"x11.25"x 8 bolt rim	257	\$ 964.00
	425225TM13	used 425 x 22.5" truck tire mounted on 22.5"x13"x 8 bolt rim	257	\$ 415.00
	425225NTM13	New! 425 x 22.5" truck tire mounted on 22.5"x13"x 8 bolt rim	257	\$1,010.00
	445225TM	used 445 x 22.5" truck tire mounted on 22.5"x13"x 8 bolt rim	312	\$ 565.00
	445225NTM	New! 445 x 22.5" truck tire mounted on 22.5"x13"x 8 bolt rim	312	\$1,075.00
	55045225NTM	New! 550/45 x 22.5 implement tire on 22.5" x 16" x 8 bolt rim For 20-ton wagon		\$1,780.00



SHB BASKET FEEDER for sheep

- 1-1/4" Square tube frame
- 1-1/2 x 1/4" flat hoops spaced 7-1/4"
- Stacks for transport
- Length 66", Width 66", Height 45"

SHB MANGEOIRE PANIER pour mouton

- Cadre de tube carré 1 1/4"
- Cerceaux 1-1/2 x 1/4" espacés de 7-1/4"
- S'empile pour le transport
- Longueur 66", Largeur 66", Hauteur 45"



SHBP BASKET FEEDER for sheep

- 1-1/4" Square tube frame
- 1-1/2 x 1/4" flat hoops spaced 7-1/4"
- Stacks for transport
- For bales 5' x 5'
- Length 66", Width 66", Height 51"

SHBP MANGEOIRE PANIER pour mouton

- Cadre de tube carré 1 1/4"
- Cerceaux 1-1/2 x 1/4" espacés de 7-1/4"
- S'empile pour le transport
- Longueur 66", Largeur 66", Hauteur 51"



GOB BASKET FEEDER for goats

- 1-1/4" Square tube frame
- 1-1/2 x 1/4" flat hoops spaced 6"
- Stacks for transport
- End door for easy loading
- Length 64", Width 66", Height 57"

GOB MANGEOIRE PANIER pour chèvres

- Cadre de tube carré 1 1/4"
- Cerceaux 1-1/2 x 1/4" espacés de 6"
- S'empile pour le transport
- Longueur 64", Largeur 66", Hauteur 45"



WTF SHEEP FEEDER

WALK-THROUGH for HAY AND GRAIN

- Basket rod spacing 2-3/4"
- 8" alley through center
- Remove doors to create row feeder
- Stacks for transport
- Length 8', Width 36", Height 36"

WTF MANGEOIRE A MOUTON

WALK-THROUGH pour FOIN ET GRAIN

- Espacement des tiges du panier: 2-3/4"
- Allée de 8" au centre
- Portes amovibles pour mangeoire en rangée
- Longueur 8', Largeur 36", Hauteur 36"
- S'empile pour transport



WTB SHEEP FEEDER

FOR SQUARE BALES AND GRAIN

- Wide design
- removable wool guards
- Rod spacing 3"

- Length 96", Width 48", Height 44"

WTB MANGEOIRE A MOUTON

POUR BALLES CARRÉES ET GRAIN

- Conception large
- Protectors pour la laine amovibles
- Espace de 3" entre les tiges
- Longueur 96", Largeur 48", Hauteur 44"



SSF SHEEP FEEDER

FEEDS HAY AND GRAIN

- Rod spacing 2-3/4"
- Solid back so lambs can't escape
- 1" x 1" tube frame, 14 ga. sheet

- Length 8' or 10', Width 18", Height 36"

SSF MANGEOIRE A MOUTON

POUR FOIN ET GRAIN

- Espacement 2-3/4" entre les tiges
- Derrière plein pour ne pas que les agneaux puissent s'échapper
- 1" x 1" tube frame, 14 ga. sheet
- Longueur 8' or 10', Largeur 18", Hauteur 36"



7CF SHEEP FEEDER COLLAPSABLE

SHRINKS ALONG WITH BALE

- Rod spacing 7"
- Slanted side rods prevent sheep from getting caught as ends move in.
- Length 72", Width 72", Height 44"

7CF MANGEOIRE PLIANTE mouton/chevre
RAPETISSE AVEC LA BALLE

- Espacement des tiges: 7"
- Tiges obliques empêchant les moutons de rester coincés à mesure que ça bouge
- Longueur 72", Largeur 72", Hauteur 44"



3CFS SHEEP FEEDER COLLAPSABLE

SHRINKS ALONG WITH BALE

- Rod spacing 3" allows hay to come out but keeps chaff out of wool.
- All Straight bars
- Length 72", Width 72", Height 44"

3CF MANGEOIRE PLIANTE mouton/chevre
RAPETISSE AVEC LA BALLE

- Espacement des tiges: 3" permet au foin de sortir mais rester loin de la laine
- Barres droites
- Longueur 72", Largeur 72", Hauteur 44"



2PCS SHEEP FEEDER PORTABLE

ROUND/SQUARE BALES OR LOOSE HAY

- 28 feeding spaces
- Ideal for temporary confinement
- 12" metal skirt • Rod spacing 6-1/2"
- Diameter 5.5' Height 36"

2PCS MANGEOIRE RONDE PORTATIVE
BALLES RONDES/CARRÉES OU FOIN LIBRE

- espace pour 28 bêtes
- Bas en métal de 12"
- Espacement des tiges: 6-1/2"
- Diamètre 5.5' Hauteur 36"




SHBH BASKET FEEDER for Horses
For bales up to 5' x 5' Stacks for transport
1 1/4" square tube frame
1 1/2" x 1/4" flat hoops with 7/4" spacing
Dimensions: 64"l x 66"w x 57"h




LSF08 BALE FEEDER For round/square bales up to 7'. Easy tilt-down side, for clean-out. Side-loading for low ceilings Tombstone design for less hay wastage
Dimensions: 96"l x 67"w x 56"h



BF96 BUNK FEEDER
Feeds hay & grain. 10 feed spaces (tombstone or slant bar)
Free standing or attached for feed front
Dimensions: 96"l x 16"w x 40"h



TFG FEED FRONT for goats
8" skirt keeps muck out of feed
40" high 24" to top of tombstone
Post sold separately on feeder fronts



TFS FEED FRONT for sheep
Designed for floor feeding
8" skirt keeps muck out of feed
40" high 20" to top of tombstone



SB4 SMALL BALE FEEDER
15 Goat feed spaces
Feed Hay and grain
Dimensions: 48" l x 44" w x 38" h



612LF LAMB CREEP FEEDER
• 14 ga. mig welded steel tank
• Capacity approx. 12 bushels
• Adjustable openings on end gate
• Slide-back water proof lid
• Tank moves easily on skids
• Tank 6' x 3' • Collapsible, for transport



5LP/4LP LAMBING PENS
• 4' and 5' pannels
• 1" x 1" square tube frame
• 12" skirt
• 3/8" rods
• Create a second pen with 3 more sections




SB8 SMALL BALE FEEDER
26 Goat feed spaces
Feed Hay and grain
Dimensions: 96" l x 44" w x 38" h

612LF MANGEIOIRE A PANNEAU COULISSANT - AGNEAUX

- Abri en acier soudé 14 ga.
- Capacite approx. 12 boisseaux
- Ouvertures réglables sur portail
- Couvercle impermeable a l'eau
- Bouge facilement grace aux patins
- Repliable pour transport
- Reservoir 6' x 3'

5LP/4LP ENCLOS D'AGNELAGE

- Panneaux 4' ou 5'
- Cadre de tube carré 1" x 1"
- Jupe de 12"
- Tiges 3/8"
- Possible de créer un 2e enclos avec 3 autres sections



LCFS ADJUSTABLE LOADING CHUTE
12' x 20"
Adjustable fm 18 – 48"




LCF CREEP FEEDER for GOATS
48" long 12" wide
12" high
CF 48" long
8" wide x 8" high



SHRP HAY RACK
IDEAL FOR SMALL PENS

Trough for grain and fine hay



PGF PLASTIC FEEDER
FOR GRAIN Lip prevents spillage

PGF MANGEIOIRE DE PLASTIQUE POUR GRAIN
Rebord de plastique anti- deversement

MANGEIOIRE A GRAIN pour CHEVRE
LCF 48" long 12" large x 12" haut
CF 48" long 8" large x 8" haut

SHRP GRILLE DE FOIN
IDEAL POUR PETITS ENCLOS
Plateau pour grain et foin plus fin




Side pads sold separately

DST DELUX SPIN TRIM CHUTE

For hoof trimming, Vaccination
De-worming or tagging
Adjusts for all sizes sheep or goats
Self catching head gate
Length: 62" Width: 43" Height: 45"

DSTD STATION DE SOIN PIVOTANTE DELUXE

Pour coupe des sabots, vaccination,
Déparasitage ou marquage
S'ajuste à toutes tailles de moutons ou
chèvres
Barrière d'emprise animale
Longueur: 62" Largeur: 43" Hauteur: 45"



WCCT WORKING CHUTE/CROWDING TUB

Quick, safe way to handle your sheep.
All sections of chute can be interchanged
Length of chute can be extended
Guillotines and anti-backups can be inserted
anywhere along chute

WCCT STATION DE TRAVAIL/COULOIR

D'AGGLOMERATION Moyen rapide et
sécuritaire de manipuler les moutons
Sections interchangeables
Longueur de la station extensible
Guillotines et anti-backups peuvent être insérés
tout le long de la station



PN440HD DIGITAL SCALE

Self-catching head gate
FOR SHEEP, GOATS or HOGS
Solid wheels & slanted floor
Length 60"
Width 28" Height: 56"

PN440HD BALANCE DIGITALE

Barrière d'emprise animale
POUR MOUTON, CHEVRE ou PORCS
Roues pleines et plancher incliné
Longueur 60"
Largeur 28" Hauteur: 56"



SCHHG SELF CATCHING HEAD GATE & CHUTE

For Vaccination, tagging etc.
Easy access - Both sides open
Attaches to WCCT working chute
Length: 54" Width: 20" Height: 40"

SCHHG BARRIERE ET COULOIR

D'EMPRISE ANIMALE
Pour Vaccination, marquage etc.
Accès facile - Ouverture des 2 cotés
S'attache à la station WCCT
Longueur: 54" Largeur: 20" H: 40"



SSG STOP GATE SLIDING

Connects to raceway
for extra stopping

Width: 40" Height: 36"

SSG BARRIERE D'ARRET COULISSANTE

Se connecte au couloir
pour arrêt supplémentaire

Largeur: 40" Hauteur: 36"



FSC STOP GATE FOLDING

Connects to raceway
for extra stopping

Width: 20" Height: 36"

FSC BARRIERE D'ARRET PLIANTE

Se connecte au couloir
pour arrêt supplémentaire

Largeur: 20" Hauteur: 36"



PN-440 SCALE

SHEEP, GOATS or HOGS
Doors open from same end.
Easy manoeuvrability.
Capacity: 440 lb.
Length: 52" W.28" H. 56"

PN-440 BALANCE

POUR MOUTON, CHEVRE ou PORCS
Portes s'ouvrant de la même
extrémité. Manutention facile
Capacité: 440 lb.
Longueur: 52" L.28" H. 56"



3WS 3-WAY SHEEP SORTER

Connect to raceway

Length 42"
Width 20"
Height 40"



WCG 2-WAY SORTER

Connect to raceway

Length 42"
Width 20"
Height 40"



WGG Gillotine Gate

Open/close with
rope and pulley
Connect to raceway


Width 20"
Frame height 72"

3WS TRIEUR D'ANIMAUX 3 VOIES

Se connecte au couloir
Longueur 42" Largeur 20" Hauteur 40"

WCG TRIEUR D'ANIMAUX 2 VOIES

Se connecte au couloir
Longueur 42" Largeur 20" Hauteur 40"

**ECONOMY LAMBING PENS**

36" wire mesh panels

5EP – 5' panel**4EP** – 4' panel**ENCLOS D'AGNELAGE ECONOMIQUE**

Panneaux grillagés 36"

5EP – panneau 5'**4EP** – panneau 4'**WMDL WIRE MESH DIVIDER/GATE**

1" x 1" tube frame with wire mesh.

Sections linked together w/5/8" pins


4' to 16' length x 36" high

WMDL DIVISEUR/PORTAIL GRILLAGÉ

Cadre en tube carré 1" x 1" et grillage

Sections liées ensemble avec pins 5/8"


4' to 16' longueur x 36" hauteur

**E SERIES FOR LIGHT DUTY APPLICATIONS**

1-1/4 x 1-1/4 x .065 wall square tube frame.

Horizontal bars of 1 x 1 x .065 wall square tube
6 bars, 48" high, 4' to 18' Powder painted.**E SERIES POUR UTILISATION LEGERE**


Cadre de tube carré 1-1/4 x 1-1/4 x .065.

Barres horizontales de tube carré 1 x 1 x .065
6 barres, 48" haut, 4' to 18'. Peint à la poudre**D SERIES HEAVY DUTY GATES** – Green powder painted

1-1/4 x 1-1/4 x 0.100 wall tube frame & uprights

1" x 1" x 0.100 horizontal bars, 7-bar, 48" height

Available as corral panels 4' to 20' in 2" increments

D SERIES PORTES ROBUSTES, Cadre et montant en tube carré 1-1/4 x 1-1/4 x 0.100 barres horizontales 1" x 1" x 0.100, 7 barres, 48" haut Disponible comme panneau d'enclos 4' à 20' en ajout de 2"**RP106****RP105****6 BAR PANEL** weight. 102 lb.

10' wide x 66" high – 9-3/8" spacing

5 BAR PANEL weight. 90 lb.

10' wide x 66" high – 12" spacing

PANNEAU 6 BARRES poids: 102 lb.

10' large x 66" haut – espacement 9-3/8"

PANNEAU 5 BARRES poids: 90 lb.

10' large x 66" haut – espacement 12"

**SBF SLANT BAR MANAGER – SHEEP**

1" x 1" tube frame. 12" skirt. 1/2" slant rods


7" spacing. Sections inter-link with 5/8" pins

8', 10' & 12' lengths x 36" high

SBF BARRIERE BARRES OBLIQUES – MOUTON

Cadre en tube carré 1" x 1" et jupe 12". Tiges obliques 1/2" espacement 7". Connexions avec goupille de 5/8". Longueurs de 8', 10' & 12' x

36" de haut

**L SERIES STANDARD SQUARE TUBE GATES**

1" x 1" x .100 wall square tube construction

Also as corral panel 3' to 20' in 1" increments


7 bars, 48" height Green powder painted

L SERIES PORTE EN TUBE STANDARD

Construction de tube carré 1" x 1" x .100

Disponible comme panneau d'enclos 3' à 20'

en ajout de 1". 7 barres, 48" haut

**WMDH WIRE MESH GATES**

1" x 1" square tube frame and wire mesh

bottom for containing small animals

Measurement example: 12' gate measures 12' 2"

WMDH PORTE EN GRILLAGE

Cadre en tube carré 1" x 1" et bas en grillage

pour retenir petits animaux

Exemple de mesure:: La porte 12' mesure 12' 2"

**MAN DOOR**

4' wide x 5-bar. 90 lb.

4' wide x 6-bar. 95 lb.

Arch height 7'6"

PORTE

4' largex5 barres 90 lb.

4' largex6 barres 95 lb.

Hauteur de l'arche: 7'6"


**RCP Creep panel with adjustable RVC rollers**

48" long x 36" high

RCP PANNEAU COULISSANT

Panneau coulissant avec rouleaux de PVC ajustables

48" long x 36" haut

**CATTLE / HOG PANEL**

4 ga. galvanized wire

Length 16'

Cattle: Height 50"

Hog: Height 36"

PANNEAU – BETAIL / PORCS

Fil galvanisé 4 ga.

Longueur 16'

Hauteur 50" - BETAIL

Hauteur 36" - PORCS

DISTRIBUTED BY:

www.walcoequipment.com**HEAD OFFICE**

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESKemail: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcogc@walcoequipment.com**WALCO USA**4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

E

PAGE 1

MARWELD GATES & FEEDERS

LIST PRICE - EFFECTIVE January 1, 2024



US DOLLARS

ITEM #	MODEL	DESCRIPTION	LIST PRICE
141538	SHB	Basket Feeder 5' x 5' - sheep	483.00



141539	SHBP	Basket Feeder with Pan - sheep	740.00
--------	------	--------------------------------	--------



141669	GOB	Basket Feeder - goat	624.00
--------	-----	----------------------	--------



141390	SHBH	Basket Feeder 5' x 5' bales - Horses 66" x 66" x 67" high	605.00
--------	------	---	--------




141408	612LF	Creep Feeder 6' x 6' - lambs	1282.00
--------	-------	------------------------------	---------



141674	WTF	Walk Through Feeder for hay & grain - sheep/goat	818.00
--------	-----	--	--------



141535	WTB	Bale & Grain Feeder 8' x 4' x 44" - sheep/goat	967.00
--------	-----	--	--------



141672	10SSF	10' Single Sided Hay/Grain Feeder - sheep/goat	702.00
141671	8SSF	8' Single Sided Hay/Grain Feeder - sheep/goat	614.00



141666	2PCS	Round Portable Feeder - 2 pc - 5' 6" diameter - sheep/goat	397.00
--------	------	--	--------



141676	7CF	Collapsible Feeder - 7" spacing - sheep/goat	518.00
--------	-----	--	--------



141537	3CF	Collapsible Feeder - 3" spacing - sheep/goat	547.00
--------	-----	--	--------



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

E

PAGE 2

LIST PRICE - EFFECTIVE January 1, 2024

US DOLLARS

ITEM #	MODEL	DESCRIPTION	LIST PRICE
141684	SCHHG	Self Catching Head gate and Chute – sheep/goat	769.00
141685	DST	Deluxe Spin Trim Chute hook trimming & vaccination	1863.00
141686	DSTP	Pads sold separately - Optional	266.00
141677	PN-440	Analog/Dial Scale Complete - sheep/goat	963.00
141678	PN-440HD	Digital Scale with self-locking head gate - sheep/goat	1960.00
141692	DSH	Optional Analog display head only	227.00
141693	DH	Optional Digital display head only	881.00
144716	PN440L	Anlog Scale w/1 fold and 1 swing gate and bars	1064.00
144713	PN-440DL	Sheep and Goat Scale w/fplding Gate and Bars for hookup	1727.00
141687	FSG	Foliage Stop Gate connect to raceway for extra stop	126.00
141688	SSG	Sliding Stop Gate connect to raceway for extra stop	186.00
141662	WCG	2-Way Animal Sorter	179.00
141673	3WS	3-Way Animal Sorter	227.00
141661	WCCT	Working Chute & Crowding Tub – for sheep	2805.00
141665	WGG	Guillotine Gate 20" x 72" at entrance of working chute	218.00
141664	WSP	8' Pannel for working chute	
141349	WUS	Alley support for working chute	
141720	LCFS	Loading Chute 12' 20" adjustable fm 18 – 48"	
141689	SBF	8' Slant Bar Manager w/12" skirt, 7" spacing - Sheep	185.00
141690	SBF	10' Slant Bar Manager w/12" skirt, 7" spacing - Sheep	232.00
141691	SBF	12' Slant Bar Manager w/12" skirt, 7" spacing - Sheep	278.00
141663	WMDL	36" x 14' Wire Mesh Divider or Gate – sheep/goat	186.00
144685	RCP	Creep Panel adjustable to 4' - with PVC rollers	169.00
144686	RCP	Creep Panel adjustable to 6' - with PVC rollers	196.00
141350	4EP	Economy Portable Mesh Lambing Pen 4' Panel	63.00
141351	5EP	Economy Portable Mesh Lambing Pen 5' Panel	76.00
141352	4LP	Lambing Pen 4' Panel	106.00
141353	5LP	Lambing Pen 5' Panel	122.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

E

PAGE 3

MARWELD GATES & FEEDERS

LIST PRICE - EFFECTIVE JANUARY 1,2024

US DOLLARS



ITEM #	MODEL	DESCRIPTION	LIST PRICE
141354	HOG	Hog Panel 36" x 6'	46.00
141355	CP	Cattle Panel 50" x 16'	60.00




141694	LCF	Creep Feeding Trough 48" l x 12" w x 12" h	189.00
141695	SCF	Creep Feeding Trough 48" l x 8" w x 8" w x 8" h	134.00

144702	SHRP	Hay Rack for small pens – Includes trough for grain	111.00
141696	SHR	Hay Rack for small pens – NO trough for grain	90.00



141395	PGF2	2' Plastic Grain Feeder with 1" lip prevents spillage	73.00
141396	PGF4	4' Plastic Grain Feeder with 1" lip prevents spillage	96.00
141397	PGF5	5' Plastic Grain Feeder with 1" lip prevents spillage	106.00
141398	PGF6	6' Plastic Grain Feeder with 1" lip prevents spillage	121.00
141399	PGF8	8' Plastic Grain Feeder with 1" lip prevents spillage	145.00



TFG	Feed Front tombstone style with 8" skirt - for goats	32.00 /ft.
total height 40", top of tombstone 24"		



TFS	Feed Front tombstone style with 8" skirt - for sheep	32.00 /ft.
total height 40", top of tombstone 20"		



141680	BF96	Bunk Feeder 10 feed spaces - hay or grain - for sheep/goats	386.00
Free standing or attached as feed front. 96" l x 16" w x 40" h			



141357	LSF08	Bale Feeder – for round or square bales – sheep/goats	2032.00
Tilt down sides for clean out, side loading, 96" l x 67" w, 56" h			



144704	SB4	Small Bale Goat Feeder - 15 feed spaces for hay and grain	673.00
--------	-----	---	--------



144705	SB8	Small bale Goat feeder – 26 feed spaces for hay and grain	966.00
--------	-----	---	--------



ROUND PEN PANELS			
141667	RP126	12' 6-Bar Panel	242.00
141372	RP125	12' 5-Bar Panel	223.00



141670	RP106	10' 6-Bar Panel	213.00
	RP105	10' 5-Bar Panel	198.00



141668	RPM6	4' wide 6-Bar Man Door	174.00
144706	RPM5	4' wide 5-Bar Man Door	163.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

E

PAGE 4


MARWELD GATES & FEEDERS

LIST PRICE - EFFECTIVE JANUARY 1,2024

DIAMOND HORSE STALL FRONTS

US DOLLARS



TEM #	MODEL	DESCRIPTION	LIST PRICE
141380	10SF1	10' Stall Front – with 4' standard sliding door	648.00
	10SF2	10' Stall Front – with 4' drop down door	631.00
	10SF3	10' Stall Front – with BOTH drop down and feed door sliding door	704.00
	12SF1	12' Stall Front – with 4' standard sliding door	726.00
	12SF2	12' Stall Front – with 4' drop down door	677.00
	12SF3	12' Stall Front – with BOTH drop down and feed door sliding door	750.00



Stall Door - Standard
Stall Door - Drop-down door
Stall Door – Feed Door

HORSE STALL DIVIDERS

10DR	10' Divider, Full Grill Top (2" x 6" lumber not included)	397.00
12DR	12' Divider, Full Grill Top (2" x 6" lumber not included)	460.00
10DS	10' Divider with Channels for full wood (2" x 6" lumber not included)	368.00
12DS	12' Divider with Channels for full wood (2" x 6" lumber not included)	426.00



DOORS

HSD	Hinged Stall Door 4' wide	160.00
SDO	4' Sliding Stall Door only with track and all hardware included	315.00
FWG	Stall Grill - Fixed 3' x 4'	227.00
HWG	Stall Grill – Ginged 3' x 4'	315.00



SGO30	30" High Stall Grill only – Priced per foot	27.00
SGO36	36" High Stall Grill only – Rriced per foot	29.00

CONNECTORS

2WC	Two-way Stall Connectors – Pair	21.00
3WC	Three-way Stall Connectors – Pair	33.00
AWM	Adjustable Wall Mount Plates for stall - Pair	31.00



FEEDERS WALL OR STALL MOUNT

141410	HG36	36" Feeder for Hay or Grain	261.00
141409	HG24	24" Feeder for Hay or Grain	203.00



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065

TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

E

PAGE 5

MARWELD GATES & FEEDERS

LIST PRICE - EFFECTIVE JANUARY 1,2024

GATES

US DOLLARS

ITEM #	MODEL	DESCRIPTION	LIST PRICE
197046	E18	Light Duty Gate 6 bars 48" high x 18'	322.00
	E16	Light Duty Gate 6 bars 48" high x 16'	266.00
	E14	Light Duty Gate 6 bars 48" high x 14'	236.00
	E12	Light Duty Gate 6 bars 48" high x 12'	213.00
	E10	Light Duty Gate 6 bars 48" high x 10'	182.00
197044	E8	Light Duty Gate 6 bars 48" high x 8'	159.00
141360	L20	1 X 1" Square Tube Gates 48" x 20' 7 bar	377.00
	L16	1 X 1" Square Tube Gates 48" x 16' 7 bar	289.00
	L12	1 X 1" Square Tube Gates 48" x 12' 7 bar	228.00
	L10	1 X 1" Square Tube Gates 48" x 10' 7 bar	193.00
	L8	1 X 1" Square Tube Gates 48" x 8' 7 bar	166.00
	L6	1 X 1" Square Tube Gates 48" x 6' 7 bar	141.00
	D20	1 ¼" Square Tube Diamond Gate 48"x 20' 7 bar	411.00
	D16	1 ¼" Square Tube Diamond Gate 48"x 16' 7 bar	316.00
	D14	1 ¼" Square Tube Diamond Gate 48"x 14' 7 bar	281.00
	D12	1 ¼" Square Tube Diamond Gate 48"x 12' 7 bar	252.00
	D10	1 ¼" Square Tube Diamond Gate 48"x 10' 7 bar	213.00
	D8	1 ¼" Square Tube Diamond Gate 48"x 8' 7 bar	184.00
	D6	1 ¼" Square Tube Diamond Gate 48"x 6' 7 bar	156.00
141367	WMDH20	1" x 1" Square Tube Frame & Wire Mesh bottom 48"x 20'	377.00
	WMDH16	1" x 1" Square Tube Frame & Wire Mesh bottom 48"x 16'	289.00
	WMDH14	1" x 1" Square Tube Frame & Wire Mesh bottom 48"x 14'	256.00
	WMDH12	1" x 1" Square Tube Frame & Wire Mesh bottom 48"x 12'	228.00
	WMDH10	1" x 1" Square Tube Frame & Wire Mesh bottom 48"x 10'	193.00
141368	WMDH8	1" x 1" Square Tube Frame & Wire Mesh bottom 48"x 8'	166.00
	WMDH6	1" x 1" Square Tube Frame & Wire Mesh bottom 48"x 6'	141.00

More sizes available

GATE ACCESSORIES

ITEM #	MODEL	DESCRIPTION	LIST PRICE
141365	WALB	Wall Bracket Bolt-On - Pair	26.00
	WOW	Weld-on Wall Brackets - Pair	19.00
141374	LWALB	Bolt-On Long Wall Bracket w/pin (no picture)	24.00
	HA	Black Hangers 16" - Pair	15.00
141698	GALV	Galvanized Hangers 12" - Pair	21.00
	DPR40	Drop Pin Rod 40"	8.00
	DPR30	Drop Pin Rod 30"	7.00
	GSH	Gate Strap Hinges - Pair	24.00
	SPL	Bolt-on Spring Latch - Each	32.00
	LEG	10" Bolt-on Leg - Each	13.00
	BOE	Bolt-on Eyes - Each	6.00
	WOE	Weld-on Eyes - Each	2.00
	LSH	Lag Screw Hangers - Pair	20.00
	WOH	Weld-on Hanger - Each	3.00
	SPLW	Weld-on Spring Latch - Each	27.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice

RVT-16

HEAVY DUTY V-RAKES



“CONDOR” belongs to a wide range of FAZA rakes. It is equipped with hydraulic system, which will adjust both the wheel’s lifting and working width. It is especially suitable for working in extended grounds.

The machine is built of high resistance tubular steel, which makes it reliable in any working condition. Tines are 7-mm diameter.

Easy transport with space reduced to bare minimum.



Technical Specifications	RVT 10	RVT 12	RVT 14	RVT 16
No. of raking wheels	10	12	14	16
No. of tines per wheel	40	40	40	
Working width	24' 16"	27' 8"	31' 8"	32'10"
Transport width	8' 3"	8' 3"	8' 3"	
Working speed	14 MPH / 22.5km/h	14 MPH / 22.5km/h	14 MPH / 22.5km/h	
Min. power required	60 HP	65 – 70 HP	70 – 80 HP	
Weight	1300 kg / 2865 lbs.	1400 kg / 3086 lbs.	1500 kg / 3306 lbs.	2200 kg
Tire size	5.00 – 15	5.00 – 15	5.00 – 15	



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

RATEAUX FANEURS TRAINÉS

Faza pull type rakes mod. RT/7 and RT/9 rakes are specially designed to operate in rough soils, combining accuracy and speed to their superior hay handling abilities. Each wheel is individually suspended from the others and from the frame, allowing the finger wheels to follow the contours of the ground.

Les rateaux trainés FAZA mod. RT/ 7 and RT/ 9 sont conçus pour travailler des terrains irréguliers en garantissant un parfait travail et vitesse unis à une grande habileté en le travail de la fenaïson. Chaque étoile est indépendante de l'autre et du châssis, pour permettre aux bras de suivre les contour du terrain.



Mod.	Working Width largeur de travail cm	Transport Dim. dim. de transport cm	Dim Wheel dim. étoile mtr	Wheel rope kg	Weight poids	# of Tines per Wheel # des dents pour étoile
RT - 7	500	300	1.4	2	540	40
RT - 9	580	360	1.4	2	620	40
RT - 7 / 3R	500	300	1.4	3	580	40
RT - 9 / 3R	580	360	1.4	3	660	40



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999



Faza RTAR/11 and RTAR/13 Rakes are designed to work on uneven land, combining accuracy and speed. Each wheel is independent from others and from frame to allow wheel arms to follow the contour of the land.

Faza RTAR/11 et RTAR/13 Rakes sont conçus pour travailler sur terrain inégal, combinant exactitude et vitesse. Chaque roue est indépendante des autres et du cadre pour permettre aux bras des roues de suivre le contour du sol.



STANDARD:
STEERING WHEEL WITH
HYDRAULIC REMOTE CONTROL
*VOLANT AVEC
TELECOMMANDE HYDRAULIQUE*



STANDARD:
ARTICULATED FRAME
FOR MAXIMUM WORKING STABILITY
*CADRE ARTICULÉ
POUR UN MAXIMUM DE STABILITÉ*




ARTICULATED FRAME / ANTI WEAR BUSHINGS
CADRE ARTICULÉ / DOUILLES ANTI-USURE

Model	 HP	 cm	 cm	 Nr.	Nr. Wheels	Ø Tines	 kg
RTAR/11-3R	80	660	250	11	3	6.9	980
RTAR/13-4R	100	760	250	13	4	6.9	1250

OPTIONAL:
Additional stabilizer wheel & frame
Locking for work on sloped land
ABS disc for wheels
Light kit

OPTIONAL:
*Roue stabilisatrice additionnelle avec cadre
a verrouillage pour travailler sur sol coulant
Disque ABS pour roues
Kit de lumière*



STABILIZER WHEEL ABS DISC



Mounted Fingerwheel Rakes

SECTION

F-1

PAGE 4


RATEAU-FANEUR PORTÉ

F A Z A
MACCHINE AGRICOLE



Faza mounted hay rakes have a strong tubular frame. The easy adjustments of the hitch and independent floating arms assure the best operation, following the ground contours. Wheel hubs are fitted with adjustable and perfectly sealed double conical roller bearings.

Les rateaux faneurs portés Faza, de la série "PR" ont une Structure tubulaire très résistante. Les réglages de l'attelage et les bras porte étoiles oscillants, facilitent les différentes opérations et permettent un travail rapide et soigné s'adaptant à tout type de terrain. Les moyeux porte étoiles sont montés sur des roulements à double rouleaux conique réglables et parfaitement protégés.



SPECIFICATIONS / DONNÉES TECHNIQUES

WHEEL HUBS Moyeux porte étoiles

MOD.		RP / 2	RP / 3	RP / 4	RP / 5	RP / 6	RP / 8	RP / 10	RP / 12
WIEGHT	kg.	75	140	180	210	250	465	535	615
Poids	lbs.	165	308	396	462	550	1023	1177	1353
NUMBER OF WHEELS		2	3	4	5	6	8	10	12
Nombre d'étoiles									
NUMBER OF TEETH PER WHEEL	40		40	40	40	40	40	40	40
Nombre de dents par d'étoiles									
RAKING WORKING WIDTH	mtr.	1.20	1.95	2.60	3.40	4.20	5.40	6.40	7.40
Largeur de travail	ft.	3' 11"	6' 4"	8' 6"	11' 2"	13' 9"	17' 9"	21'	24' 3"
SPREAD WORKING WIDTH	mtr.	1.00	2.10	2.30	3.10	3.90	Reg.	Reg.	Reg.
Largeur pour épandre / tourner	ft.	3' 3"	6' 9"	7' 7"	10' 2"	12' 9"			
TRANSPORT WIDTH	mtr.	1.50	2.20	2.20	2.20	2.20	3.60	4.15	4.85
Largeur de transprt	ft.	4' 11"	7' 3"	7' 3"	7' 3"	7' 3"	11' 10"	13' 7"	15' 11"
POWER	hp.	20	30	30	30	40	40	50	50
Puissance									



RP/2



RP/4



RP/5



RP/6



RP/8



RP/10



Raking / Râtelier



Raking / Râtelier



Turning / Tournier



Spreading / Epandage



MOD.	WHEELS	WEIGHT	TRANSPORT WIDTH	WORKING WIDTH	HP
CTH-8	8	720 kg	2.50 mtr.	5.40 mtr /17', 9"	40
CTH-10	10	850 kg	2.50 mtr.	6.40 mtr /21'	50
CTH-12	12	920 kg	2.50 mtr.	7.40 mtr /24', 3"	60

OPTIONAL SPLITTER WHEEL



BIG-CADDY

High Clearance Carted V Rake



MODEL	WORKING WIDTH	TRANSPORT LENGTH / WIDTH		HP	WEIGHT Kg lbs.		TIRES
BIG CADDY-8	16' 4"	8' 3"	18' 3"	30	680	1499	205/70-15
BIG CADDY-10	18' 5"	8' 3"	18' 6"	30	780	1720	205/70-15
BIG CADDY-12	24' 4"	8' 3"	21' 9"	30	890	1962	205/70-15

SECTION

F-

Trailed Tedder - Faza

TRAILED TEDDER GF 480T



- 4 spinners
- Trailed version
- Easy lift manual fold-up
- No hydraulics required
- 4.8m (15.75') working



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

FAUCHEUSE

Rear Mowing Sickle Mower with Double Blade

Barres fauchantes
postérieures Monolame et bilame



FEATURES

- Moveable teeth and section mowing bar with Three-point mounting
- Working width 1.67 – 1.82m
- Weight with 1.82m bar mounted on: 240 kg.
- Cutting speed: 10km/h
- Power absorbed: 12 hp
- Possibility of cutting with bar in any position
- Safety release in case of shock with automatic re-hooking

CARACTÉRISTIQUES

- Barre faucheuse aux dents et sections mobiles avec attelage à trois points
- Largeur de travail: 1.67 – 1.82m
- Poids avec barre 1.82m: 240 kg
- Vitesse de coupe: 10 km/h
- Puissance absorbée: 12 hp Possibilité de coupe avec barre en toute inclinaison
- Désengagement de sécurité en cas de choc, avec reaccrochage automatique



Disc Mowers - FAZA

Rotary Disc Mower – hydraulic bar lift
Faucheuses a Disques Rotatifs – levage hydraulique de la barre



The ROT mowing machine has been designed with the aim of satisfying every need.

Its' robust and compact bearing structure has been thoroughly tried and tested. Transmission is by means of a free wheel cardan joint, "V" belts and gears.

All the materials are carefully selected in order to guarantee reliability consequently cutting on maintenance cost.

The machines are all equipped with protective bar gears.

The safety release leaves the moving unit behind in case of impact and the free wheel cardan joint eliminates loads on the tractor power take-off caused by inertia of the disks

MODEL	DISKS DISQUES	WORKING WIDTH LARGEUR DE TRAVAIL	MIN.HP HP MIN.	WEIGHT KG POIDS KG	BLADES PER DISK De COUTEAUX Par DISQUE
Rot. 4	4	170	35	300	3
Rot. 5	5	205	40	330	2
Rot. 6	6	240	45	360	3

La nouvelle ROT représente bien l'union heureuse entre un rendement élevé de coup et une économie certaine d'utilisation sans jamais oublier la qualité qui a toujours distinguée nos produits dans tout le monde. La faucheuse ROT est construite pour répondre positivement à toutes exigences. Elle se présente avec une structure qui a fait des essais et qui est très robuste et compacte. La transmission se fait par. L'intermédiaire d'un cardan à roue libre, de courroies trapézoïdales et d'engrenages. Tous les matériaux ont été choisis afin assurer la maxime garantie et doc un coût mineur de manutention. Toutes les machines sont équipées d'un abri de protection sur la barre. Le décrochage de la sécurité laisse rouler le groupe qui fauche en arrière, en cas de chocs, et enfin le cardan à roue libre éliminera les changes sur la prise de force du tracteur causées par l'inertie des disques.



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

F-1

PAGE 1

WHEEL RAKES

LIST PRICE - EFFECTIVE January 1, 2024

Faza



CONDOR DRAG V TYPE RAKE - HYDRAULIC

US DOLLARS

ITEM #	DESCRIPTION	RAKING WIDTH	WEIGHT/Kg	LIST PRICE
194009	RTV 10 - 10 wheels - Hydraulic widening of row width	24' 6"	1300	13,880.00
194010	RTV 12 - 12 wheels - Hydraulic widening of row width	27' 8"	1400	14,615.00
194011	RTV 14 - 14 wheels - Hydraulic widening of row width	31' 8"	1500	15,495.00
194017	RTV 16 - 16 wheels - Hydraulic widening of row width			16,675.00
194064	DBL Center Wheel RTV			1,244.00

CONDOR DRAG V TYPE RAKE - MECHANICAL

194014	RTV 12 - 12 wheels - Mechanical widening of row width	27' 8"	1400	13,880.00
194015	RTV 14 - 14 wheels - Mechanical widening of row width	31' 8"	1500	14,750.00

194013	SGL RTV 10 Mechanical Centre Kicker Wheel Set			626.00
194064	DBL Center Wheel RTV 12 & 14			1,244.00

Hydraulic opening of working width on all rakes



PULL TYPE INLINE HAY RAKE

ITEM #	DESCRIPTION	RAKING WIDTH	WEIGHT / Kg	LIST PRICE
194018	RT 7 - 7 wheels	16' 4"	540	5,610.00
194020	RT 9 - 9 wheels	19' 2"	620	6,430.00
194021	RT 9 - 9 wheels - 3 transport wheels	19' 2"	700	7,220.00



TRAILED HAY RAKE WITH ARTICULATED FRAME

ITEM #	DESCRIPTION	RAKING WIDTH	WT. / Kg.	LIST PRICE
194022	RTAR/11-4R - 11 articulated rake wheels		980	9,809.00
194023	RTAR/13-4 - 13 articulated rake wheels		1250	10,584.00



MOUNTED 3PH FINGERWHEEL RAKE

ITEM #	DESCRIPTION	RAKING WIDTH	WT. / Kg.	LIST PRICE
194040	RP / 3RH - 3 wheel	6' 4"	130	1,095.00
194045	RP / 4RH - 4 wheel	8' 6"	176	1,215.00
194048	RP / 5RH - 5 wheel	11' 2"	225	1,490.00
194050	RP / 6RH - 6 wheel	13' 9"	250	1,680.00
194049	RP / 8RH - 8 wheel - 4 right/4 left	17' 9"	465	3,546.00



TRAIL HAY CADDY COMPLETE WITH WHEELS - 3 CYLINDERS

ITEM #	DESCRIPTION	RAKING WIDTH	WT. / Kg.	LIST PRICE
194058	CTH / 8 - 8 wheels	17' 9"	720	5,530.00
194060	CTH / 10 - 10 wheels	21'	850	6,030.00
194062	CTH / 12 - 12 wheels	24' 3"	920	6,380.00



194065	Centre Wheel Option			456.00
194066	Locks for independent raising of wheels			133.00

BIG CADDY HIGH CLEARANCE V RAKE

ITEM #	DESCRIPTION	RAKING WIDTH	WT. / Kg.	LIST PRICE
194031	BIG CADDY - 10	18' 5"	780	7,100.00
194032	BIG CADDY - 12	24' 4"	890	8,500.00



TRAILED TEDDER

ITEM #	DESCRIPTION	RAKING WIDTH	WT. / Kg.	LIST PRICE
194008	GF 480 T	480 cm		7,446.00



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

F-1

PAGE 2

MOWERS

LIST PRICE - EFFECTIVE January 1, 2024

Faza



ROTARY DISC MOWER

US DOLLARS

ITEM #	DESCRIPTION	MOWING WIDTH	WEIGHT / Kg	LIST PRICE
450008	ROT / 4-B - 2 Blades			7,685.00
450009	ROT / 5-B - 5 Disc 2 Blades	6.72'	330	8,505.00
450010	ROT / 6-B - 6 Disc 3 Blades	7.87'	360	9,950.00

DUAL ACTION 3PH SICKLE MOWER removable teeth



ITEM #	DESCRIPTION	MOWING WIDTH	WEIGHT / Kg	LIST PRICE
450028	FBR 175 - Sickle Mower	5.74'		5,635.00
450030	FBR 205 - Sickle Mower	6.72'		5,865.00


450035	Hydraulic kit for above			735.00
--------	-------------------------	--	--	--------

450031	FBR 205 Sickle Mower – with hydraulic lift			6,095.00
--------	--	--	--	----------

These rugged, time-tested Anderson Hitches are a safe and efficient method of automatically coupling and uncoupling wagons to; Tractors - Balers - Harvesters & Pickers
Anderson Hitches eliminate the frustrating job of backing into exact position for hook up

AUTOMATIC COUPLER C/W BOLT ON BRACKET

Mfg Part #	Wt.	WALCO ITEM #
YM-281	20#	141311



Mfg Part #	Wt.	WALCO ITEM #
AH-181	38#	230108

- Hardened jaws lock in draw pin until you release it from the driver seat
- Bolts easily on any draw bar
- Heavy duty and compact




ANDERSON AUTOMATIC WAGON HITCH C/W BOLT ON BRACKET

- Makes all wagon connections a simple one-man operation
- Rugged guide rails allow tongue to be approached from wide angle
- Maintains full turning radius
- SAFE – eliminates need to be in dangerous pinch area
- All mounting hardware included

ANDERSON DOUBLE SPRING TONGUE KIT C/W 3/4" x 4 1/2" ANDERSON DRAW PIN

- Two-spring system holds heavy or light tongue in position for connection with Automatic coupler – automatic wagon hitch
- Specially designed draw pin guides tongue into coupler




Mfg Part #	Wt.	WALCO ITEM #
AH-381	17#	230110



AUTOMATIC COUPLER C/W 12" HANDLE EXTENSION

- Includes all features of automatic coupler described on page 1
- Has extended pipe handle to allow operation under bale chamber
- Simplifies coupling and uncoupling "Forage King" Haybasket


Mfg Part #	Wt.	WALCO ITEM #
YM-282	18#	141303



BALER CENTRE HITCH BRACKET

- Designed to fit many balers
- Required if baler dose not have center hitch


MFG. Part #	WALCO ITEM #	Wt.
YM-283	Automatic Coupler c/w 12" handle extension pipe	27#



BALER CENTRE HITCH BRACKET

- Designed to fit many balers
- Required if baler dose not have center hitch

Mfg. Part No	Wt.	WALCO ITEM #
WC-284	30#	141305



ANDERSON DRAW PIN

- Hardened draw pin is supplied with Tongue Kit for "Forage King" Hay basket, or can be purchased separately




Mfg. Part No	Description	Wt.	WALCO ITEM #
AH-480	3/4" x 4-1/2"	1.5#	230106
AH-481	7/8" x 5-1/2"	1.8#	230107

BOLT ON BRACKET

- Allows direct mounting on any Anderson Hitch to tractor or implement draw bar

Mfg. Part No	Wt.	WALCO ITEM #
YM-580	7#	230109





MODEL 270

- No extensions - 68" high approx. 270 bushel capacity
- As shown with 18" extension approx. 385 bu. capacity
- Width: 98", Length: 144"
- Powder coated baked-on enamel
- 14 gauge Hopper
- Door 32" wide
- Metering Door 7" x 15"
- Inspection Window 7" x 12"

MODEL 270

- Sans extension - 68" haut Capacité approx. 270 boisseaux
- Tel que montre avec extension de 18", 86" haut, capacité approx. 385 boisseaux
- Largeur: 98" Longueur: 144"
- Peinture en poudre Cuite sur email
- Tremi 14 gauge
- Porte 32" large
- Porte de dosage 7" x 15"
- Fenetre d'inspection 7" x 12"



MODEL 400

- No extensions - 77" high approx. 400 bushel capacity
- As shown with 12" extension approx. 500 bu. capacity
- With 18" extension - 95" high approx. 550 bu. capacity
- Width: 101", Length: 180"
- Powder coated baked-on enamel
- 12 gauge Hopper
- Door 42" wide
- Metering Door 7" x 15"
- Inspection Window 7" x 12"

MODEL 400

- Sans extension - 77" haut Capacité approx. 400 boisseaux
- Tel que montre avec extension de 12", 89" haut, capacité approx. 500 boisseaux
- Avec extension de 18", 95" haut capacité approx. 550 boisseaux
- Largeur: 101" Longueur: 180"
- Peinture en poudre Cuite sur email
- Tremi 12 gauge
- Porte 42" large
- Porte de dosage 7" x 15"
- Fenetre d'inspection 7" x 12"

MODEL 650

- no extensions - 87" high, approx. 650 bu. capacity
- As shown w/10" extension approx. 750 bu. capacity
- Width: 111" Length: 222"
- Powder coated baked-on enamel
- 12 gauge Hopper
- Door 52" wide
- Metering Door
- Inspection Window 7" x 12"

MODEL 650

- Sans extension - 87" haut, Capacité approx. 650 boisseaux
- Tel que montre avec /10" d'extension, 97" haut Capacité approx. 750 boisseaux
- largeur: 111" Longueur: 222"
- Peinture en poudre cuite sur email
- tremi 12 gauge
- Porte 52" large
- Porte de dosage 7" x 15"
- Fenetre d'inspection 7" x 12"

COULEUR REGULIERE ROUGE



STANDARD COLOUR - RED

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax: (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax: (507) 663-0999

**BIN EXTENSIONS**

EXTENSION DE LA TREMI

**UNLOADING DOOR**


PORTE DE DECHARGEMENT

**RUBBER BLOCKED U-BOLT**

ATTACHE EN U AVEC CAOUTCHOUC

**INSPECTION WINDOW**

FENETRE D'INSPECTION

**FULLY GUSSETED INTERIOR**

DOUBLE D'UN GOUSSET INTERIEUR

FEATURES

Gerber bins are fully gusseted and reinforced, to ensure that you get long life out of your new gravity bin. These bins have significantly steeper slope than most of the competition, making the grain flow faster and easier. This eliminates the need to shovel, even when grain is sticky. Choose one of these Gerber models to take your agricultural operation to the max.

FONCTIONALITES

Les boîtes Gerber sont entièrement doublées et renforcées, afin de vous assurer que vous obtenez une longue durée de vie de votre nouvel boîte de gravité. Ces boîtes ont une pente raide de manière aussi significative que la plupart de la compétition, ce qui rend l'écoulement plus rapide et plus facile des grains. Ceci élimine le besoin de pelleter, même lorsque le grain est collant. Choisissez l'un de ces modèles Gerber afin de rendre vos opérations agricoles maximales.

**LIGHT KIT (optional)**

JEU DE LUMIERES (optionel)

**ROLL TARP COVER (optional)**

BACHE ENROULABLE (optionel)

COLOUR OPTIONSwww.walcoequipment.com

DISTRIBUTED BY:

HEAD OFFICE**20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9**

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESKemail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE**364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C**

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com**WALCO USA****4469 292nd St. E. Box 57 Randolph MN 55065**

Tel: (507) 663-9090 Fax (507) 663-0999



- 400-600 Bushel Gravity Box and 15 to 20 ton Wagon
- All Inner Seams Solid Welded
- Powder-Coat Paint
- One Anti-slip Ladder Second Ladder - Optional
- Two 6"x12" Sight Windows
- Light Kit - Optional



Specifications:	no extention	12"extention	24"extention
Capacity	400 bushels	500 bushels	600 bushels
Recommended Wagon	12/14 Ton	15 Ton	18 Ton
Door Opening (Small)	10"x12"	10"x12"	10"x12"
Door Opening (Large)	11"x44.5"	11"x44.5"	11"x45.5"
Box Weight Approx.	2,630 lbs.	2,860 lbs.	3,020 lbs.
Box Height (from bottom of sill)	74"	86"	97"
Box Length (without ladder)	192"	192"	192"
Box Width	98"	98"	98"
Box Slope	30 degrees		

The New 20 Ton Wagon

Extra Heavy Duty Rocking Axle

- Axles: front 10"x 4" 3/8 wall
- Spindles: 3 1/2"
- Hub capacity: 12,000 lbs.
- Tongue: adjustable
- Stakes: 42" fixed

- Hubs: 8 bolt
- Steering rod: 1 1/2"
- Reach: 6"x 4" 3/16 wall
- Track: 86"

Optional 4 Wheel Braking System Available

Due to continuing improvements in the design and manufacture of AgriMaster Products, all specs contained herein are subject to change without notice.

Many New Design Features

5 to 20 ton wagons
See our Heavy Duty Wagon brochure for specifications.

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

WALCO USA

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax: (819) 395-2624

email: walcoqc@walcoequipment.com

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax: (507) 663-0999

Introducing a revolutionary auger that maximizes versatility...
Load or unload with one auger
Transfer from totes, grain bins or gravity wagons


360°

FLEX ARM III

► Standard Auger
Length: 12', 14' or 16'

Flex Arm III Features and Specifications

Size: 6" x 17' | Available in: 304 Stainless Steel or as a black steel powder coated unit | Flighting: cupped or bristle
Spout: 3-stage telescopic or 4' flex | Single rope spring return valve
Motor: 5.9 cubic inch hydraulic | Spout adapter for quick disconnect






304 Stainless Steel

Features and Specifications

- Size: 6" x 12', 14' or 16'
- Flighting: cupped or bristle
- Durable stainless construction also available as a black powder-coated unit
- Adjustable hopper fits most gravity boxes
- 4' flex or 3-stage telescopic spout
- Single rope spring return valve
- 5.9 cubic inch hydraulic motor
- UHMW bushing supports bottom of auger flighting
- Adapter available for dual boxes
- Removable end cap for easy cleanout

Also available:

360°

FLEX ARM III

an auger revolution



DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

WALCO USA

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

G-1

PAGE 1

GERBER GRAVITY BOX

SUGGESTED LIST PRICE – JANUARY, 2024



# ITEM	DESCRIPTION	SIZE / BUSHEL	US DOLLARS LIST PRICE
140660	GRAVITY BOX	270	7030.00
140661	GRAVITY BOX (270 with 18 » extension)	385	8000.00
140662	ROLL-UP TARP - for 270		1795.00



140663	GRAVITY BOX	400	10,908.00
140664	GRAVITY BOX	500	11,953.00
140665	GRAVITY BOX	550	12,130.00
140666	ROLL-UP TARP – for 400		1945.00



140667	GRAVITY BOX	650	16,060.00
140668	GRAVITY BOX (650 with 10" extension)	750	17,680.00
140669	ROLL-UP TARP – for 650		2207.00



140671	LIGHT KIT for gravity box		449.00
--------	---------------------------	--	--------

Red is standard colour. Other colour options as special order only.

*** See Section D-2 in Walco Catalogue for Wagon Running Gear Prices.



140672	Seed Toter.		1945.00
• Dimensions: 45" w x 60 1" • Construction: 14 gauge metal • Flexible Downspout • Can be filled with pallet fork from any side.			



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

G-2

PAGE 1

AGRIMASTER

GRAVITY BOX & WAGONS

LIST PRICE - EFFECTIVE JANUARY 1, 2024



				US DOLLARS
ITEM #	VENDOR #	DESCRIPTION	WEIGHT	LIST PRICE
140504	A 400	Gravity Box		8730.00
140505	A 500	Gravity Box w/12" extension		9510.00
140506	A 600	Gravity Box w/24" extension		9732.00
140510		Optional Light Kit		535.00
140512		Optional Tarp Kit		2,221.00
	A400	Gravity Box - with divider and 2 doors		10,105.00
	A500	Gravity Box - with divider and 2 doors		10,960.00
	A600	Gravity Box - with divider and 2 doors		11,365.00

NOTE: Please see Walco Catalogue section "D" for wagon running gear.

GRAVITY BOX AUGERS LAB WELDING

LIST PRICE - EFFECTIVE JANUARY 1, 2024

AUGER PRICE INCLUDES COMPLETE MOUNTING KIT AND SPOUT

BLACK STEEL POWDER COATED AUGER

				US DOLLARS
ITEM #	TYPE	DESCRIPTION		LIST PRICE
140694	4' Flex	6 x 12' auger with cupped steel flighting		2005.00
140688	4' Flex	6 x 14' auger with cupped steel flighting		2114.00
140695	4' Flex	6 x 16' auger with cupped steel flighting		2283.00
140696	4' Flex	6 x 12' auger with bristle flighting		2435.00
140697	4' Flex	6 x 14' auger with bristle flighting		2644.00
140698	4' Flex	6 x 16' auger with bristle flighting		2893.00
140700	Telescopic	6 x 12' auger with cupped steel flighting		2104.00
140701	Telescopic	6 x 14' auger with cupped steel flighting		2214.00
140702	Telescopic	6 x 16' auger with cupped steel flighting		2383.00
140699	Telescopic	6 x 12' auger with bristle flighting		2535.00
140690	Telescopic	6 x 14' auger with bristle flighting		2744.00
140691	Telescopic	6 x 16' auger with bristle flighting		2993.00
140703	4' Flex	8 x 14' auger with cupped steel flighting		2558.00
	4' Flex	8 x 16' auger with cupped steel flighting		2727.00
140692	4' Flex	8 x 14' auger with bristle flighting		3094.00
	4' Flex	8 x 16' auger with bristle flighting		3343.00
	Telescopic	8 x 14' auger with cupped steel flighting		2732.00
	Telescopic	8 x 16' auger with cupped steel flighting		2901.00
	Telescopic	8 x 14' auger with bristle flighting		3268.00
	Telescopic	8 x 16' auger with bristle flighting		3517.00



304 STAINLESS STEEL AUGER

ITEM #	TYPE	DESCRIPTION	LIST PRICE
140705	4' Flex	6 x 12' auger with cupped stainless-steel flighting	2910.00
140693	4' Flex	6 x 14' auger with cupped stainless-steel flighting	3132.00
	4' Flex	6 x 16' auger with cupped stainless-steel flighting	3328.00
	Telescopic	6 x 12' auger with cupped stainless-steel flighting	3009.00
	Telescopic	6 x 14' auger with cupped stainless-steel flighting	3231.00
	Telescopic	6 x 16' auger with cupped stainless-steel flighting	3427.00



FLEX ARM III

ITEM #	TYPE	DESCRIPTION	LIST PRICE
	Telescopic	6 x 17' auger black steel powder coated with cupped steel flighting	3627.00
	Telescopic	6 x 17' auger black steel powder coated bristle flighting	4203.00
140728	Telescopic	6 x 17' auger stainless steel with cupped steel flighting with galvanized core	4594.00
140740		3 stage telescopic spout	185.00
140760		9HP Honda GX Power Pack	3042.00



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.

Rotary Tiller - BREVIGLIERI

ROTOCULTEUR

SECTION

H-1

PAGE 1



B25FV




ITEM #	MODEL	HP	RPM	RPM	N	in.	in.	cm	cm	WT/kg
170061	B25FV 85	10-15	540	1"3/8 Z6	184	4-16	5-15	85	97	160
170062	B25FV 105	15-25	540	1"3/8 Z6	184	4-20	5-15	105	117	160
170063	B25FV125	20-30	540	1"3/8 Z6	184	4-24	5-15	125	137	175

Shear Bolt - 4 Blade - Chain Drive - Lower 3PH adjustable

Boulon de sécurité, 4 couteaux, Entraînement à chaîne, Ajustement sur l'attache 3 P.H.



B40FV




ITEM #	MODEL	RPM	RPM	HP	KG	cm	cm	N	cm	WT/kg
170064	B40FV 85	540	230	15-20	130	82	99	16	15-20	
170065	B40FV 125	540	230	20-30	190	122	139	24	5-15	190
170066	B40FV 145	540	230	25-35	220	142	162	28	5-15	220
170067	B40FV 155	540	230	30-40	230	152	165	32	5-15	230
170068	B40FV 165	540	230	30-40		162	182	32	5-15	240

Shear Bolt - 4 Blade - Chain Drive - Lower 3PH adjustable

Disque d'embrayage, 4 couteaux, Entraînement à chaîne, Ajustement sur l'attache 3 P.H.



B55F




ITEM #	MODEL	RPM	RPM	HP	KG	cm	cm	N	cm	WT/kg
169936	B55F145	540	230	30-45	265	145	164	42	5-15	265
169937	B55F165	540	230	35-50	290	165	184	48	5-15	290
169938	B55F185	540	230	35-60	322	185	204	54	5-15	322

Slip Clutch - 4 Blade - Chain Drive - Lower 3PH adjustable

Disque d'embrayage, 4 couteaux, Entraînement à chaîne, Ajustement sur l'attache 3 P.H.



B60PL



ITEM #	MODEL	RPM	HP	KG	cm	cm	N	cm	WT/kg
169943	B60PL155	540	35-50	450	155	184	36	5-15	355
169944	B60PL185	540	45-60	400	185	204	42	5-15	385
169946	B60PL205	540	55-70	435	205	224	48	5-15	430

Slip Clutch - 6 Blade - Chain Drive - Lower 3PH adjustable

Disque d'embrayage - 6 couteaux, Entraînement à chaîne. Ajustement sur l'attache 3 P.H.

ALL TILLERS WITH "CE" SAFETY GUARDS

PROTECTION DE SÉCURITÉ "CE"



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-909 Fax (507) 663-0999

Rotary Tiller – BREVIGLIERI

ROTOCULTEUR



B35SV

ITEM #	MODEL	RPM	RPM	HP	KG	cm	cm	N	in.	WT / kg
170069	B35SV 105	540	231	15-25	160	105	117	20	5-15	160
170070	B35SV 125	540	231	20-30	175	125	137	24	5-15	175
170071	B35SV 145	540	231	25-35	190	145	157	28	5-15	190

Shear Bolt - MECHANICAL SIDE SIFT by lever DÉPORT LATÉRAL PAR MANIVELLE

- PTO shaft with shear bolt
- Single speed gearbox
- Depth control by side skids
- 3 P.H. cat. I
- Side transmission by chain in oil bath
- Rear hood with chain adjustment
- "C" blades 60 x 6 Ø 12.5
- Side blades turned outward
- Cardan avec boulon de sursté
- Boîtier mono vitesse
- Profondeur de travail par patins réglables
- Attelage à 3 points Cat. I
- Transmission latérale par chaîne à bain d'huile
- Capot avec chaîne de réglage
- Lames coudées 60 x 6 Ø 12.5
- Lames latérales tournées vers l'extérieur



B45S*


ITEM #	MODEL	RPM	RPM	HP	KG	cm	cm	N	in.	WT / kg
169932	B45S*125	540	226	20-30	225	125	138	24	5-15	225
169933	B45S*145	540	226	30-40	235	145	158	28	5-15	235
169934	B45S*165	540	226	30-50	245	165	178	32	5-15	245

MECHANICAL SIDE SIFT by lever

- PTO shaft with slip clutch
- Single speed gearbox
- Depth control by side skids
- Rear hood w/chain adjustment
- 3 P.H. cat. I
- Side transmission by chain in oil bath
- "C" blades 70 x 6 Ø 12.5
- Side blades turned outward

DÉPORT LATÉRAL PAR MANIVELLE

- Cardan avec
- Boîtier mono vitesse
- Profondeur de travail par patins réglables
- Capot avec chaîne de régiage
- Attelage à 3 points Cat. I
- Transmission latérale par chaîne à bain d'huile
- Lames coudées 70 x 6 Ø 12.5
- Lames latérales tournées vers l'extérieur



B55S

ITEM #	MODEL	RPM	RPM	HP	KG	cm	cm	N	in.	WT.
169940	B55S165	540	273	30-50	295	165	183	32	5-15	295 kg
169941	B55S185	540	273	30-60	315	185	203	36	5-15	315 kg

MECHANICAL SIDE SIFT by lever

- PTO shaft with slip clutch
- Single speed gearbox
- Depth control by side skids
- 3 P.H. cat. I
- Side transmission by chain in oil bath
- Automatic chain tensioner
- Rear hood with chain adjustment
- "C" blades 70 x 6 Ø 12.5
- Side blades turned outward

DÉPORT LATÉRAL PAR MANIVELLE

- Cardan avec
- Boîtier mono vitesse
- Profondeur de travail par patins réglables
- Attelage à 3 points Cat. I
- Transmission latérale par chaîne à bain d'huile
- Tenseur de chaîne automatique
- Capot avec chaîne de régiage
- Lames coudées 70 x 6 Ø 12.5
- Lames latérales tournées vers l'extérieur



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



B60S


ITEM #	MODEL	RPM	RPM	HP	KG	cm	cm	N	in.	WT/LB.
169948	B60S185	540	210	45-60	465	185	204	42	5-15	1036
169949	B60S205	540	210	55-70	495	205	224	48	5-15	1100

HYDRAULIC SIDE SHIFT

- PTO shaft with slip clutch
- Single speed gearbox
- Depth control by side skids
- Rear hood w/spring adjustment
- 3 P.H. cat. II
- Side transmission by gears in oil bath
- Water proof rotor support in oil bath
- "C" blades 80 x 7 Ø 12.5
- Side blades turned inward

DÉPORT LATÉRAL PAR MANIVELLE

- Cardan avec
- Boîtier mono vitesse
- Profondeur de travail par patins réglables
- Capot réglable par ressort
- Attelage à 3 points Cat. II
- Transmission latéral par pignons à bain d'huile
- Supports rotors étanches et lubrification par huile
- Lames coudées 80 x 7 Ø 12.5
- Lames latérales tournées vers l'intérieur




60SA

ITEM #	MODEL	RPM	RPM	HP	KG	cm	cm	N	in.	WT/LB.
169953	B60SA205	210	210	55-70	540	205	224	48	5-15	1200

HYDRAULIC AND AUTOMATIC SIDE SHIFT (SENSOR ACTIVATED)

- PTO shaft with slip clutch
- Single speed gear box
- Depth control by side skids
- Rear hood spring adjustment
- 3 P.H. cat. II
- Side transmission by gears in oil bath
- Waterproof rotor support in oil bath
- "C" blades 80 x 7 Ø 12.5
- Side blades turned inward

- Cardan avec
- Boîtier mono vitesse
- Profondeur de travail par patins réglables
- Capot réglable par ressort
- Attelage à 3 points Cat. II
- Transmission latéral par pignons à bain d'huile
- Supports rotors étanches et lubrification par huile
- Lames coudées 80 x 7 Ø 12.5
- Lames latérales tournées vers l'intérieur




B103 without roller

ITEM #	MODEL	RPM	RPM	HP	KG	cm	cm	N	in.	WT/LB.
169960	B103/230	540		70-100	680	230	245	54	4-10	1500

- PTO shaft with shear bolt
- Depth control by side skids
- Rear hood with chain adjustment
- 3 P.H. cat. II
- **Multispeed Gearbox**
- **Side transmission by gears in oil bath**
- Steel tube rotor shaft
- Rotor shaft with LONG LIFE sealing
- Front floating hitches
- Side blades turned inward

- Profondeur de travail par patins réglables
- Attelage à 3 points Cat. II
- Transmission latéral par pignons à bain d'huile
- Lames latérales tournées vers l'intérieur



ALL TILLERS WITH "CE" SAFETY GUARDS

PROTECTION DE SÉCURITÉ "CE"



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



Rotary Tiller – BREVIGLIERI

ROTOCULTEUR

SIDE TRANSMISSION

CHAIN WITH AUTOMATIC TENSIONER

TRANSMISSION LATÉRALE

Chaîne avec tensionneur automatique

STANDARD: De base sur modèle**B 25 F** **B 55 F** **B 60 PL****B 35 S** **B 45 S****B 40 F** **B 55 S**

SIDE TRANSMISSION

GEAR

TRANSMISSION LATÉRALE

Engrenage

STANDARD: De base sur modèle**B 60 S****B 60 SA**

GEARBOX

SINGLE SPEED

TRANSMISSION

Simple vitesse

STANDARD: De base**B 25 F** **B 55 F****B 40 F** **B 60**

DEPTH ADJUSTMENT

SKIDS

AJUSTEMENT DE PROFONDEUR

Sur patins

STANDARD: De base**B 25 F** **B 55 F****B 40 F** **B 60 PL**

REAR HOOD

WITH CHAIN

CAPOT ARRIÈRE

Avec chaîne

STANDARD: De base**B 25 F****B 40 F****B 55 F**

REAR HOOD

WITH SPRINGS

CAPOT ARRIÈRE

Avec ressort

STANDARD: De base**B 60 PL**

BLADES

WEAR RESISTANT

CARBON STEEL

LAMES

RESISTANT A L'USURE

ACIER AU CARBONE



ADJUSTABLE LOWER HITCHES

ATTACHES 3 P.H. AJUSTABLE

STANDARD: DE BASE**B 25 F****B 40 F****B 55 F****B 60 PL**

AFTER RUNNING MACHINE 8 HOURS

CHECK LEVELS OF LUBRICANTS
AND TIGHTEN ALL SCREWS

AFTER RUNNING MACHINE 20 HOURS

GREASE PTO SHAFT AND CHECK OIL IN GEARBOX
CHECK LUBRICANTS ON SIDE DRIVE

APRÈS AVOIR UTILISÉ LA MACHINE PENDANT 8 HEURES

VÉRIFIER LE NIVEAU DES LUBRIFIANTS
ET RESSERER LES ÉCROUS

APRÈS AVOIR UTILISÉ LA MACHINE PENDANT 20 HEURES

GRAISSER LE PTO ET VÉRIFIER L'HUILE DANS LA BOÎTE D'ENGRENAGE
VÉRIFIER LA LUBRIFICATION DE L'ENTRAÎNEMENT LATÉRAL
www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



STONE BURIER

Solve stony soil problems in one pass with this effective, robust reverse tiller.

ENFOUISSEUR DE ROCHES: Résolvez les problèmes de sols rocailleux en un passage avec ce rotoculteur efficace et robuste.



- PTO Shaft with Slip Clutch
- Single Speed Gear Box
- Side Transmission by Chain in Oil Bath
- Side Shift
- Rear Hood Adjustment
- 3ph Cat. I
- Safety Guards

- PTO avec disque d'embrayage
- Boîte d'engrenage une vitesse
- Transmission latérale par chaîne qui baigne dans l'huile
- Déport latéral
- Capot arrière ajustable
- 3 ph catégorie 1
- Gardes de sécurité

SB40



ITEM #	MODEL	HP	RPM	KG	WORKING WIDTH cm	N	in.
169970	SB40 145	35-40	540	425	145	30	max 18
169971	SB40 165	35-40	540	425	165	36	max 18



- PTO Shaft with Slip Clutch
- Single Speed Gear Box
- Side Transmission by Chain in Oil Bath
- Depth Control by Rear Roller
- Front Shifting Hitch
- Rear Hood Adjustment
- 3ph Cat. II
- Rotor Shaft with Extra Safety Flanges

- PTO avec disque d'embrayage
- Boîte d'engrenage une vitesse
- Transmission latérale par chaîne qui baigne dans l'huile
- Contrôle de la profondeur par rouleau arrière
- 3 ph ajustable
- Capot arrière ajustable
- 3 ph catégorie 2
- Arbre de rotor avec brides de sécurité supplémentaires

SB60



ITEM #	MODEL	HP	RPM	KG	WORKING WIDTH cm	N	in.
169965	SB60 185	45-50	540	550	185	36	max 18



SB80



ITEM #	MODEL	HP	RPM	KG	KG	WORKING W. cm	N	in.
169959	SB80 205	60-65	540	740	770	205	48	max 23



SIDE SHIFT



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

H-1

BREVIGLIERI ROTARY TILLERS

LIST PRICE - EFFECTIVE JANUARY 1, 2024

ECONO



B25FV Shear Bolt - 4 Blade - Chain Drive - Lower 3PH adjustable

US DOLLARS

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
170061	B25F V 85	10-15	85 cm /34"	145	2275.00
170062	B25F V 105	15-25	105 cm /41"	160	2290.00
170063	B25F V 125	20-30	125 cm /49"	175	2325.00



B40FV Shear Bolt - 4 Blade - Chain Drive - Lower 3PH adjustable

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
170064	B40F V 85	15-20			2590.00
170065	B40F V 125	20-30	122 cm /48"	190	2680.00
170066	B40F V 145	25-35	142 cm /56"	220	2705.00
170067	B40F V 155	30-40	152 cm /60"	230	2920.00
170068	B40F V 165	30-40	162 cm /64"	240	2995.00



B35SV Shear Bolt - Mechanical Side Shift by lever

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
170069	B35S V 105	15-25	105 cm /41"	160	2715.00
170070	B35S V 125	20-30	125 cm /49"	175	2835.00
170071	B35S V 145	25-35	145 cm /57"	190	2955.00

STANDARD



B45S* Mechanical Side Shift by lever

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
169932	B45S * 125	20-30	125 cm /49"	225	3330.00
169933	B45S * 145	30-40	145 cm /57"	235	3450.00
169934	B45S * 165	30-50	165 cm /65"	245	3565.00



B55F Slip clutch - 4 Blade - Chain Drive - Lower 3PH adjustable

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
169936	B55F 145	30-45	145 cm /57"	265	4050.00
169937	B55F 165	35-50	165 cm /65"	290	4150.00
169938	B55F 185	35-60	185 cm /73"	322	4285.00



B60 Slip clutch - 6 Blade - Chain Drive - Lower 3PH adjustable

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
169943	B60N 155	35-50	155 cm /61"	355	5440.00
169944	B60N 185	45-60	185 cm /73"	385	5740.00
169945	B60N 205	55-70	205 cm /87"	430	5965.00



B55S Mechanical Side Shift by lever

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
169940	B55S 165	30-50	165 cm /65"	295	4375.00
169941	B55S 185	30-60	185 cm /73"	315	4575.00



B60 Hydraulic Side Sift

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
169948	B60NS 185	45-60	185 cm /73"	470	7165.00
169949	B60NS 205	55-70	205 cm /80"	500	7220.00



B60 Hydraulic and Automatic Side Sift

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
169953	B60NA 205	55-70	205 /80"	540	9825.00



B103 without Roller

ITEM #	MODEL	HP	WORKING WIDTH	WT. / kg	LIST PRICE
169960	B103 /230	70-100	245 cm	690	9345.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

H-2

REVERSE TILLER (Stone Burier)

LIST PRICE - EFFECTIVE JANUARY 1, 2024



SB40

US DOLLARS

ITEM #	MODEL	HP	WORKING WIDTH cm	WEIGHT kg.	LIST PRICE
169970	SB40 145	35-40	145 / 57"		9555.00

169971	SB40 165	35-40	165 / 64"		10,150.00
--------	----------	-------	-----------	--	-----------



SB60

ITEM #	MODEL	HP	WORKING WIDTH cm	WEIGHT kg.	LIST PRICE
169965	SB60 185	45-50	185 / 72"		13,915.00



SB80

ITEM #	MODEL	HP	WORKING WIDTH	WEIGHT kg.	LIST PRICE
169959	SB80 205	60 - 65	205 / 80"		19,185.00

BREVIGLIERI MULCHING (FLAIL) MOWERS



JET 50 SR

US DOLLARS

ITEM #	MODEL	HP	CUTTING HEIGHT	WORKING WIDTH	WEIGHT kg	LIST PRICE
169990	JET 50 125	20 - 35	2-6 cm	125 cm / 49"	180	3345.00
169991	JET 50 155	30 - 40	2-6 cm	155 cm / 61"	200	3505.00
3/4" - 2-3/4"						



TURBO T51 SR

ITEM #	MODEL	HP	CUTTING HEIGHT	WORKING WIDTH	WEIGHT kg	LIST PRICE
169993	TURBO 51 SR 180	30 - 40	2-6 cm	180 cm / 71"	355	4860.00
169994	TURBO 51 SR 200	35 - 50	2-6 cm	200 cm / 79"	390	5095.00
3/4" - 2-3/4"						



TURBO T76 SR

ITEM #	MODEL	HP	CUTTING HEIGHT	WORKING WIDTH	WEIGHT kg	LIST PRICE
169999	TURBO T76 SR 220	50 - 70	2-7 cm	220 cm / 86"	620	6945.00
3/4" - 2-3/4"						



GREEN MASTER

ITEM #	MODEL	HP	RPM	CUT HEIGHT	WORK WIDTH	WEIGHT kg.	LIST PRICE
169988	130 with knives	25 min.	540	2-7 cm	130 cm/51"	211	5580.00
169989	150 with knives	25 min.	540	2-7 cm	150 cm/59"	244	5745.00
169987	130 with hammers	25 min.	540	2-7 cm	130 cm/51"	211	5680.00
169995	150 with hammers	25 min.	540	2-7 cm	150 cm/59"	244	5875.00
3/4" to 2-3/4"							

MASTER

ITEM #	MODEL	HP	RPM	CUTTING HEIGHT	WORKING WIDTH	WEIGHT kg.	LIST PRICE
169997	180	50-80	540	2-7 cm	180/195 cm	580	9375.00
				3/4" - 2-3/4"	70" / 77"		

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



JET 50 SR

- Mechanical side shift 15 cm
- Gearbox with free wheel and rear PTO
- 3 p.h. Cat. I rear/front
- Adjustable rear roller
- Adjustable side skids
- Chopping angular knife

- Déport latéral mécanique 15 cm
- Boîte vitesse à roue libre avec PDF arrière
- Attelage à 3 points Cat. I avant/ arrière
- Rouleau arrière réglable
- Paire de patins réglables
- Couteaux à coupe angulaire.



ITEM #	MODEL	HP	RPM	WT.kg	N	N	cm	A cm	B cm
169990	JET 50 125	20 - 35	540	1" 3/8 Z6	180	2	72	2 - 6	125 140
169991	JET 50 155	30 - 40	540	1" 3/8 Z6	200	2	90	2 - 6	155 170

TURBO T 51 SR

- Gearbox with free wheel and rear PTO
- 3 p.h. Cat. I rear/front
- Rotor shaft fitting universal (ref. 50) hammer or (ref. 40) blades
- Adjustable rear roller
- Mechanical side shift 40 cm
- Triple row of counter knives
- For PTO at 1000 RPM inversion of pulleys
- Closed rear hood
- Pair of adjustable skids

- Boîte vitesse à roue libre avec PDF arrière
- Attelage à 3 points Cat. I avant / arrière
- Rotor avec couteaux univ. (réf.50) ou marteaux (réf.40)
- Rouleau arrière réglable
- Déport latéral mécanique 40 cm
- 3 rangs de couteaux à coupe angulaire
- Pour PDF à 1000 t/m, inversion des poulies
- Capot arrière fermé
- Paire de patins réglables



SIDE SHIFT

ITEM #	MODEL	HP	RPM	WT.kg	N	ref. 50	ref 40	cm	A cm	Bcm
169993	TURBO 51 SR 180	30 - 40	540	1" 3/8 Z6	355	3	54	18	2 - 5	180 195
169994	TURBO 51 SR 200	35 - 50	540	1" 3/8 Z6	390	3	60	20	2 - 5	200 215



TURBO T 76 SR

- Gearbox with free wheel and rear PTO
- 3 p.h. Cat. II rear/front
- Rotor shaft fitting universal (ref. 50) or hammer (ref. 40) blades
- Adjustable rear roller
- Double welded row of counter knives
- Mechanical side shift 40 cm
- For PTO at 1000 RPM inversion of pulleys
- Pair of adjustable skids

- Boîte vitesse avec roue libre et PDF arrière
- Attelage à 3 points Cat. II avant / arrière
- Rotor avec couteaux univ. (réf.50) ou marteaux (réf.40)
- Rouleau arrière réglable
- Double rangée soudée de contre-couteaux
- Déport latéral mécanique 40 cm
- Pour PDF à 1000t/m par inversion des poulies
- Paire de patins réglables



SIDE SHIFT

ITEM #	MODEL	HP	RPM	WT.kg	N	ref 50	ref 40	cm	A cm	B cm
169999	TURBO T 76 SR 220	50 - 70	540/ 1000	1" 3/8 Z6	620	4	60	20	2 - 7	220 235



"CE" SAFETY GUARDS ON ALL MACHINES

PROTECTIONS DE SÉCURITÉ "CE" SUR TOUS LES MODÈLES.



www.walcoequipment.com

HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

WALCO USA

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcogc@walcoequipment.com

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090



Fax (507) 663-0999

SECTION

H-

Mulching Mower - BREVIGLIERI**BROYEURS À FLÉAU****MINI MASTER Standard Equipment**

- PTO shaft
- Hydraulic side and vertical adjustment
- 3 p.h. Cat. I
- Closed rear hood
- Gearbox with free wheel
- Adjustable rear roller

**MINI MASTER Équipements de série**

- PTO (cardan)
- Déport latéral et inclinaison hydraulique
- Attelage à 3 point CAT I
- Capot arrière fermé
- Boîte d'engrenage avec roue libre
- Rouleau arrière réglable

Mini Master 120

A - 115 cm
B - 185 cm
C - 65 cm
D - 110 cm

Mini Master 150



A - 145 cm
B - 205 cm
C - 75 cm
D - 140 cm

GREEN MASTER

ITEM #	MODEL	HP	RPM	WT.kg	N	cm	A cm Bcm
169988	130 With Knives	25 min.	540	1" 3/8 Z6	211	3	2-6 120
169989	150 With Knives	25 min.	540	1" 3/8 Z6	244	3	2-6 150
169987	130 With Hammers	25 min.	540	1" 3/8 Z6	211	3	2-6 120
169995	150 With Hammers	25 min.	540	1" 3/8 Z6	244	3	2-6 150

MASTER Standard Equipment

- PTO shaft
- Hydraulic side and vertical adjustment
- 3 point floating hitch CAT II
- Opening rear hood for inspection
- Gearbox with free wheel
- Adjustable rear roller
- Upper chopping toothed counter-knives
- Lower chopping counter-knives
- Double welded chassis

**MASTER Équipements de série**

- PTO (Cardan)
- Déport latéral et inclinaison hydraulique
- Attelage à 3 points CAT II flottante
- Capot arrière ouvrant pour inspection
- Boîtier d'engrenage avec roue libre
- Rouleau arrière réglable
- Contre couteau supérieur à dents
- Contre couteau inférieur déchiqueteur
- Double châssis soudé

Master 180

A - 181 cm
B - 291 cm
C - 58 cm
D - 184 cm

MASTER

ITEM #	MODEL	RPM	RPM	WT.kg	N	ref.50 / ref.40	cm	A cm / B cm
169997	180	50-80	540	1" 3/8 Z6	580	n.4	2-7	

**"CE" SAFETY GUARDS ON ALL MACHINES****PROTECTIONS DE SÉCURITÉ "CE" SUR TOUS LES MODÈLES**
www.walcoequipment.com
HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

ORDER DESK

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com**WALCO USA**4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Inter-Row Tiller - BREVIGLIERI

ROTOCULTEUR INTER-RANG - BREVIGLIERI

SECTION

H-3



Inter-row Cultivation

Culture inter-rang



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

ORDER DESK

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624


email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

FRAME



Length of Frame (cm)
 MBE 3: cm 165 - 230 - 280 - 330 - 440 - 310 P - 452 P
 MG 4: cm 237 - 282 - 360 - 440
 MG 4 H: cm 330 - 375 - 455


MANUAL FOLDING

HYDRAULIC FOLDING

GEARBOX




TRANSMISSION



MBE: mm 41
 MG4: mm 46

ELEMENTS



EXTRA NARROW

NARROW
25-40 cm

MEDIUM
40-55 cm

LARGE
55-70 cm

EXTRA LARGE
75-90 cm

Note: Elements are adjustable in increments of 5 cm.
 MBE3 Elements only fit on MBE3 Frames. — MG4 Elements only fit on MG4 Frames

MBE 3 SEEDER ATTACHMENT NOT INCLUDED MG 4 SEMOIR NON-INCLUS

30 - 80 HP



40 - 90 HP




MBE 3

	Beans cm 45-50		Corn cm 65-70		Sugarbeet cm 45-50		Sunflower cm 65-70		Flowers cm 45-50
	Tomatoes cm 65-70		Potatoes cm 65-70		Tobacco cm 65-70		Cotton cm 65-70		Strawberry cm 55-60

MG 4

	Beans cm 45-50		Corn cm 65-70		Sugarbeet cm 45-50		Sunflower cm 65-70		Artichoke cm 75-90
	Tomatoes cm 75-90		Potatoes cm 75-80		Tobacco cm 75-80		Cotton cm 65-70		



Crop Clearance:
 MBE 3 : cm 55
 MG 4 : cm 74

Optional Accessories (Call for pricing and availability)



Fertilizer



Ridger unit



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

H-3

PAGE 1

BREVIGLIERI INTER-ROW TILLERS

LIST PRICE - EFFECTIVE JANUARY 1, 2024

WHEN ORDERING MG4 OR MBE3:

Step 1. Choose the Frame length & style required


Step 2. Choose the size of Element (Narrow, Medium, Large, XL)

Step 3. Choose the quantity of the element based on row spacing

Note:


MG4 Elements are only compatible with MG4 frames, and MBE3 Elements are only compatible with MBE3 frames.



MG 4									US DOLLARS LIST PRICE
ITEM #	FRAME	HP	RPM	PTO	WIDTH cm	SHAFT mm	CM	KG	
RIGID FRAME									
169250	MG4 235	40 – 80	540	1" 3/8 Z6	237	46	74	220	3385.00
169251	MG4 280	40 – 80	540	1" 3/8 Z6	282	46	74	240	3415.00
169252	MG4 360	50 – 80	540	1" 3/8 Z6	360	46	74	265	3685.00
169253	MG4 440	50 – 80	540	1" 3/8 Z6	440	46	74	295	4590.00
FOLDING FRAME - HYDRAULIC									
169257	MG4 330 H	50 – 90	540	1" 3/8 Z6	330	46	74	330	7610.00
169258	MG4 380 H	60 – 90	540	1" 3/8 Z6	375	46	74	370	7675.00
169259	MG4 450 H	70 – 90	540	1" 3/8 Z6	455	46	74	410	9190.00

ITEM #	ELEMENT	cm	4-Z	6-Z	G/M-RPM	DEPTH	KG 6-Z	LIST PRICE
169263	MG4 Narrow	25-40		6-Z	360	5-15	80	2190.00
169264	MG4 Medium	40-55		6-Z	360	5-15	95	2415.00
169265	MG4 Large	55-70		6-Z	360	5-15	115	2670.00
169266	MG4 Ex. Large	75-90		6-Z	360	5-15	135	2910.00



MBE 3									
ITEM #	FRAME	HP	RPM	PTO	WIDTH CM	SHAFT mm	CM	KG	LIST PRICE
RIGID FRAME									
169270	MBE3 165	30-80	540	1" 3/8 Z6	165	41	55	150	2925.00
169271	MBE3 230	35-80	540	1" 3/8 Z6	230	41	55	170	2960.00
169272	MBE3 280	40-80	540	1" 3/8 Z6	280	41	55	180	3195.00
169273	MBE3 330	50-80	540	1" 3/8 Z6	330	41	55	200	3300.00
169274	MBE3 440	60-80	540	1" 3/8 Z6	440	41	55	230	4200.00
FOLDING FRAME - MANUAL									
169278	MBE3 310 P	50-80	540	1" 3/8 Z6	330	41	55	250	4735.00
169279	MBE3 440 P	60-80	540	1" 3/8 Z6	452	41	55	280	5730.00

ITEM #	ELEMENT	cm	4-Z	6-Z	G/M-RPM	DEPTH	KG 6-Z	LIST PRICE
169283	MBE3 Narrow	25-40		6-Z	369	5-15	70	1605.00
169284	MBE3 Medium	40-55		6-Z	369	5-15	85	1800.00
169285	MBE3 Large	55-70		6-Z	369	5-15	100	2025.00

Rotary Tiller – AGROMECHANIKA

ROTOCULTEUR

SECTION

H-4

PAGE 1

Fixed Rotary Tiller



FPM
AGROMECHANIKA



MODEL	work width	overall width/m	min/max h.p.	cat	rpm input	rpm rotor shaft	mm dia. solid shaft	no. of tines	cm working depth		weight kg
LF 105	1.05	1.2	15-20	I, II	540	231	42	4/20	18	FIXED	150
LF 125	1.25m	1.4m	20-30	I, II	540	231	42	4/24	18	FIXED	165
LF 145	1.45	1.6	25-35	I, II	540	231	42	4/28	18	FIXED	180
LF 165	1.65	1.8	30-40	I, II	540	231	42	4/32	18	FIXED	195



Side Shift Rotary Tiller



MODEL	work width	overall width	min/max h.p.	cat	rpm input	Rpm rotor shaft	mm dia solid shaft	no.of tines	cm working depth	cm side shift			weight kg
LPF 125	1.25m	1.4m	20-30	I, II	540	231	42	4/24	18	39 60	----- -----	86 65	165
LPF 145	1.45	1.6	25-35	I, II	540	231	42	4/28	18	39 70	----- -----	106 75	185
LPF 165	1.65	1.8	30-40	I, II	540	231	42	6/48	18	39 80	----- -----	126 85	235



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogg@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



Double fingers. Base lath made of spring steel for high strength, with appropriate flexibility.

Double doigts. Lame de base en acier à ressort pour une résistance élevée, avec une flexibilité appropriée.



Transmission with V-belts and tensioners.

Transmission avec courroies tendeurs.



Safety: Automatic release of the cutting device in the event of an obstacle.

Sécurité: Déclenchement automatique du dispositif de coupe en cas d'obstacle.

Rear tractor mowers with double cutting bar and double fingers. Intended for mowing all types of grass and fodder plants.

- Easy to handle and maintain.
- 1.9 m Hydraulic link.
- High quality, durable material and parts.

Tracteurs tondeuses arrière avec double barre de coupe et double doigts. Destiné à la tonte de tous types d'herbes et de plantes fourragères.

- Facile à manipuler et à entretenir.
- 1.9 m Lien Hydraulique.
- Matériaux et pièces de haute qualité et durables.



Cutting bar start system.

Système de démarrage de la barre de coupe.

Disc Mowers – AGROMECHANIKA

FAUCHEUSE à DISQUES ROTATIFS



DKF 240/6 Rear tractor mowers for mowing all types of grass, plants, and roadside areas.

Powerful cutting devices with gear transmission

High reliability for intensive use.


Suitable for use in difficult working conditions such as dead grass and wet or sloping terrain. .

- Features:
- Powerful and reliable gear cutter.
 - Does not destroy tree and plants roots.
 - Does not compress the mowed cut.

DKF 240/6 Tracteurs tondeuses arrière pour tondre tous les types d'herbe, de plantes et de zones en bordure de route. Dispositifs de coupe puissants avec transmission par engrenages. Haute fiabilité pour un usage intensif. Convient pour une utilisation dans des conditions de travail difficiles telles que l'herbe morte, les terrains humides ou en pente.

Fonctionnalités :

- Fraise à engrenages puissante et fiable.
- Ne détruit pas les racines des arbres et des plantes.
- Ne comprime pas la coupe tondue.



Works well on sloping terrain.

Fonctionne bien sur les terrains en pente.



V-belts transmit power to the multiplier.

V-belts transmet la puissance au multiplicateur.



Oval disc for better flow of mowed grass. Gear transmission in oil housing for high performance.

Disque ovale pour un meilleur écoulement de l'herbe tondue.

Transmission à engrenages dans le carter d'huile pour de haute performance.



- Safety system for automatic release of the cutting system in the event of an obstacle.
- Terrain copying mechanism.
- Hydraulic lift system of the cutting device.

- Système de sécurité pour la libération automatique du système de coupe en cas d'obstacle.
- Mécanisme de copie de terrain.
- Système de levage hydraulique du dispositif de coupe.



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

H-4

ROTARY TILLERS FPM

LIST PRICE - EFFECTIVE JANUARY 1, 2024



FIXED MODELS

ITEM #	MODEL	MIN/MAX HP	WORKING WIDTH	WT./kg	US DOLLARS
					LIST PRICE
174004	99661	15 – 20	1.05	150	2095.00
174005	99601	20 – 30	1.25 m	165	2195.00
174006	99599	25 – 23	1.45 m	180	2340.00
174007	99662	30 – 40	1.65 m	195	2560.00



SIDE SHIFT MODELS

ITEM #	MODEL	MIN/MAX HP	WORKING WIDTH	WT./kg	LIST PRICE
174009	26814	20 – 30	1.25 m	165	2250.00
174010	29619	25 – 23	1.45 m	185	2395.00
174011	44234	30 – 40	1.65 m	235	2490.00

FPM SICKLE MOWER



ITEM #	MODEL	DESCRIPTION	WIDTH/meters	WT./kg	US DOLLARS
					LIST PRICE
174033	56713	Double cutting bar 3 Point Hitch With Hydraulic link	1.9		4155.00

FPM DISC MOWER




ITEM #	MODEL	DESCRIPTION	WIDTH/meters	WT./kg	LIST PRICE
174038	98442	with 6 Oval Discs 3 Point Hitch	2.4		8760.00



Mekfarmer 80

																											
Mod. Mekfarmer	HP	rpm		cm	cm	n.	cm	KG			KG			KG			KG			KG							
								Ø 477 1	Ø 525 2	Ø 525 3	Ø 405 x MekFarmer 80 Ø 370	Ø 450	Ø 500	Ø 460	Ø 412	Ø 500	Ø 406	Ø 464	Ø 500	Ø 550							
80-110	30-44	540		110	113	10	8-27	340			308						342										
80-130	40-50	540		130	133	12	8-27	375			338						396										
80-150	50-60	540		150	153	14	8-27	410			368						450										
80-170	60-80	540		170	173	16	8-27	445			398						504										
80-190	70-80	540		190	193	18	8-27	480			428						558										
100-200	60-70	540	1000	200	205	20	8-27	680			670	700		690	680		780	810									
100-230	65-80	540	1000	230	235	22	8-27	730			700	730		720	710		830	860									
100-250	70-90	540	1000	250	255	24	8-27	780			750	780		770	760		880	910									
100-300	80-100	540	1000	295	300	28	8-27	880			850	880		870	860		980	1010									
120-250	90-110	540	1000	250	255	20	10-30		935	980		910		910	880	950		1110	1180	1250							
120-300	100-120	540	1000	295	300	24	10-30		1092	1137		1100	1200	1100	1070	1140		1195	1265	1335							
120-350	100-120	540	1000	345	350	28	10-30		1192	1237		1200	1300	1200	1170	1240		1295	1365	1435							



Mekfarmer 100



Mekfarmer 120

POWER HARROWS - Fixed Breviglieri



SPECIAL MOUNTING OF BLADES

SUPERFAST

Without tools! Without effort!

- Senza attrezzi! Senza fatica!
- Sans outils! Sans fatigue!
- Ohne Werkzeug! Ohne Mühe!
- Sin las herramientas! Sin esfuerzo!

The BREVIGLIERI system in order to replace blades in a moment

- Il sistema Breviglieri per sostituire gli utensili in un attimo
- Le système BREVIGLIERI pour changer les outils dans un seul instant
- Das BREVIGLIERI System für di Werkzeuge sofort zu ersetzen
- El sistema BREVIGLIERI para substituir las cuchillas en un momento



AVAILABLE ON

Disponibile Disponibile Verfügbar Disponible
Mekfarmer 150 - 170 - 220 - K180 - K230 - K270

BLADES

Coltelli Couteaux Zinken Cuchillas

Mekfarmer 80	80	260 X 12
Mekfarmer 100	100	260 X 12
Mekfarmer 120	120	300 X 15
Mekfarmer 150	150	300 X 15
Mekfarmer 170 / K 180	170	300 X 15
Mekfarmer 220	220	300 X 15
Mekfarmer 230	230	320 X 16
Mekfarmer 270	270	320 X 16



REAR LEVELLING BAR

- Barra livellatrice posteriore
- Barre niveleuse arrière
- Hintere Planierschiene
- Barra niveladora trasera



STANDARD

Mekfarmer 100-120-150-170-220
Mekfarmer K180-K230-K270

OPTION

Mekfarmer 80

BALL BEARINGS



TAPERED ROLLER BEARINGS



MOD.	1	2	3
Mekfarmer 80	mm 3	mm 45	40
Mekfarmer 100	mm 5	mm 45	40
Mekfarmer 120	mm 5	mm 50	48



			540 RPM	1000 RPM	Cod.	
Mekfarmer 80	-	-	324	-		standard
	19	21	293	-	8201423	option
	21	19	358	-		
	18	22	265	-	8201427	
Mekfarmer 100 - 120	22	18	396	-		standard
	17	16	311	-	8201424	
	16	17	275	-		option
	18	15	351	-	8201428	
	15	18	244	-		
	12	21	-	309	8201429	
	13	20	-	352	8201430	



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

ORDER DESK

TEL: (519) 669-4025 FAX: (519) 669-1436

e-mail: orders@walcoequipment.com

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Walco Push Broom

BALAIS BROSSE



The "Broomer" Work!
in a wide range of applications

- ◆ LANDSCAPING ◆ INDUSTRY ◆ CONSTRUCTION
- ◆ MUNICIPALITIES ◆ AIRPORTS ◆ ROAD MAINTENANCE
- ◆ AGRICULTURE

The "Broomer" Fits!
a wide range of equipment

- ◆ TRUCKS ◆ SKID STEERS ◆ MOWERS
- ◆ TRACTORS ◆ BUCKET LOADERS

This patented broom is manufactured from heavy gauge steel, with durable finish, for long life. The tough, long lasting polypropylene bristles are thermally bonded into an extruded polypropylene strip, which is inserted into the steel base.

Replacing the bristles is as simple as sliding out the old strip and sliding in new strip, in a matter of minutes.

EASY to store... EASY to attach... EASY to use... EASY to maintain !

It Works!
Without the dust storm



BROOMER APPLICATIONS



PUSH BROOM

3 POINT HITCH
THE RIGHT SWEEPER FOR
YOUR COMPACT TRACTOR.

8 rows of nylon bristles
Sweep gravel off pavement concrete
or interlocking brick
De-thatch lawns
Groom gravel, sand or topsoil



BROOM BASE
ONLY



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

I-1

PAGE 1

BROOMER

LIST PRICE - EFFECTIVE JANUARY 1, 2024

COMPLETE BROOMER UNIT CONSISTS OF:

ONE BROOM (Choose Broom Width) ONE MOUNTING KIT (For Different Vehicles)



BROOM ONLY - with 10 Track Bristles

US DOLLARS

ITEM #	WIDTH	DESCRIPTIONS	WEIGHT /lb.	LIST PRICE
180400	3.5 Ft.	Broom Only 10 Track Bristle		570.00
180401	4 Ft.	Broom Only 10 Track Bristle	128	656.00
180402	4.5 Ft.	Broom Only 10 Track Bristle	144	750.00
180403	5 Ft.	Broom Only 10 Track Bristle	160	790.00
180404	5.5 Ft.	Broom Only 10 Track Bristle	176	875.00
180405	6 Ft.	Broom Only 10 Track Bristle	192	890.00
180406	6.5 Ft.	Broom Only 10 Track Bristle	208	910.00
180407	7 Ft.	Broom Only 10 Track Bristle	223	975.00
180408	7.5 Ft.	Broom Only 10 Track Bristle	239	1020.00
180409	8 Ft.	Broom Only 10 Track Bristle	255	1095.00
180410	10 Ft.	Broom Only 10 Track Bristle	320	1175.00



MOUNTING KITS & OPTIONAL ACCESSORIES

ITEM #	MOUNT	ADAPTORDESCRIPTION	WEIGHT /lb	LIST PRICE
180415	BLM-02	Bucket Mount - Heavy Duty	12 kg	265.00
180442	BLSM-01	Bucket Lip Swivel Mount	59	652.00
180417	FLM-01	Forklift Mount	61	340.00
180439	FLSM-01	Fork Lift Swivel Mount	46	680.00
180423	LPM-01	* Loader Plate Mount		145.00
180426	LSM-B1	Bobtach Swivel Mount	71	656.00
180419	TPM-01	Three Point Mount Cat. 1	67	375.00
180422	TPS-01	Three Point Swivel Cat. 1	118	636.00
	SM1002	JD1001 JD Swivel Mount F911 F925 F932		420.00
180454		JD440 / 540 Swivel Mount for 10 Row Broom		330.00
	SM1002	NHA1001 New Holland Swivel Mount LM374		350.00
180450		Bobtach Fixed Mount for 10 Row Broom	42.5	445.00
180451		Euro Tatch Mount for 10 Row Broom	131	476.00

NOTE: The Loader Plate Mount requires an adapter plate to suit your application. We currently offer only the Bobcat adapter.

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

I-1

PAGE 2

BROOMER

LIST PRICE - EFFECTIVE JANUARY 1, 2024

SNOW PLOW MOUNTS

ITEM #	MOUNT	ADAPTORDESCRIPTION	WEIGHT/lb.	US DOLLARS
				LIST PRICE
180429	SPM-S1	Snow Plow Mount - Sno-way		125.00
180413	AD-FP	** Adaptor - Frink		145.00
180418	SPM-MI	AP-SP CP8 Meyer		320.00
		Fisher V Plow		320.00

Note: These adaptors are used with SPM-W1 mount which must be purchased separately.

BROOM ONLY - 8 Track Bristles - for Truck Mount

ITEM #	MODEL #	WIDTH	LIST PRICE
180492	B 884P	84" Broom	760.00

ITEM #	MODEL - MOUNTING KITS ONLY	LIST PRICE
	Arctic - SPM801	295.00
	Fisher - SPM801 & ADF1	295.00
	Frink - SPM801 & ADF1	295.00
	Meyer - SPM802	295.00
	Snoway - SPM801 & FKS2	295.00
	Fisher V Plow	320.00

BROOM ONLY - 8 Track Bristle - for Lawn & Garden

ITEM #	MODEL #	WIDTH	LIST PRICE
180469	B836M	36" Broom	365.00
180470	B842M	42" Broom	395.00



ITEM #	MODEL #	MOUNTING KITS ONLY	MOUNT &	ADAPTOR	LIST PRICE
	JOHN DEERE				
	3 pt. Hitch Cat. I		SM801	JPS801	330.00
	LX176		SM802	ML802 & H802	445.00
	F911-F1145		SM801	A805	330.00
180495	JDX 400 - 500 Front mount		8 Row Mount		155.00
	KUBOTA				
180496	BX Mount SWL		8 Row Mount		220.00
	3 pt. Hitch Cat. I		SM801	TPS801	330.00
180424	F2400		KSM-01		420.00
	F60		SM801	A806	330.00
	NEW HOLLAND				
	3 pt. Hitch Cat. I		SM801	TPS801	330.00
	CM274		SM801	A807	330.00
	GT 22		SM802	ML802 & H802	445.00
	WALKER				
	ALL		SM802	ML801	445.00
	Walker		Manual Lift		330.00
	Garden Tractor		Manual Lift		330.00



THE IDEAL CHOICE

For road cleaning, winter grit and snow removal.
Sweep cycle paths, driveways and parking lots.

COMPACT AND VERSATILE

The compact design significantly reduces bumping, and ensures fast reaction for optimum performance in any condition.



Ce balai compact et versatile est le choix idéal pour le nettoyage des routes ainsi que le déneigement des pistes cyclables, cours résidentielles et stationnements .

Sa conception compacte réduit significativement les secousses et assure une réaction rapide pour une performance optimale dans toutes conditions.

SKID STEER HYDRAULIC SWEEPER

MODEL SKID STEER	LTR/ MIN	WORKING WIDTH mm/" STRAGHT / ANGLE	BRUSH DIAMETER mm/"	OVERALL DIMENSIONS mm/"			WT. KG / LB
				HIGHT	WIDTH	DEPTH	
TSPS 1500	25	1500 -1410 / 59-56"	600 / 23.6"	800/31.5"	1750/69"	1400/55"	180/397
TSPS 1700	25	1700 -1600 / 67-63"	600 / 23.6"	800/31.5"	1950/77"	1400/55"	190/419
TSPS 1900	25	1900 -1780 / 75-70"	600 / 23.6"	800/31.5"	2150/84"	1400/55"	200/441
TSPS 2100	25	2100 -1970 / 83-76"	600 / 23.6"	800/31.5"	2350/92.5"	1400/55"	220/485
TSPS 2300	30	2300 -2160 / 91-85"	600 / 23.6"	800/31.5"	2550/100.5"	1400/55"	240/529

STANDARD EQUIPMENT:

PPL bristle brushes 600

Manual tilt angle, up to 25° left and right.

OPTIONAL: Hydraulic angle.

Wheel Kit 202 x 20

HITCH SYSTEM: Skid steer Quick Tach

OPTIONAL: Brush with mixed iron & PPN

EQUIPEMENT STANDARD:

Brosses de poils en PPL 600

Inclinaison angulaire manuelle, jusqu'à 25° gauche-droite

OPTION: Angle hydraulique.

Ensemble de roue 202 x 20

SYSTEME D'ATTELAGE: Attache Skid steer

OPTION: Brosse fer et PPN mélangés



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999



SHOWN ABOVE WITH DUST COLLECTOR AND OPTIONAL SIDE BRUSH



ONE OF THE MOST VERSITILE SWEEPERS ON THE MARKET

- 3 POINT HITCH PTO SWEEPER
- ♦ **TSH SWEEPER IS IDEAL TO CLEAN STREETS, PARKING LOTS, YARDS AND LAWNS.**
- ♦ **Manual broom angling is standard.**
Optional: Hydraulic angling
- ♦ **Available with removable "manual-dump" collector**
Option: "hydraulic-dump" collector
- ♦ **Brush: Polyurethane bristles**

UN DES BALAIS LES PLUS VERSATILE SUR LE MARCHÉ

- BALAI 3PH SUR PTO
- ♦ **LES BALAIS TSH SONT IDÉAUX POUR NETTOYER LES RUES, LES COURS ET LES PELOUSES.**
- ♦ **L'inclinaison angulaire manuelle est une caractéristique standard.**
Option: Inclinaison hydraulique
- ♦ **Disponible avec collecteur déchargeable mécaniquement ou hydrauliquement (Option)**
- ♦ **Brosse : Polyuethane**

MODEL 3 POINT PTO	HP	BRUSH RPM	BRUSH DIAMETER mm / "	OVERALL DIMENSIONS mm / "			WT. KG / LB	
				HEIGHT	WIDTH	DEPTH		
TSPH 1250	19 /30	540	500 / 19.7"	1200/47"	1450/57"	1400/55"	180 / 397	
TSPH 1550	22 /30	540	500 / 19.7"	1200/47"	1750/69"	1400/55"	190 / 419	
TSPH 1850	26 /30	540	500 / 19.7"	1200/47"	2050/81"	1400/55"	200 / 441	
TSPH 2350	30 /40	540	500 / 19.7"	1200/47"	2550/100"	1400/55"		



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

I-2

PAGE 1

BELLONMIT

POWER SWEEPER

**** NEW IMPROVED MODELS WITH EXTRA SUPPORT AND STRENGTH ****

LIST PRICE - EFFECTIVE JANUARY 1, 2024

SKID STEER HYDRAULIC DRIVE SWEEPER

(priced with no hydraulic option) US DOLLARS



ITEM #	MODEL	WIDTH / mm / in.	LTR / MN	WT. / KG - lb.	LISTPRICE
171402	TSPS 1500	1500 / 59	25	180 / 397	5200.00
171403	TSPS 1700	1700 / 67	25	190 / 419	5920.00
171404	TSPS 1900	1900 / 75	25	200 / 441	6120.00
171405	TSPS 2100	2100 / 83	25	220 / 485	6480.00
171406	TSPS 2300	2300 / 91	30	240 / 529	6600.00
171486	HYDRAULIC TURN OPTION				544.00
171494	Manual Linkage for Sweeper				100.00



3 PH REAR SWEEPER - MECHANICAL DRIVE

(PRICED WITH **NO** COLLECTOR)

ITEM #	MODEL	WIDTH / mm / in.	BRUSH RPM	H.P.	WT. / KG - lb.	LISTPRICE
171425	TSPP5 1250	1250 / 49	540	19/30	140 / 309	4272.00
171426	TSPP5 1550	1550 / 61	540	19/30	160 / 353	4376.00
171427	TSPP5 1850	1850 / 73	540	26/30	180 / 397	4495.00
171428	TSPP5 2350	2350 / 93	540	30/40	200 / 441	4635.00

3 PH REAR SWEEPER - MECHANICAL DRIVE - MANUAL DUMP

WITH DUST COLLECTOR

ITEM #	MODEL	WIDTH / mm / in.	BRUSH RPM	H.P.	WT. / KG - lb.	LISTPRICE
171408	TSPP5 1250	1250 / 49	540	19/30	140 / 309	5100.00
171409	TSPP5 1550	1550 / 61	540	19/30	160 / 353	5245.00
171410	TSPP5 1850	1850 / 73	540	26/30	180 / 397	5410.00
171411	TSPP5 2350	2350 / 93	540	30/40	200 / 441	5630.00

MODEL SOLD HAS GEARBOX AND PTO. SIDE BRUSH AND TANKS ARE OPTIONAL ONLY



SHOWN WITH
DUST COLLECTOR
AND SIDE BRUSH

3 PH REAR SWEEPER - HYDRAULIC DRIVE - MANUAL DUMP

WITH DUST COLLECTOR

ITEM #	MODEL	WIDTH / mm / in.	BRUSH RPM	H.P.	WT. / KG - lb.	LISTPRICE
171416	TSPH 1250	1250 / 49	540	19/30	140 / 309	4200.00
171417	TSPH 1550	1550 / 61	540	19/30	160 / 353	4335.00
171418	TSPH 1850	1850 / 73	540	26/30	180 / 397	4500.00
171419	TSPH 2350	2350 / 93	540	30/40	200 / 441	4635.00
171433	TSPH 2350	2350 / 93	540	30/40	NO DUST COLLECTOR	4144.00
171461	HYDRAULIC TURN OPTION					556.00
171465	HYDRAULIC DUMP OPTION					656.00

OPTIONAL HUMIDIFIER

ITEM #	MODEL	CAPACITY	LISTPRICE
171447	9BIUMI 0001	130 liters (34 US gallons)	1844.00
171448	9BIUMI 0002	260 litres (68 US gallons)	2400.00


OPTIONAL SIDE BRUSH - NOT FOR SKID STEER MODELS

ITEM #	MODEL	LISTPRICE
171449	9BISPL 0002	2015.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.

Flexible Chain Link Maillage flexible

3 PH Units 4' to 12'
Unité sur 3 PH 4' à 12'



Heavy Duty
Universal Drawbar
Barre de tire
Universelle
Ultra robuste.



7 / 16"
Diameter Tine
Diamètre dent

FEATURES

- ◆ Self Cleaning ◆ Multi-Action ◆ Maintenance Free.
- ◆ Made of carbon steel – No tine breakage.
- ◆ No lubrication or adjustment required.
- ◆ Available in 4' and 6' widths.
Can be combined together to make 12, 14 or 16 feet.
Pyramid together for 20 & 24 feet width.
- ◆ Draw bars available: 4, 6, 8, 10, 12, 14 & 16 feet.
- ◆ Pull required for standard harrow: 2HP / foot of width

IDEAL FOR

- ◆ Spreading manure to control parasites.
- ◆ Spreading straw or corn stocks and in-field residues.
- ◆ None-crop weed removal.
- ◆ Seed bed preparation.
(can be trailed behind disc or other equipment.)
- ◆ Covering seeds to enhance germination.
- ◆ Combing soil for moisture penetration.
- ◆ Incorporating herbicides and fertilizer.
- ◆ Aerating the soil.
- ◆ Breaking up crusts and clods.
- ◆ Pasture renovation.
- ◆ Root raking.
- ◆ Landscaping.

CARATÉRISTIQUES

- ◆ Auto-nettoyant. Multi action. Ne nécessite pas d'entretien.
- ◆ Fait d'acier au carbone. Dents incassables.
- ◆ Ne nécessite ni lubrifiant ou ajustement.
- ◆ Disponible en 4' et 6' de largeur.
Peut être combiné ensemble pour faire 8,12,14 ou 16 pieds.
Aussi en pyramide de 20' et 24' de largeur.
- ◆ Barre de tire de 4,6,8,10,12,14 & 16 pieds.
- ◆ Puissance de tire nécessaire de 2HP par pied de largeur.

IDÉALE POUR:

- ◆ L'épandage de fumier pour contrôler les parasites.
- ◆ Répandre la paille ou résidus des stocks de maïs au champ
- ◆ Enlever les mauvaises herbes
- ◆ Préparation du sol avant semis (peut être tiré derrière herse à disques ou autre équipement.)
- ◆ Couvrir les semis pour activer la germination.
- ◆ Sarcler le sol pour faciliter la pénétration de l'humidité.
- ◆ Incorporer herbicide et fertilisant.
- ◆ Aérer le sol.
- ◆ Briser les croûtes et les mottes.
- ◆ Rénovation des pâturages
- ◆ Ratissage des racines
- ◆ Aménagement paysager.



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

J

PAGE 1

FLEXIBLE HARROW

LIST PRICE - EFFECTIVE JANUARY 1, 2024

Our 4' long Harrows have as many Tines as our competitors' 6' long Harrows
HARROWS HAVE 7/16" TINES
All Draw Bar Harrows consist of 4' & 6' wide sections



ITEM #	DRAW BAR HARROW (not assembled)	LIST PRICE	US DOLLARS
		4' LONG	LIST PRICE 8' LONG
	4' wide Harrow complete with draw bar	295.00	495.00
	6' wide Harrow complete with draw bar	430.00	725.00
	8' wide Harrow complete with draw bar	545.00	945.00
	10' wide Harrow complete with draw bar	685.00	1165.00
	12' wide Harrow complete with draw bar	800.00	1390.00
	14' wide Harrow complete with draw bar	940.00	1644.00
	16' wide Harrow with 2 - 8' Drawbars & 1 - 8' Connector	1280.00	2172.00
	20' wide Harrow with 2 - 10' Drawbars & 1 - 10' Connector	1695.00	2775.00
	24' wide Harrow with 2 - 12' Drawbars & 1 - 12' Connector	1950.00	3295.00



ITEM #	3PH LIFT HARROW (Not assembled)	Note: 3PH Harrow is 8' Long	LIST PRICE
250059	4' wide Harrow complete with 3PH frame		980.00
250054	6' wide Harrow complete with 3PH frame		1210.00
250052	8' wide Harrow complete with 3PH frame		1410.00
250051	12' wide Harrow complete with 3PH frame		1950.00

ITEM #	SECTIONS ONLY	LIST PRICE
250022	4' wide x 4' Section with 7/16" tines	206.00
250023	6' wide x 4' Section with 7/16" tines	303.00
250024	4' wide x 8' Section with 7/16" tines	411.00
250026	6' wide x 8' Section with 7/16" tines	606.00
250021	8' wide x 4' Section with 7/16" tines	400.00
250019	8' wide x 8' Section	825.00

Walco Grader Blades

LAMES NIVELEUSES Walco

SECTION

K

EXCEPTIONAL DESIGN AND STRENGTH!

CONCEPTION ET FORCE EXCEPTIONNELLE!



STANDARD MODELS

MODÈLE RÉGULIER

W-499 – 177 lb.

W-599 – 204 lb.

W-699 – 225 lb.

W-799 – 264 lb.

WITH POWDER COAT PAINT

PEINTURE A BASE DE POUDRE STAIQUE

OPTION: BOLT ON BOX END CAPS

OPTION: BOITES BOULONNÉES

- ◆ FULL TURN AROUND, 10 POSITIONS
- ◆ DOUBLE EDGE REPLACEABLE CUTTING EDGE
- ◆ ADDITIONAL BOX SUPPORT ON REAR OF MOULDBOARD
- ◆ PIVOTE À 360 DEGRÉS, 10 POSITIONS
- ◆ COUTEAU DOUBLE TRANCHANT, REMPLAÇABLE
- ◆ BOITE DE RENFORT ADDITIONNELLE À L'ARRIÈRE DU VERSOIR



MODÈLE EXTRA ROBUSTE CONÇUE POUR LES TRAVAUX PLUS CORSÉS!



W-716 – 521 lb.
W-816 – 550 lb.

HEAVY DUTY MODELS FOR THE TOUGH JOBS!

- ◆ HEAVY DUTY MOULDBOARD
- ◆ BOX WELDMENT AGAINST BACK SIDE
- ◆ FULL TURN AROUND POSITIONING
- ◆ OPTIONAL CYLINDER KIT AVAILABLE
- ◆ LAME ARRIÈRE EXTRA ROBUSTE
- ◆ BOITE DE RENFORCEMENT ARRIÈRE SOUDÉE
- ◆ TOURNE À 360 DEGRÉS
- ◆ JEU DE CYLINDRE OPTIONNEL, DISPONIBLE



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Walco Grader Blades

LAMES NIVELEUSES Walco

- ◆ **Slider adjustment for use in tight spots.**
- ◆ **4', 5', 6', 7' & 8'**
5 forward & 5 reverse angle positions.
- ◆ **Moldboard height 14"**
- ◆ **½" x 6" reversible cutting edge**
- ◆ Réglage de la glissière pour endroits exigus
- ◆ Les modèles 4, 5, 6, 7' 8'
- ont 5 positions d'angle Vers l'avant ou vers l'arrière
- ◆ Dispositif d'inclinaison minimum
- ◆ **Lame arrière 14"** ◆ **Couteau reversible ½" x 6"**



PIVOT BLADE
LAME PIVOTANTE

SLIDER BLADE
LAME COULISSANTE



- ◆ **4, 5, 6, 7', 8' with 5 forward positions.**
- ◆ **Cat I hitch**
- ◆ **Moldboard height 12"**
- ◆ **½" x 6" reversible cutting edge.**
- ◆ Les modèles 4, 5, 6, 7', 8'
- Vers l'avant ou vers l'arrière
- ◆ Attache cat 1
- ◆ **Lame arrière 12"**
- ◆ **Couteau reversible ½"x6"**

Land Leveler – Renegade


BOITE NIVELEUSE

Renegade

Lift Only Model
Modèle à relevage



Manufactured in USA
FABRIQUÉ AU USA



- Available 6' to 16' width
- **Axle Weight Box standard on "Lift and Tilt" models.**
(available as option on "Lift Only" models when placing order.)
- **Hydraulic cylinders and hoses included.**
- **Rims and tires not included.**

Lift & Tilt Model**Modèle à relevage et angulation**

- Dimensions disponibles de 6' à 16'
- Boîte de pesée sur essieux standard sur modèle à levage et angles.
(option sur modèle "Levage seul" si spécifier à la commande.)
- Cylindres hydrauliques et boyaux Inclus.
- Roues non incluses.



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

K

PAGE 1

3PH GRADER BLADES

LIST PRICE - EFFECTIVE JANUARY 1, 2024




US DOLLARS							
ITEM #	DESCRIPTION	WIDTH	HITCH CAT.	MOULDBOARD	WEIGHT/LB	HEIGHT	LIST
125000	Walco W-499	4'	1	10 gauge	177	10"	730.00
125001	Walco W-599	5'	1	3/16	204	14"	850.00
125002	Walco W-699	6'	1	1/4"	225	16"	890.00
125003	Walco W-799	7'	1	1/4"	264	16"	950.00



125011	Walco W-716	7'	1&2	3/8"	521	16"	1895.00
125012	Walco W-816	8'	1&2	3/8"	550	16"	2020.00
125103	Box Ends for W-716 & W-816 per pair						212.00
125007	Cylinder Kit for W716 & 816 series blade - Hoses included						395.00

NOTE: W-716 & W-816 have frames built with heavy rectangular tubing, and additional supports. All blades are built with Category II width, with Category 1 & 2 hitch pins.



3 PH ECONOMY BLADE

PIVOT SERIES



			US DOLLARS	
ITEM #	DESCRIPTION	WEIGHT	LIST PRICE	
124001	4 feet Grader Blade / Adjustable angle	165 lbs.	700.00	
124002	5 feet Grader Blade / Adjustable angle	218 lbs.	740.00	
124003	6 feet Grader Blade / Adjustable angle	236 lbs.	775.00	
124004	7 feet Grader Blade / Adjustable angle	277 lbs.	840.00	
124005	8 feet Grader Blade / Adjustable angle		895.00	

SLIDER SERIES



ITEM #	DESCRIPTION	WEIGHT	LIST PRICE
124011	4 feet Grader Blade w/angle, slide & tilt	219 lbs.	840.00
124012	5 feet Grader Blade w/angle, slide & tilt	238 lbs.	870.00
124013	6 feet Grader Blade w/angle, slide & tilt	256 lbs.	910.00
124014	7 feet Grader Blade w/angle, slide & tilt	307 lbs.	975.00
124015	8 feet Grader Blade w/angle, slide & tilt	340 lbs.	1075.00



LAND LEVELERS

FOR COMPACT TRACTORS

CALL FOR PRICE

CALL FOR PRICE

WIDTH	THICKNESS	ITEM #	WT/LB	LIFT ONLY UNIT	ITEM #	WT/LB	HYDRAULIC & TILT
MOULDBOARD				INCLUDES CYLINDER & HOSES	INCLUDES 2 CYLINDERS & 4 HOSES		
7'	3/16"	146714	725	\$	146715		\$

FOR TRACTORS UP TO 150 HP

CALL FOR PRICE

CALL FOR PRICE

WIDTH	THICKNESS	ITEM #	WT/LB	LIFT ONLY UNIT	ITEM #	WT/LB	HYDRAULIC & TILT
MOULDBOARD				INCLUDES CYLINDER & HOSES	INCLUDES 2 CYLINDERS & 4 HOSES		
8'	3/16"	146716		\$			
8'	3/8"	146721	1025	\$	146722	1450	\$
10'	3/8"	146723	1125	\$	146724	1580	\$
12'	3/8"	146727	1250	\$	146728	1705	\$
14'	3/8"	146729		\$	146730		\$
16'	3/8"	146731		\$	146732		\$

♦ ♦ ♦ WEIGHT BOX INCLUDED ♦ ♦ ♦ RIMS AND TIRES NOT INCLUDED ♦ ♦ ♦

Rims 135058

Tires 146735 Used 16" tire

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



84" MODEL Modèle 84"
2 TAIL WHEEL ASSEMBLIES
Assemblage à 2 roues arrières

IDEAL FOR:
long grass,
weeds,
corn stocks,
stubble
small brush.

IDÉALE POUR:
Herbes longues...
Mauvais herbes...
Résidus de Mais...
Chaume...
Broussailles...

RUGGED MOWERS

Heavy Duty Deck

TONDEUSES EXTRA ROBUSTES

Plate-forme extra robuste

Good Quality!
At The Right Price!
Bonne qualité Au bon prix!



FEATURES INCLUDE:

Heavy duty Stump Jumper Bar
Category 1 hitch pin
Laminated Tire with one bolt adjustment
10 ga. Steel Deck 42", 48", 60" & 66"
Shear Pin standard on 42", 48", 60" & 66"
Gear Box - 40 hp 42", 48", 60" & 66"
9 ga. Steel Deck 72", 84" & 96"
Slip Clutch standard 72", 84" & 96"
Gear box - 60 hp 72", 84" & 96"

LES CARATÉRISTIQUES SONT:

Barre protectrice (souche ou roche) ultra résistante
Tige d'attelage catégorie 1
Pneu en caoutchouc solide avec réglage à boulon
Structure d'acier 10 ga. 42" 48" 60" et 66"
Boulon de sureté standard sur 42" 48" 60" et 66"
Boîte d'engrenage - 40 hp 42" 48" 60" et 66"
Structure d'acier 9 ga. 72" et 84"
Disque d'embrayage standard sur 72" et 84"
Boîte d'engrenage - 60 hp 72" et 84"



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com
TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C
TEL: (819) 395-5115 Fax (819) 395-2624
email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065
Tel: (507) 663-9090 Fax (507) 663-0999

Rotary Mowers - HEAVY DUTY

DÉBROUSSAILLEUSES ROBUSTE



RUGGED
DURABLE
DEPENDABLE
LIFT TYPE
MOWER

ROBUSTE
DURABLE
FIABLE
MODÈLE PORTÉ

10'

SPECIFICATIONS

8'

CUTTING WIDTH	116"
LARGEUR DE COUPE	
TRANSPORT WIDTH	122"
LARGEUR DE TRANSPORT	
TYPE HITCH	Cat I or Cat II
TYPE D'ATTELAGE	
CUTTING HEIGHT	2" to 8"
HAUTEUR DE COUPE	
CUTTING CAPACITY	2" Dia. Material
CAPACITÉ DE COUPE	
DECK THICKNESS	3/16" or 7 ga. Steel
ÉPAISSEUR DE LA PLATE-FORME	
SIDE BANDS	HD 8" Channel
BANDE DE COTÉ	
RECOMMENDED MIN. hp	52 hp
FORCE DE TRACTEUR RECOMMANDÉE	
PTO DRIVE SHAFT	Series 5 w/slip clutch
EMBAYAGE À CARDAN	Série 5 avec disque d'embrayage
CENTER DRIVE SHAFTS	Shock coupler Protection
BOITE D'ENGREBAGE CENTRALE	Protection par coupleur anti-choc
STUMP JUMPER	5/8" Thick, Round
BARRE DE SOUCHE	5/8" Epais, Rond
GEAR BOXES	100 HP Center, 80 HP Outboard
BOITE D'ENGRENAGE	100HP Centre, 80HP Laterale
WHEELS	Laminated
ROUES	Laminées, Double Arrière.
HUB	Ball Bearing
MOYEURS	Roulement À Billes
Front & Rear CHAIN GUARD	Optional
CHAÎNE DE PROTECTION AVANT/ARRIÈRE	Optionnelle
WEIGHT	1480 lbs.
POIDS	

CUTTING WIDTH	93"
LARGEUR DE COUPE	
TRANSPORT WIDTH	98"
LARGEUR DE TRANSPORT	
TYPE HITCH	Cat I or Cat II
TYPE D'ATTELAGE	
CUTTING HEIGHT	2" to 8"
HAUTEUR DE COUPE	
CUTTING CAPACITY	1-1/2" Dia. Material
CAPACITÉ DE COUPE	
DECK THICKNESS	10 ga Steel
ÉPAISSEUR DE LA PLATE-FORME	
SIDE BANDS	HD 7" Channel
BANDE DE COTÉ	
RECOMMENDED MIN. hp	38 hp
FORCE DE TRATEUR RECOMMANDÉE.	
PTO DRIVE SHAFT	Series 5 w/slip clutch
EMBAYAGE À CARDAN	Série 5 avec disque d'embrayage
CENTER DRIVE SHAFTS	Shock coupler Protection
BOITE D'ENGREBAGE CENTRALE	Protection par coupleur anti-choc
STUMP JUMPER	5/8" Flat, Round
BARRE DE SOUCHE	5/8" Epais, Plat
GEAR BOXES	100 HP Center, 45 HP Outboard
BOITE D'ENGRENAGE	100HP CENTRE, 45 HP LATÉRALE
WHEELS	Laminated Dual Tailwheels
ROUES	Laminées, Double Arrière.
HUB	Bearing
MOYEURS	Roulement À Billes
Front & Rear CHAIN GUARD	Optional
CHAÎNE DE PROTECTION AVANT/ARRIÈRE	Optionnelle
WEIGHT	1125 lbs
POIDS	



www.walcoequipment.com

HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

WALCO USA

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

WALCO WHISTLER



72" ROTARY MOWER

with Hydraulic Motor,
Gear Box and Tail Wheel
Also Available in **60"**

DÉBROUSSAILLEUSE 72"

Avec Moteur Hydraulique
Boite d'engrenage et roue arrière
Aussi disponible en **60"**

- ♦ **For cutting grass and brush up to 1" in diameter**
 - ♦ Coupe herbes et branchilles jusqu'à 1" de diamètre.
- ♦ **Chain guard included**
 - ♦ Garde de sécurité (maille de chaîne) inclus.
- ♦ **Unique floating hitch with universal skid steer Quick-Tach**
 - ♦ Attache rapide flottant exceptionnel, Universel Skid steer.
- ♦ **60" and 72" Hydraulic Rotary Mowers require 17 - 23 gpm**
 - ♦ Débroussailleuse Hydraulique 6' requiert 17 à 23 gpm.



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax: (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax: (507) 663-0999



- ◆ **Pendular mounting enables the cutter to follow the contour of the ground when control cylinder is in the float position.**
- ◆ *Système d'attache permettant à la débroussailleuse d'être en position flottante afin de suivre le contour des fossés.*
- ◆ **Mow with downward angle of 55°.**
- ◆ *Fauche les fossés jusqu'à 55° d'angle.*
- ◆ **Transport arm collapses to reduce stress to the arm, also stabilises the weight.**
- ◆ *La débroussailleuse se replie sur le bras outil pour une plus grande stabilité lors du transport.*
- ◆ **Main lift cylinder is equipped with a pilot to operated check valve to prevent the arm from drifting in the working position, and also to retain arm safety in the transport position.**
- ◆ *Le cylindre principal de relevage est doté d'une valve de retenue, qui empêche le bras outil de redescendre par lui-même, et aussi, garde le bras outil bien en place lors du transport.*

WTA 5-6

Weight/Poids 900 lbs.

Capacity/Capacité Max. 800 lbs.

Tractor Size Requirement

5' cutter min. 60 hp

5.5' cutter min. 70 hp

Modèle de Tracteur Requis

5' débroussailleuse min. 60 hp

5.5' débroussailleuse min. 70 hp

Cuts @ 55° with cylinder extended

Cuts @ 90° with cylinder retracted

Coupe @ 55° avec cylindre étendu

Coupe @ 90° avec cylindre fermé

Requires two remote outlets

Category 1 & 2

Nécessite 2 sorties d'huile

Catégorie 1 & 2

Pilot operated check valve to prevent drift in working position

Valve de retenu qui empêche le bras outil de redescendre



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

L

PAGE 1

ROTARY CUTTERS

LIST PRICE - EFFECTIVE JANUARY, 1 2024

WALCO WHISTLER

US DOLLARS



ITEM #	DESCRIPTION	WEIGHT /lb	CLUTCH	LIST PRICE
120004	W-4 Walco Whistler	425	Option	1250.00
120500	W-4.5 Walco Whistler	460	Option	1350.00
120005	W-5 Walco Whistler	500	Option	1390.00
120055	W-5.5 Walco Whistler	570	Option	1450.00



121006	W-6 Walco Whistler 60 HP gearbox - 9 ga. deck	710	Standard	1810.00
121005	W-7 Walco Whistler	1020	Standard	2535.00
121007	W-8 Walco Whistler	1140	Standard	3300.00

120115 **SLIP CLUTCH OPTION:** W4, W5, W5.5 235.00

NOTE: Models W-6 & W-7 are equipped with heavier PTO and Gear box and feature a Slip Clutch.

ITEM #	DESCRIPTION	LIST PRICE
120190	Belt Type Safety Guards for 4 foot	195.00
120191	Belt Type Safety Guards for 5 foot	220.00
120192	Belt Type Safety Guards for 5.5 foot	229.00
120193	Belt Type Safety Guards for 6 foot	295.00
120194	Belt Type Safety Guards for 7 foot	338.00



90 HP GEAR BOX Laminated Wheels - Side bands H.D. Channel

ITEM #	DESCRIPTION	LIST PRICE
121010	10' H.D. Lift Cutter	8600.00

HYDRAULIC ROTARY CUTTERS

WALCO WHISTLER - FOR SKID STEER

US DOLLARS



ITEM #	DESCRIPTION	WEIGHT /lb	LIST PRICE
121205	5' Hydraulic Rotary Cutter for Skid Steer	725	3325.00
121206	6' Hydraulic Rotary Cutter for Skid Steer	840	3890.00

WALCO TOOL ARM

US DOLLARS



ITEM #	DESCRIPTION	WEIGHT /lb	LIST PRICE
121001	WTA 5-6 Tool Arm – Maximum	800	4890.00

Enables you to work at an angle of 55 degrees

TONDEUSE DE FINITION ROTATIVE

Rear Discharge Models

- Avoid throwing dangerous debris to side areas
- Close trimming edge on both sides of mower
- Good overlap on blades
- Powder coat paint • Peinture à base de poudre statique



↑ 90" Extra Wheels
 ← 60" to 72"

SUITED FOR:
 Parks
 Golf Courses
 Athletic Fields
 Municipalities
 Lawns
 Estates
 Farms

MODEL	60-RD	72-RD	90-RD
CUTTING WIDTH	58"	69"	87"
OVERALL WIDTH	63"	76"	94"
ACRES/HR. @ 5mph	3.03 acres /hr.	3.63 acres /hr.	4.57 acres /hr.
HP REQUIRED	14 /22	18 /25	20 /25
3 POINT FIXING	Cat. I	Cat. I	Cat. I
	Floating Linkage	Floating Linkage	Floating Linkage
RPM AT PTO SHAFT	540	540	540
NUMBER OF BLADES	3	3	3
BLADE TIP SPEED AT 540 RPM	17,900 ft/min.	16,775 ft/min.	17,340 ft/min.
WHEELS	4.10 /3.50-4	4.10 /3.50-4	4.10 /3.50-4
	4 Pneumatic	4 Pneumatic	5 Pneumatic
CUTTING HEIGHT ADJUSTABLE	2" - 5"	2" - 5"	2" - 5"
DECK CONSTRUCTION	8 Gauge Steel	8 Gauge Steel	8 Gauge Steel
SHIPPING WEIGHT	473 lbs.	500 lbs.	650 lbs.

GET A PROFESSIONAL CUT FOR YOUR GRASS

- Easy wheel adjustment for cutting height
- Adjustable belt tension
- Easy lubrication access
- 48SD is a side discharge mower
- Four pneumatic tires with tubes and a free-floating hitch on all three points, allowing mower to follow the contour of your lawn
- Position of shrouding creates excellent lift for grass, and an even discharge



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9
 TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com
 TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C
 TEL: (819) 395-5115 Fax (819) 395-2624
 email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065
 Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

M

Walco/DOUGLAS
FINISHING MOWERS
LIST PRICE - EFFECTIVE JANUARY 1, 2024



ITEM #	DESCRIPTION	APPROX.WEIGHT.	US DOLLARS
			LIST PRICE
175045	5' Mower – Rear Discharge - Three blades	464 lb.	2550.00
175043	6' Mower - Rear Discharge - Three blades	547 ib.	2744.00
175044	7.5' Mower - Rear Discharge - Three blades	714lbs.	3120.00



176209	Dual Wheel Set – when ordered with mower	148.00
176208	Dual Wheel Set – after market	280.00

Walco Trailers Hydraulic Dump - Renegade

REMRORQUE À BASCULE HYDRAULIQUE



Tandem DUMP TRAILER

CAPACITY: 4000 lb.

BOX: 2400 mm x 1280 mm

DEPTH: 400mm

TIRES: 20 in. x 10-8

AVAILABLE: in Orange

ALSO AVAILAIBLE WITH SINGLE AXEL
AS A SPECIAL ORDER

CAPACITY: 2000 lb.

BOX: 2210 mm x 1170 mm

DEPTH: 400mm

HEAVY DUTY TANDEM TRAILER - BLACK
AVAILABLE: 1.5mm SIDES, 2mm DECK

3PH Dump Box

3PH BOÎTE DOMEPEUSE

- 30 cubic ft. Capacity 4' x 4'
- 10 cubic ft. Capacity 3' x 3'



Dump Cart PUSH OR TOW

CHARIOT À BASCULE

- 10 cubic foot capacity
- durable poly box construction
- Unique swivel castor for push cart
- Fold-away draw, to tow with ATV or tractor
- 3rd wheel swivel provides stability



Compact Hitch


BACK UP and Hitch UP

- For Lawn & Garden or Landscape use
 - Heavy duty steel construction
 - 26" adjustable top link ball bracket
- Also Cat.II model 32" wide with
Heavy Duty Steel Compact Quick Hitch



Hitch Adaptor

3PH to 2" Trailer Ball



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

N-1



HYDRAULIC DUMP TRAILERS

LIST PRICE - EFFECTIVE JANUARY 1, 2024



ITEM #	MODEL	DESCRIPTION	MAX CAPACITY	Wt/Ib.	US DOLLARS
					LIST PRICE
800485	Tandem	Red Trailer – Hydraulic Dump	4000 lbs.	1005	3510.00
800496	Tandem	Orange Trailer – Hydraulic Dump	4000 lbs.	1005	3510.00
		Size : 96" x 52" x 34"			
800495	Tandem H.D.	Black Trailer – Hydraulic Dump with 1.5 mm sides and 2 mm deck	4000 lbs.		3696.00

3PH DUMP BOXES



ITEM #	MODEL	DESCRIPTION	MAX CAPACITY	LIST PRICE
180019		3ph Dump Trailer 3' x 3'	10 cubic feet	450.00
180020		3ph Dump Trailer 4' x 4'	30 cubic feet	690.00

DUMP CART



ITEM #	MODEL	DESCRIPTION	MAX CAPACITY	LIST PRICE
800470		Poly Dump Cart	10 cubic feet	270.00

COMPACT EQUIPMENT HITCH



ITEM #	MODEL	DESCRIPTION	WEIGHT/Ib.	LIST PRICE
800594	Cat I	Heavy Duty Steel Compact Quick Hitch 26" adjustable top link ball bracket, Includes 7/8" mounting pins	66	188.00
800596	Cat. II	Heavy Duty Steel Compact Quick Hitch 32" wide, adjustable top link ball bracket. Includes 7/8 mounting pins		310.00



ADAPTOR

ITEM #	MODEL	DESCRIPTION	WEIGHT	LIST PRICE
143159		Adaptor 3 ph to 2" trailer ball w/20" drawbar		80.00
143186		Adaptor 3 ph to 2" trailer ball w/26" drawbar		100.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.

Sprayers - Fimco

PULVÉRISATEURS

SECTION

N-

261018

LG-8-P 8 Gal.

Diafragm pump.
12V, 1.2 GPM max.
8" wheel, 15' hose.
Collapsible handle.
Adjustable tip handgun
12V battery and charger



261004

LG-20-TRL 20 Gal.

261005

LG-30-TRL 30 Gal.

2 nozzle boom / 80" spray coverage
Pistol handgun, 30' horizontal and 15' vertical spray. Poly tank.
2.1 GPM demand pump / 60 PSI



261001

LG-15-EC 15 Gal.

Lever gun with 25' horizontal and 12' vertical spray. 15' hose
Poly tank. 1.2 GPM demand pump
35 PSI max pressure.



261017

LG-13-P 15 Gal.

Lever gun with 30' horizontal and 15' vertical spray. 15' hose
Poly tank. 2.4 GPM demand pump
60 PSI max pressure.



261037

/ 5302864

UTV-45-7 45 Gal.

5 nozzle boom / 12 volt diaphragm pump / 2.1 GPM / pressure gauge
pistol grip handgun / adj. nozzle



261015

/ 5302830

UTV-65-7 65 Gal.

7 nozzle boom / 12 volt diaphragm pump
4.5 GPM pump / 45psi pressure gauge deluxe pistol grip handgun



261006

TR-40-EX 40 Gal.

5 nozzle boom / 100" spray coverage
Pistol handgun, 35' horizontal and 25' vertical spray. Poly tank.
2.1 GPM demand pump / 60 PSI



261007 / 5301192

ATVTS-60-12V 60 Gal.

7 nozzle boom
140" spray coverage
Pistol handgun,
35' horizontal and
26' vertical spray.
4.5 GPM pump
45 PSI max pressure.



261011

ATV-15-2 15 Gal.

2 nozzle boom
80' spray coverage
Lever handgun
30' horizontal



261013 / 5302321

ATV-25-71 25 Gal.

7 nozzle, 3 section
folding deluxe boom
140' spray coverage
4.5 GPM pump
18" handgun, adjustable nozzle
35' horizontal -
26' vertical spray.



260997

65-3PT-7N 65 Gal.

comes with the 5271706 pump and
5057145 quick coupler.
(will replace 55 gal. 261016)
3 PH complete / 7 nozzle boom
140" spray coverage / Poly tank.
48' horizontal & 33' vertical spray.



3 POINT

261010 - 200 gal.
261021 - 300 gal
8 roller pump
17 Nozzles



200 GALLON OR 300 GALLON
3 POINT SPRAYERS

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

N-2



SPRAYERS

PRICE EFFECTIVE JANUARY 1, 2024

ITEM #	MODEL #	DESCRIPTION	US DOLLARS LIST PRICE
261018	LG 8 P 5302164	TURF SPOT SPRAYER: 8 gal. /12-volt rechargeable battery 8" wheels / collapsable handle / handgun with adjustable tip	289.00
261001	LG 15 EC	STANDARD SPOT SPRAYER: 15 gal. tank / 1.2 gpm pump 18" lever handgun / 24/pallet / Shipping weight per unit / 30 lbs.	140.00
261017	LG 13 P 5300393	STANDARD SPOT SPRAYER: 15 gal. tank / 2.4 gpm pump 18" lever handgun / 12-volt diaphragm / 60 psi	219.00
261004	LG-20-TRL 5302316	TRAILER SPRAYERS: 20 gal. tank / 2.1 gpm pump pistol grip handgun, 80" spray swath	510.00
261005	LG 30-TRL 5302317	TRAILER SPRAYER: 30 gal. tank / 80" spray cover lever handgun, adjustable nozzle / 12-volt diaphragm / 2.1 psi / 16" Tire	555.00
261006	TR 40 EX 5301338	TRAILED SPRAYER: 40 gal. tank / 100" spray cover delux pistol grip gun / 12-volt diaphragm 2.1 GPM high flow pump / 60 PSI max. / 15" tires / wt. 205 lb.	1054.00
261007	ATVTS 12V 5301192	TRAILED SPRAYER: 60 Gal. tank – 7 nozzle boom /140" coverage delux pistol grip hand-gun / 4.5 gpm pump / wt 269 lb.	1892.00
260998	TRL65-12V-7	TRAILED SPRAYER: 65 gal 4.5 GPM pump - delex spray wand 7N boom	1490.00
261011	ATV 15-2	ATV SPRAYER: 15 gal. tank / 80" coverage 18" handgun with adjustable nozzle / pressure gauge 12-volt pump 2.1 GPM demand style pump / 60 PSI / wt. 40 lb.	370.00
261013	ATV 25-71 5302321	ATV SPRAYER: 25 gal. tank / 140" spray cover 18" handgun adjustable nozzle / pressure gauge / 12-volt diaphragm demand style pump 4.5 GPM pressure / 0-45 PSI 7 nozzle, 3 section folding boom / wt. 50 lbs.	750.00
261037	UTV 45-7 5301399	UTILITY SPRAYER: 45 gal. tank / 7 nozzle boom, 100" coverage 12-volt diaphragm pump, 4.5 GPM / 60 PSI / pressure gauge deluxe pistol grip handgun with adjustable nozzle	1100.00
261015	UTL 65-7 5302864	DELUX UTILITY SPRAYER: 65 gal. tank 140" coverage 12-volt diaphragm pump, 4.5 GPM / 45 PSI / pressure gauge 7 nozzle boom, / Deluxe pistol grip handgun / wt. 185 lb.	1185.00
260997	60-3PH-7N 5373252	3 POINT SPRAYERS 65 gal. complete with nozzle with 5271706 pump and 5057145 quick coupler and hand gun.	1650.00
261010	5303084	3 POINT SPRAYERS 200 gal - 8 roller pump & coupler & deluxe handgun - 17 nozzle	4500.00
261021	5300653	3 POINT SPRAYERS 300 gal. 3-point – 8 roller pump & coupler & deluxe hand gun	5200.00
261052	5300658	BOOM 3 POINT SPRAYERS 28' X-fold boom for 3PH	1025.00
261063		PUMPS ONLY 1.0 gpm pump 12V	60.00
261044		PUMPS ONLY 4.5 gpm pump 12V	135.00

See term schedule for dealer discounts.

All prices F. O. B. Randolph, MN and subject to change without notice.



CULTIVATEUR



SPECIFICATIONS:

♦ Working Width	60"	72"	84"
♦ Overall Width	60 ½"	84 ½"	
♦ Weight	164 lb.	193 lb.	222
♦ Heat Treated Tines	9	11	13
♦ 3 Point Fixing	Cat. 1	Cat. 1	

SPÉCIFICATIONS

♦ Largeur de travail	60"	72"	84"
♦ Largeur hors tout	60 ½"	72 ½"	84 ½"
♦ Poids	164 lb.	193 lb.	222 lb.
♦ Dents trempées à chaud	9	11	13
♦ Attache 3 Points	Cat. 1	Cat. 1	Cat. 1

Disc - Walco\Douglas

HERSE À DISQUE



SPECIFICATIONS:

Tubular Frame 2 x 2	Sealed bearing or Cast bearing	
♦ 12 Blade x 16"	Adjustable 4' to 4'-6"	488 lb.
♦ 16 Blade x 18"	Adjustable 5' to 5'-6"	539 lb.
♦ 20 Blade x 18"	Adjustable 6' to 6'-6"	606 lb.

HEAVY DUTY

Tubular Frame 2 x 3	7.5' wide - Sealed Bearing	867 lb.
20 Blade x 20"	Approx. Width 8' 2"	

SPÉCIFICATIONS:

Chassis tubulaire 2 x 2	Roulement à billes étanche ou moulé.	
♦ 12 Disques x 16"	Ajustable 4' à 4'-6"	488 lb.
♦ 16 Disques x 18"	Ajustable 5' à 5'-6"	539 lb.
♦ 20 Disques x 18"	Ajustable 6' à 6'-6"	606 lb.

ULTRA ROBUSTE

Chassis tubulaire 2 x 3	7'5" de large - Roulement scellé	867 lb.
20 Disques x 20"	Largeur approximative 8' 2"	

Landscape Rake - Walco\Douglas

RÂTEAU PEIGNE



SPECIFICATIONS:

	WIDTH	WEIGHT / LBS.
Features heavy duty	4'	202
spring steel tines	5'	221
with angling adjustment.	6'	239
	7'	260

Gauge Wheels Option

SPÉCIFICATIONS:

	LARGEUR	POIDS / LBS.
Équipé de dents à ressort	4'	202
En acier ultra résistant.	5'	221
Ajustable à angle.	6'	239
	7'	260

OPTION. Roue de gauge du nivelage (vendu en paire)



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

QUEBEC OFFICE

TEL: (519) 669-1401 FAX (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999

Grader Box Blades - Walco\Douglas

BOÎTE NIVELEUSE



STANDARD BOX SCRAPER

Features two cutting edges with bevelling on Both sides for long wear and versatility. (for pushing and pulling)

Available: 4', 5', 6' wide

BOÎTE NIVELEUSE RÉGULIÈRE

Équipée de deux couteaux réversibles et bisautés
Sur 2 cotés pour une grande longévité et
Polyvalence . (pour pousser et tirer)

Disponible: 4', 5', 6' de largeur



HEAVY DUTY BOX SCRAPER

Reversible cutting edge made of high carbon 1/2" x 6" steel.

Scarifier shanks forged and heat treated.
Maximum bend in scarifiers insures
Good digging ability.

Heavy Duty: 5', 5' 6", 6', 7' or 8' wide

Exrta Heavy Duty: 7' or 8' wide

BOÎTE NIVELEUSE USAGE ROBUSTE

Double couteaux bisautés, réversibles en acier trempé
1/2" x 6"

Dents forgées et traitées à chaud.

La courbure maximale des dents assure

Une bonne capacité de creusage.

Usage robuste: 5'.5'6", 6', 7' & 8' de largeur

Usage Extra robuste: 7' & 8' de largeur

ORANGE ONLY



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcqc@walcoequipment.com


WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

One Furrow Plows

CHARRUE




FOR COMPACT TRACTORS

POTATO PLOW Weight - 65 lb.

CONÇU POUR TRACTEUR COMPACTE

CHARRUE À PATATE Poids - 65 lb.



SINGLE FURROW PLOW - Weight - 225 lb.

- ◆ Single Bottom Plow features an adjustable pull bar and predrilled holes for easy adaptability of coulter.
- ◆ 1" x 4" steel plow frames with shear bolt protection for rugged durability.
- ◆ Coulter and depth gauge wheels optional.

CHARRUE SIMPLE VERSANT - Poids- 225 lb.

- ◆ La charue à simple versant est équipé d'une barre de tire ajustable et pré-percée, permettant une installation facile et ajustable du disque de coupe.

- ◆ Cadre en acier 1" x 4" robuste et fiable avec boulon de sureté
- ◆ Disque de coupe et roue guide en option.



Available in two furrow
Disponible à 2 versants



Dirt Scoop

PELLE RÉVERSIBLE

- ◆ Reversible 3-point Category I
- ◆ Manual trip, Adjustable pull pins, formed pan
- ◆ Welded front cutting edge, Simple to operate
- ◆ 30" Wide x 31" x 10 1/2" Capacity – 10 Cubic Feet
- ◆ Weight - 182 lb.

- ◆ Réversible 3-point Catégorie I
- ◆ Déclenchement manuel, Goupille d'attelage ajustable, panne formée
- ◆ Bord de coupe avant soudé, Simple à utiliser.
- ◆ 30" Large x 31" x 10 1/2" Capacité – 10 Pied cube.
- ◆ Poids - 182 lb.



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

0

PAGE 1

3 P.H. IMPLEMENTS

LIST PRICE - EFFECTIVE JANUARY 1, 2024

CULTIVATORS

US DOLLARS



ITEM #	DESCRIPTION	WEIGHT/lb.	LIST PRICE
175001	5' with 9 tines and points	250	385.00
175002	6' with 11 tines and points	275	410.00
175003	7' with 13 tines and points	300	475.00

DISC HARROW - sealed bearing.



ITEM #	DESCRIPTION	WEIGHT/lb.	LIST PRICE
124150	12 x 16 (12 ea. 16" notched disc) Cat. I hitch. Adjustable tubular frame 4' to 4'6"	488	1,700.00
124155	16 x 18 (16 ea. 18" notched disc) Cat. I hitch. Adjustable tubular frame 5' to 5'6"	539	1,960.00
124160	20 x 18 (20 ea. 18" notched disc) Cat. I hitch. Adjustable tubular frame 6' to 6'6"	606	2,340.00

HEAVY DUTY

124165	20 x 20 7' wide (20 ea. 20" notched disc.) heavy adjustable tubular frame	867	3,750.00
--------	--	-----	----------

DISC HARROW - with cast bearing.

ITEM #	DESCRIPTION	WEIGHT/lb.	LIST PRICE
124170	12 x 16 Adjustable tubular frame (12 ea. 16" notched disc) Cat. I hitch. Adjustable tubular frame 4' to 4'6"	480	1,611.00
124175	16 x 18 Adjustable tubular frame (16 ea. 18" notched disc) Cat. I hitch. Adjustable tubular frame 5' to 5'6"	531	1,890.00
124180	20 x 18 Adjustable tubular frame (20 ea. 18" notched disc) Cat. I hitch. Adjustable tubular frame 6' to 6'6"	588	2,257.00

LANDSCAPE RAKE



ITEM #	DESCRIPTION	WEIGHT/lb.	LIST PRICE
124204	4 ft. pivot series Rake – 10 position adjust. 5" channel	202	895.00
124205	5 ft. pivot series Rake – 10 position adjust. 5" channel	221	960.00
124206	6 ft. pivot series Rake – 10 position adjust. 5" channel	239	1,075.00
124207	7 ft. pivot series Rake – 10 position adjust. 5" channel	260	1,300.00
124208	8 ft. pivot series Rake – 10 position adjust. 5" channel		1,410.00
124210	Gauge Wheel	sold/pr.	390.00

BOX SCRAPER BLADES



ITEM #	DESCRIPTION	WEIGHT/lb.	LIST PRICE
124104	4 ft. Standard w/reversible & replaceable blade, w/adjustable rippers	222	763.00
124105	5 ft. Standard w/reversible & replaceable blade, w/adjustable rippers	246	840.00
124106	6 ft. Standard w/reversible & replaceable blade, w/adjustable rippers	344	920.00
124124	5 ft. H.D. Blade w/adjustable rippers, rev. & replaceable carbon blade	348	1,240.00
124125	5.5 ft. H.D.Blade w/adjustable rippers, rev. & replaceable carbon blade	411	1,295.00
124126	6 ft. H.D.Blade w/adjustable rippers, rev. & replaceable carbon blade	446	1,345.00
124127	7 ft. H.D.Blade w/adjustable rippers, rev. & replaceable carbon blade	505	1,459.00
124128	8 ft. H.D.Blade w/adjustable rippers, rev. & replaceable carbon blade	600	1,638.00
124133	7 ft. Extra H.D. Box Blade – clevis hitch cat. I & II, w/adjustable rippers		1,906.00
124130	8 ft. Extra H.D. Box Blade -clevis hitch cat. I & II, rev. & replaceable carbon blades		2,029.00



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065

TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

0

PAGE 2

3 P.H. IMPLEMENTS

LIST PRICE - EFFECTIVE JANUARY 1, 2024

PLOWS with category I pins

US DOLLARS




ITEM #	DESCRIPTION	WEIGHT/lb.	LIST PRICE
180099	Single Furrow – 12" Low Profile IBP12CT	217	971.00
180100	Single Furrow – Less Coulter 12" Bottom	256	1153.00
180102	Coulter Only		345.00



180200	Two Furrow Plow, category I hitch pins – less coulter		2018.00
180201	Gauge wheel option – two furrow		381.00

REVERSIBLE DIRT SCOOP



ITEM #	DESCRIPTION	WEIGHT/lb.	LIST PRICE
180002	30" Heavy Duty Model - Cat. I Pins - Easy dump latch system	226	850.00

POTATO PLOW



ITEM #	DESCRIPTION	WEIGHT/lb.	LIST PRICE
124550	3PH Single Potato Plow	65	427.00

Post Hole Digger – Renegade

TARIÈRE (Perce-trou)

SECTION

P



A Versatile Digger Machine

Ideal for
Fencing
Farm Jobs
Landscaping
Construction

Model 201

Dig to the depth and diameter you need

Regular duty Digger – Less auger

Percer à la profondeur et au diamètre voulu

Tarière à usage régulier – Sans mèche

A range of auger sizes available

Standard 42" – 4" 6" 9" 12" 14"
semi-double or double flight auger

Une large gamme de dimension de mèches

Régulière 42" – 4" 6" 9" 12" 14"
semi-double ou double

2.92: 1 rotor gearbox
2.92: 1 ratio.boite engrenage

**Une tarière
très
polyvalente.**

Idéale pour

Clôture

Travaux de ferme

Terrassement

Construction

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION


P

PAGE 1



POST HOLE DIGGER

LIST PRICE - EFFECTIVE JANUARY 1, 2024



US DOLLARS

ITEM #	MODEL	DESCRIPTION	WEIGHT	LIST PRICE
116288	201	Post Hole Digger – less auger		1446.00

AUGERS

ITEM #	MODEL	DESCRIPTION	WEIGHT	LIST PRICE
116327	SA-304-AC	4" Semi double-flight auger	15 lbs.	211.00
116328	SA-304-ACD	4" Double-flight auger	16 lbs.	392.00
116329	SA-3045-RA	4.5 Rock auger	69 lbs.	1200.00
116330	SA-306-AC	6" Semi double-flight auger	27 lbs.	319.00
116320	SA-306-ACD	6" Double-flight auger	40 lbs.	533.00
116333	SA-306-RA	6" Rock Auger	74 lbs.	1723.00
116331	SA-309-AC	9" Semi double-flight auger	36 lbs.	338.00
116321	SA-309-ACD	9" Double-flight auger	52 lbs.	571.00
116334	SA-309-RA	9" Rock Auger	86 lbs.	2100.00
116332	SA-312-AC	12" Semi double-flight auger	45 lbs.	409.00
116322	SA-312-ACD	12" Double-flight auger	68 lbs.	564.00
116335	SA-312-RA	12" Rock Auger	110 lbs.	2528.00
116336	SA-314-AC	14" Semi double-flight auger	57 lbs.	429.00
116323	SA-314-ACD	14" Double-flight auger	74 lbs.	592.00

Fertilizer Spreaders - Faza

ÉPANDÉUR D'ENGRAIS



TRAILED GARDEN MODEL

DESIGNED FOR PARKS, NURSERIES AND GARDENS.

The spreading disc, moved by the wheels, has an adjustable spreading width from 1m to 6m. Oil bath gearbox

MODÈLE DE JARDIN TRAINÉ.

CONÇU POUR LES PARCS, PÉPINIÈRES ET JARDINS.

Le disque d'épandage est activé par le roulement des roues, s'ajuste à une largeur d'épandage de 1 à 6 m. Boîte d'engrenage à bain d'huile.

CAPACITY	LOADING HEIGHT	EMPTY WEIGHT
Capacité/li.	Hauteur de chargement	Poids vide/lbs
50	80	35
100	100	39

TFS TRAILED MODEL

TFS HAS PRESSED STEEL HOPPER WITH NO WELDS

The main feature of the Faza Trailed Fertilizer spreader is the disengagement system of the transmission wheel. SSA is equipped with deflector. PVC model has steel under hopper. Spreading width is 2-12m

TFS MODÈLE TRAINÉ

LE TFS A UNE CUVE EN ACIER MOULÉ SANS SOUDURE.

La principale particularité de l'Épandeur trainé Faza est le système de débrayage de la roue de transmission. SSA est équipé d'un déflecteur. Le modèle en PVC est monté sur cadre en acier. Largeur d'épandage de 2 à 12m

HOPPER CAPACITY / CAPACITÉ DE LA CUVE

TFS/100	TFS/150	TFS/300	TFS/500	TFS500PVC
100 L	150 L	300 L	500 L	500 L



ROUND HOPPER TYPE FS

SEAMLESS STEEL HOPPER STURDY FRAME

CENTER SPINNER MATERIAL DELIVERY GIVES MAXIMUM SPREADING EFFICIENCY WITH ANY FERTILIZER QUALITY.

CUVE RONDE TYPE FS

CUVE EN ACIER SANS TRÉMIS CHASSIS ROBUSTE

LE DIFFUSEUR CENTRAL DISTRIBUE AVEC LE MAXIMUM D'EFFICACITÉ TOUT GENRE DE QUALITÉ D'ENGRAIS



Simple operating levers allow three spreading patterns with accurate and uniform spread in desired direction.

Un leviers de commande simple à opérer permet trois types d'épandage précis et uniforme et dans la direction désirée.



Spreading disc with 4 adjustable vanes assures maximum efficiency and uniform spread for different types of fertilizer and seeds.


Un disque d'épandage à 4 ailettes ajustables assure un maximum d'efficacité et d'uniformité types de fertilisant ou de semences.



MODEL MODÈLE	CAPACITY CAPACITÉ	SPREADING ÉPANDAGE	WEIGHT POIDS
FS/300	300 li.	12 m	74 kg.
FS/400	400 li	12 m	90 kg.
FS/500	500 li	12 m	96 kg.
FS/500 PVC	500 li	12 m	85 kg.



WHEEL DRIVE WITH RELEASE DEVICE
ROUES MOTRICES AVEC DISPOSITIF DE DÉBRAYAGE



DEFLECTOR
DÉFLECTEUR



REMOTE CONTROL
TÉLÉCOMMANDE

Fertilizer Spreaders - Faza**ÉPANDÉUR D'ENGRAIS****DELUX TWIN SPINNER** DIFFUSEUR DELUXE DOUBLE

High efficiency spreader, successful in fertilizing open ground. Adjusts easily for single spinner operation. Steel hopper.

Épandeur à haute efficacité, fertilise avec succès de grande surface ouverte. S'ajuste facilement pour épandage à un seul diffuseur au besoin. Cuve en Acier.

MODEL MODÈLE	CAPACITY CAPACITÉ	SPREADING ÉPANDAGE	WEIGHT POIDS
SBVC/1500	1500 li	12 me	380kg.

**LOW SPEED AGITATOR (85 RPM)**

Uniform flow through
2 horizontal agitators

AGITATEUR BASSE VITESSE
(85 RPM) Epandage uniforme
par 2 agitateurs horizontaux



Strong net to filter
possible fertilizer clots

Filet robuste pour filtrer
de possibles grumeaux
dans l'engrais la trémie

**HYDRAULIC REMOTE CONTROL**

Accurate shutter open and
close from tractor cab.

TELECOMMANDE HYDRAULIQUE
Obturbateur précis qui ouvre et
ferme de la cabine du tracteur.



NYLON SHUTTERS Anti corrosion
shutters on lower part of hopper.

OBTURATEUR EN NYLON
Obturbateur anticorrosion
sur la partie inférieure de

Mixer - Faza MÉLANGEUR**HYDRAULIC DUMP TR-350-H Mixer for Concrete, Feed, Manure or other Organic Matter.**

Cavity Size: approx. 320 litres/ 70 gallons/ 11.2 cubic ft.

Operating Capacity: 130 litres/ 28 gallons/ 4.57 cubic ft.

BÉTONNIÈRE TR350-H DÉCHARGE HYDRAULIQUE MÉLANGEUR

Multi-usage pour ciment, grain, fumier ou matière organique.

Capacité de la cuve: approx. 320 litres/ 70 gallons/ 11.2 pied cube.

Capacité de mélange: 130 litres/ 28 gallons/ 4.57 pied cube.

- ◆ Lifts and lowers on the 3PH and has PTO drive.
- ◆ Features top link hydraulic cylinder. Extends up to allow dump into the height of wheelbarrow.
- ◆ Has open paddles inside for good mixing and easy wash up.
- ◆ Thick steel tank construction.

- ◆ Relève et abaisse à partir du 3PH du tracteur. Activé par la prise de force.
- ◆ Équipé d'un cylindre hydraulique relié au haut du 3PH qui s'étend de façon à permettre le déversement à la hauteur d'une brouette.
- ◆ Muni de palettes ouvertes permettant un bon mélange et une facilité de nettoyage. Réservoir en acier épais.



Spreaders – For Dry Material

ÉPANDEUR POUR MATÉRIEL SEC


SECTION

Q

ATV MOUNT MONTAGE VTT



TRUCK MOUNT MONTAGE CAMION



3ph MOUNT MONTAGE 3ph



OPTIONAL ACCESSORIES

ACCESSOIRES OPTIONNELLES



APPROVED FOR:

- ♦ FERTILIZER
- ♦ SEED
- ♦ DRY GRANULAR - INSECTICIDE - FUNGICIDE - HERBICIDE
- ♦ ICE MELTING PELLETS

VARIABLE SPEED 12 VOLT MOTOR
ALLOWS SPREADING FROM 5' - 45'

ADJUSTABLE SLIDE GATE
CONTROLS VOLUME OF MATERIAL

STAINLESS STEEL 6-BLADE SPREADING FAN

APPROUVÉ POUR:

- ♦ FERTILISANT
- ♦ SEMENCE
- ♦ GRANULE SÈCHE - INSECTICIDE - FONGICIDE - HERBICIDE
- ♦ FONDANT À GLACE (PELLET)

MOTEUR ÉLECTRIQUE DE 12 VOLTS À VITESSE VARIABLE
QUI PERMET UN ÉPANDAGE DE 5' À 45'.

TRAPPE COULISSANTE AJUSTABLE QUI CONTRÔLE LE
VOLUME DU MATÉRIEL

ROTATEUR DE DIFFUSION À 6 LAMES EN ACIER INOXYDABLE



www.walcoequipment.com

HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

WALCO USA

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

Q-1

FAZA FERTILIZER SPREADER

LIST PRICE - EFFECTIVE JANUARY 1, 2024



TRAILER GARDEN SPREADER

US DOLLARS

ITEM #	DESCRIPTION	CAPACITY /lb.	WEIGHT /kg	LIST PRICE
180349	Garden / 50 – Steel Hopper	142	35	645.00
180351	Garden /100 - Steel Hopper	284	39	690.00

TRAILER SPREADER - TURF TIRES INCLUDED

ITEM #	DESCRIPTION	CAPACITY /lb.	WEIGHT /kg	LIST PRICE
180354	TFS 150 - Steel Hopper	726		1375.00
180358	TFS 300 - Steel Hopper	738		1400.00
180353	TFS 500 - Steel Hopper	992		1420.00



OPTIONAL EQUIPMENT for TRAILER SPREADER

180350	TFS 500 - PVC Hopper	992		1575.00
180339	Sand and Salt Limiter			250.00
180340	Remote Control (mechanical) with 3m of cable			466.00



3PH CONE SHAPED SPINNER STYLE

US DOLLARS

ITEM #	DESCRIPTION	CAPACITY /lb.	WEIGHT /kg	LIST PRICE
180355	FS 300 - Steel Hopper	738	80	480.00
180356	FS 400 - Steel Hopper	853	90	495.00
180360	FS 500 - Steel Hopper	992	95	505.00
180361	FS 500 - PVC Hopper	992	85	650.00



OPTIONAL EQUIPMENT for 3PH CONE SPINNER

180363	Articulated Agitator			32.00
180364	Side Conveyor			288.00
180362	Sault Limiter			230.00
180366	Guard			250.00



FAZA MIXER

US DOLLARS

ITEM #	DESCRIPTION	CAPACITY	OPERATING CAPACITY	LIST PRICE
180010	TR / 350 Concrete/Mulch Mixer	350 litres	130 litres	1410.00
3 PH with PTO drive and hydraulic tipping				



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

Q-2

DRY MATERIAL SPEADER

LIST PRICE - EFFECTIVE JANUARY 1, 2024



ITEM #	MFG #	DESCRIPTION	US DOLLARS
			LIST PRICE
180290	5301845	ATV Pickup Dry Material Spreader with 2.2 cu ft. PVC Hopper includes: spreader, controller, wiring and mounting hardware	695.00



180291	5058193	Rain Cover	14.00
--------	---------	------------	-------



180292	5301902	1-1/4" Receiver for pickup mount	143.00
--------	---------	----------------------------------	--------



180293	5301901	2" Receiver for pickup mount	167.00
--------	---------	------------------------------	--------



180295	5302045	3PH Dry Material Spreader with 5 cubic ft. Poly Hopper Unit includes : spreader, controller, wiring and mounting hardware	1090.00
--------	---------	--	---------

Renegade



6" HYDRAULIC FEED MODEL

Modèle 6" Alimentation Hydraulique

HYDRAULIC FEED ROLLS

Alimenteur Hydraulique

4" MODEL MANUAL FEED Modèle 4" Manuelle



Specifications

	WC 40	WC 60	WC 60H
Système d'entraînement directe			
DIRECT DRIVE SYSTEM	PTO w/shear bolt	PTO w/shear bolt	PTO w/shear bolt
H.P. Requis Pour capacité maximum			
H.P. REQUIREMENT For MAX CAPACITY	18 – 50	30 – 100	30 – 100
Capacité de la déchiqueteuse	4" de diamètre, jusqu'à 10" sur le plat.	6" de diamètre, jusqu'à 12" sur le plat	
CHIPPER CAPACITY	4" Diameter - Up to 10" slab	6" Diameter - Up to 12" slab	6" Diameter Up to 12" slab
Ouverture du boîtier De la déchiqueteuse			
CHIPPER HOUSING OPENING	4" x 10"	6.5" x 12"	6.5" x 12"
Dimension du rotor.			
ROTOR SIZE	25"	30"	30"
Nombre de couteaux sur le rotor			
NUMBER OF ROTOR KNIVES	4	4	4
Type de couteaux	Acier trempé	Acier trempé	Acier trempé
KNIFE TYPE	Hardened tool steel	Hardened tool steel	Hardened tool steel
Poids du rotor			
ROTOR WEIGHT	110 lbs.	180 lbs.	180 lbs.
Type d'alimentation	Manuelle	Manuelle	Hydraulique
FEEDING SYSTEM	Self	Self	Hydraulic
Type d'attelage	3 points	3 points	3 points
MOUNTING SYSTEM	3-point hitch	3-point hitch	3-point hitch
DIMENSIONS (Trémis relevé)			
DIMENSIONS (Hopper Folded)	40" L x 42" W x 60" H	50" L x 52" W x 74" H	50" L x 52" W x 74" H
Ouverture du Trémis			
HOPPER OPENING	20" x 20"	25" x 25"	25" x 25"
Rotation de la décharge			
DISCHARGE HOOD Rotation	360°	360°	360°
Hauteur de la décharge			
DISCHARGE HOOD Height	60"	74"	74"
Régime Nominal			
RATED RPM	540 – 1000	540 – 1000	540 – 1000
Poids			
WEIGHT	405 lbs. base unit	630 lbs. base unit	1070 lbs. (with

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

WALCO USA

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Walco Wood Splitters – Renegade

FENDEUSE À BOIS




3ph Horizontal 20 Ton Push, 4 x 24 Cylinder
3 ph Horizontale, 20 tonnes, cylindre 4" x 24"



3ph Vertical 20 Ton Push, 4 x 24 Cylinder
3 ph vertical 20 tonnes, cylindre de 4" x 24"



Universal Skid Steer Inverted 20 Ton Push, 4 x 24 Cylinder
Universel Skid Steer Inversé, 20 tonnes de
Poussée. Cylindre 4" x 24"

When Splitting Wood becomes a chore, see your local dealer about a Renegade Wood Splitter **Lorsque fendre du bois devient une corvée, consultez votre concessionnaire local sur un fendeuses à bois Renegade**

3PH MODELS (open center valve)

MODÈLE 3PH

ORIENTATION:	Horizontal	Vertical
SPLITTING FORCE:	20 Ton	20 Ton
GPM REQUIRED:	min. 3 gal.	min. 3 gal.
OPENING SIZE:	26"	26"
CYLINDER:	4" x 24"	4" x 24"
WEIGHT:	219 lbs.	236 lbs.

Capacité de fente	20 Tonnes	20 Tonnes
Galonnage/min requis	11 GPM	11 GPM
Ouverture	26"	26"
Cylindre	4" x 24"	4" x 24"
Poids	219 lb.	236 lb.

SKID STEER MODELS

(Universal Skid Steer Quick tack)

MODÈLE SKID (Attache Universelle)

ORIENTATION:	Horizontal / Vertical
SPLITTING FORCE:	20 Ton
GPM REQUIRED:	11 GPM
OPENING SIZE:	26"
CYLINDER:	4" x 24"
WEIGHT:	339 lbs.

Capacité de fente	20 Tonnes
Galonnage/min requis	11 GPM
Ouverture	26"
Cylindre	4" x 24"
Poids	339 lb.

DISTRIBUTED BY:



www.walcoequipment.com

HEAD OFFICE

ORDER DESK

QUEBEC OFFICE

WALCO USA

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcoqc@walcoequipment.com

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999

BANC DE SCIE



NO TASK IS TOO BIG OR TOO SMALL FOR MARWOOD SAWS

Ease of portability
Sturdy safe cutting platforms
Always ready to work before you are

AUCUNE CORVEE N'EST TROP GROSSE POUR LE BANC DE SCIE MARWOOD

Facilement portable avec un bâti robuste et sécuritaire il est prêt à travailler quand vous l'êtes

ENGINE DRIVEN SAW

- 30" blade with 76 teeth
- 12" Cut
- 13.h.p. Honda engine
- Safety shields on blade and V-belt
- Built with rugged steel frame
- Saw speed 1300 rpm
- Spring loaded table return
- Well balanced and easy to operate

MOTEUR À ESSENCE

- Lame de 30" avec 76 dents
- Capacité de coupe de 12"
- Moteur Honda de 13.h.p.
- Protecteur sur la lame et les courroies
- Construction robuste
- La lame tourne à 1300 rpm
- Retour de la table par ressort
- Balancé et facile d'utilisation

DISCONTINUED



PTO DRIVEN SAW

- 30" blade with 76 teeth
- 12" Cut
- 3 point hitch
- Heavy duty gear box
- Safety shields on blade, belts & PTO
- Shear pin on PTO shaft
- 4-V-belts
- Built with rugged steel frame
- PTO speed 540 rpm
- Saw speed 1300 rpm
- Spring loaded table return
- Well balanced and easy to operate

MODÈLE À PTO

- Lame de 30" avec 76 dents
- Capacité de coupe de 12"
- Attache 3PH
- Boîte d'engrenage robuste
- Protecteur sur la lame, courroies & PTO
- Boulon de sûreté sur arbre de PTO
- 4 courroies en V
- Construction robuste
- Rotation du PTO à 540 RPM
- La lame tourne à 1300 RPM
- Retour de la table par ressort
- Balancé et facile d'utilisation



HYDRAULIC DRIVEN SAW DESIGNED FOR SKID STEERS

- 30" blade with 76 teeth
- 12" Cut
- Skid Steer attachment
- Safety shields on blade & bearings
- Built with rugged steel frame
- Saw speed 1300 rpm
- Recommended for regular oil flow skid steers
- Spring loaded table return
- Well balanced and easy to operate

MODÈLE HYDRAULIQUE CONCUE POUR SKID STEERS

- Lame de 30" avec 76 dents
- Capacité de coupe de 12"
- Attache Skid Steer
- Protecteur sur la lame & roulements
- Construction robuste
- La lame tourne à 1300 RPM
- recommandé pour un débit d'huile régulier sur skid steer
- Retour de la table par ressort
- Balancé et facile d'utilisation



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX: (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax: (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax: (507) 663-0999

HIGH QUALITY KGD LOG WINCHES

3.5 TO 8 TON PULLING FORCE.

Each winch is assembled by professionals, and undergoes functional testing to meet industrial standards.

Meets the highest safety standards

without losing any efficiency.

Simple yet very long-lasting technology.

All KGD machines are made for heavy duty use in alpine areas.

Tested in hardest conditions for more then 40 years.

TREUILS FORESTIERS KGD DE HAUTE QUALITÉ

FORCE DE TRACTION DE 3.5 À 8 TONNES.

Chaque treuil est assemblé par des professionnels et subit des test fonctionnels pour rencontrer les standards industriels.

Rencontre les plus hauts standards de sécurité sans perdre d'efficacité. Technologie simple mais durable.

Toutes les machines KGD sont faites pour usage intensif dans les zones forestières. Testés dans les conditions les plus dures depuis plus de 40 ans.

KÖNIGSWIESER



4.5 TON
REAR VIEW
& SIDE VIEW



3.5 Ton

Manual/Radio

4 Ton

"Towing coupler extra"

4.25 Ton

Manual/Radio

5.5 Ton

Manual/Radio

6.5 Ton

Manual/Radio

8 Ton

Radio Control

MANUAL WINCHES: From 3.5 – 6.5 tons. We recommend 2 man use for these machines.

RADIO CONTROL MACHINES: From 3.5 - 8 tons. Maximum efficiency. Perfect positioning due to radio control. Amazingly easy cable handling due to hydraulic cable outfeed.

TREUILS MANUELS: De3,5 - 6,5 tonnes. Nous recommandons une utilisation par 2 hommes pour ces machines.

RADIO CONTROL MACHINES: De3,5 - 8 tonnes. Efficacité maximale. Positionnement parfait grâce au contrôle radio. Manipulation du câble incroyablement facile grâce à la sortie de câble hydraulique.

MODEL	MAX / MIN PULL/lb.	CABLE SIZE	WT. /lb (No cables)	WIDTH	HEIGHT	3PT MOUNTING	TRACTOR POWER
3.5	7,700 / 4,790	23/64" x 196'	565	39.4"	78.7"	I	15-30 HP
4.0	8,800 / 5,300	1/3" x 310'	540	51.2"	78.7"	I/II	30 HP
4.25	9,350 / 5,500	1/3" x 310'	875	51.2"	78.7"	I/II	30-40 HP
5.5	12,125 / 7,075	3/8" x 196'	924	59.1"	90.6"	I/II	40-60 HP
6.5	13,225 / 7,700	7/16" x 264'	1,014	66.9"	90.6"	I/II	50-80 HP
8.5	17,640 / 9,170	15/32" X 328'	1,667	78.7"	90.6"	III	80-130 HP



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9/8

ORDER DESK

TEL: (519) 669-4025 FAX: (519) 669-1436

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

R-1



WOOD CHIPPER

LIST PRICE - EFFECTIVE JANUARY 1, 2024



ITEM #	MODEL	DESCRIPTION	US DOLLARS
			LIST PRICE
800525	WC40	Wood Chipper 4" Manual Feed	2425.00
800527	WC60	Wood Chipper 6" Manual Feed	4250.00

WOOD SPLITTER

LIST PRICE - EFFECTIVE JANUARY 1, 2024



ITEM #	MODEL	DESCRIPTION	LIST PRICE
800500	RS-I	Wood Splitter 20 Ton – Inverted Skidsteer	1725.00



800503	RS-V	Wood Splitter 3PT Vertical	1925.00
--------	------	----------------------------	---------



800505	RS-H	Wood Splitter 3PH Horizontal	1115.00
--------	------	------------------------------	---------

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

R-2

CIRCULAR CORDWOOD SAW MARWOOD

LIST PRICE - EFFECTIVE JANUARY 1, 2024



ITEM #	DESCRIPTIONS	US DOLLARS LIST PRICE
131501	PTO DRIVEN SAW ◆ 3 Point Hitch ◆ 12" Cut ◆ 30" Blade with 76 Teeth ◆ PTO Speed 540 rpm, Saw Blade Speed 1300 rpm ◆ Safety Shield on Blade and V-belts	3,450.00

FORESTRY WINCH

LIST PRICE - EFFECTIVE JANUARY 1, 2024

ITEM #	DESCRIPTION	MAX PULL	SCREEN HT.	CABLE SIZE	WEIGHT	MOUNT CAT	TRACTOR	US DOLLARS LIST PRICE
310000	3.5 Ton Manual	7,700 lb.	1000 mm	23/64 x 196'	565 lb.	I	15-30 HP	3,512.00
310001	3.5 EH Radio Control	"	1200 mm	"	"	"	"	7,300.00
310002	3.5 EH/SA Radio Control with Automatic feed	"	1200 mm	"	"	"	"	8,775.00
310003	4.0 Ton Manual		1300 mm			I & II	25-35 HP	3,785.00
310004	4.25 manual		1300 mm			I & II	25-35 HP	3,990.00
310010	4.5 EH Radio Control	"	1350 mm	"				7,700.00
310030	5.5 Ton Manual	12,125 lb.	1500 mm	3/8" x 230'	873 lb.	I & II	40-60 HP	5,165.00
310031	5.5 EH Radio Control	"	1500 mm	"	"			8,365.00
310040	5.5 EH/SA Radio Control with Automatic feed	"	1500 mm	"	"			9,800.00
310050	6.50 Ton Manual	13,225 lb.	1700 mm	7/16" x 264'	959 lb.	I & II	50-80 HP	6,140.00
310052	6.5 EH/SA Radio Control With Automatic feed	"	1700 mm	"	"			11,445.00
310070	8 EH/SA 8 Radio Control with Automatic feed	17,640 lb.	1800 mm	15/32"x328'	1667 lb.	II & III	80-120 HP	13,240 .00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



SNOW BLOWERS

Manual or Hydraulic Chute Rotator

Single or Double Auger

Standard Colour is Black

SOUFFLEURS A NEIGE

Chute à rotation

manuelle ou hydraulique

Virille simple ou double

Coulour régulière : Noire



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Snow Blowers — Renegade

SOUFFLEURS À NEIGE 2019 UPDATES


**Easy turn Sprocket
Plastic block Slides
and Grease Nipple**
Pignon tournant
facilement grâce aux
blocs de plastiques et
au graisseur



**New improved design on
Hood Deflector**
Design amélioré sur le
déflecteur de capot



Auger Pipe
2-7/8" OD
3/16" Wall
Tuyau de vrille 2-7/8"
Épaisseur 3/16"



14" Auger on
51S, 54S, 60S, 68S
Vrille 14" sur 51S, 54S,
60S, 68S

Welded Skid Shoe
Patins soudés



NEW 2019 SPECIFICATIONS/ SPÉCIFICATIONS

	51-S	54-S	60-S	68-S	74-S	80-S	86-S	96-S-ST	96-S-HD	96-D	108-D
AUGER DIAMETER 14" DIAMÈTRE DE LA VRILLE		14"	14"	14"	16"		16"	20"	20"	2 X16"	2X16"
AUGER SHAFT DIAMÈTRE DE L'ARBE DE LA VRILLE	1-1/4"	1-1/4"	1-1/4"	1-1/4"	1-1/4"		1-1/4"	1-1/4"	1-3/4"	1-3/4"	1-3/4"
FAN DIAMETER DIAMÈTRE DU VENTILATEUR	20"	20"	20"	20"	26"		26"	30"	32"	32"	32"
# OF PADDLES NOMBRES DE PALES	4	4	4	4	4		4	4	4	4	4
FAN DEPTH PROFONDEUR DU VENTILATEUR	6"	6"	6"	6"	8"		8"	8"	12"	12"	12"
ROLLER CHAIN CHAÎNE D'ENTRAÎNEMENT	#60	#60	#60	#60	#60		#60	#60	#80HD	#80HD	#80HD
RPM TOUR MINUTE	540	540	540	540	540		540	540	540	540 or 1000 AVAILABLE	1000
BODY HEIGHT HAUTEUR	24.5"	24.5"	24.5"	24.5"	30"		30"	30"	37"	38.5"	38.5"
WEIGHT / LBS. POID / LBS.	480	488	503	512	880		930	1075	1575	1720	2010

Snow Blowers – pull type

SOUFFLEURS À NEIGE

SECTION

S

PAGE 3

74" & 68" PULL-TYPE SPECS

Auger Diameter	16"
Auger Shaft	1-1/4"
Fan Diameter	26"
# of Paddles	4
Fan Depth	8"
Roller Chain	# 60
RPM	540
Body Height	32"
Weight	



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999

Snow Blowers – skid steer

SOUFFLEURS À NEIGE




FRONT MOUNT FOR SKID STEER OR COMPACT LOADER

Optimum visibility even in close quarters

MONTAGE FRONTAL POUR CHARGEUR SKID OU CHARGEUR COMPACTE

VISIBILITÉ OPTIMALE MÊME EN ESPACE RESTREINT



IMPROVED SINCE 2014
CHAIN AND SPROCKETS CHANGED TO
DIRECT DRIVE. EASY TO SERVICE.



REMOTE CONTROL CHUTE OPERATION
• UNIVERSAL QUICK ATTACH PLATES
• AVAILABLE IN VARIOUS FLOW RATES

CONTRÔLE ÉLECTRIQUE DE LA CHUTE
• ATTACHE UNIVERSELLE SKID
• DIFFÉRENT DÉBIT D'HUILE DISPONIBLE

NOTE: Before purchasing your snow blower, please consult with your dealer, to match the exact specifications of your skid steer, tractor or loader to your **Renegade Snow Blower**, ensuring a suitable match between the PSI and gallons per minute of your skid steer and the snow blower will generate optimal performance.

NOTE: Avant d'acheter votre souffleur à neige, s'il vous plaît consulter votre revendeur, pour répondre aux spécifications exactes de votre chargeuse ou tracteur à votre nouveau Souffleur à neige Renegade, assurant une correspondance appropriée entre le PSI et gallons par minute de votre chargeuse et de la soufflerie pour une performance optimale.



OLD STYLE WITH
2 SPROCKETS AND CHAIN.

R48SSLF	4'	26"	LOW FLOW 14 - 22 GPM
R60SSLF	5'	26"	LOW FLOW 14 - 22 GPM
R66SSLF	66"	26"	LOW FLOW 14 - 22 GPM
R74SSLF	74"	26"	LOW FLOW 14 - 22 GPM
R74SSMF	74"	26"	MEDIUM FLOW 23 - 28 GPM
R74SSHF	74"	26"	HIGH FLOW
R86SSMF	86"	30"	MEDIUM FLOW 23 - 28 GPM
R86SSHF	86"	30"	HIGH FLOW
R96SSHF	8'	30"	HIGH FLOW

SPECIFICATIONS

		4'	5'	6'	7'	8'
AUGER DIAMETER	DIAMÈTRE DE LA VRILLE	16"	16"	16"	16"	16"
AUGER SHAFT diameter	Diamètre de l'arbre de la vrille	1-1/4"	1-1/4"	1-1/4"	1-1/4"	1-1/4"
FAN DIAMETER	DIAMÈTRE DU VENTILATEUR	26"	26"	26"	26"/30"	30"
# OF PADDLES	NOMBRES DE PALES	4	4	4	4	4
FAN DEPTH	PROFONDEUR VENTILATEUR	7"	7"	7"	7"	7"
ROLLER CHAIN	CHAÎNE D'ENTRAÎNEMENT	#60	#60	#60	#60	#60
RPM	TOUR/MINUTE	500-600	500-600	500-600	500-600	500-600
BODY HEIGHT	HAUTEUR	31"	31"	31"	31" / 35"	35"
WEIGHT / LBS.	POID / LBS					

Snow Pusher - Renegade

POUSOIR À NEIGE

SECTION

S-2

PAGE 5

Renegade



Renegade Skid Steer Snow Pusher with Rubber Cutting Edge

Available in 6', 8', 10' & 12' widths

** Rear drag option available. Call for prices

Le Poussoir à Neige RENEGADE avec Couteau en Caoutchouc

Disponible en 6', 8', 10' & 12' de largeur.

Démontré avec attache Skid.

SNOW BLADES — RENEGADE


LAME A NEIGE

Renegade

**SKID STEER MOUNT
SPRING TRIP BLADE PROTECTION
HYDRAULIC ANGLE CYLINDER
PARKING STAND
STEEL CUTTING EDGE
71" 78" 86"**

ATTACHE POUR CHARGEUR SKID

**CYLINDER HYDRAULIQUE EN ANGLE
SUPPORT DE STATIONNEMENT
COUTEAU EN ACIER
71" 78" 86"**



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025

FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401

FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115

Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090

Fax (507) 663-0999



HYDRAULIC ANGLE BLADE
HEAVY DUTY SHOWN

COMPACT & SERIES 20-35HP

- ◆ 20" high mouldboard, 54"-72" width
- ◆ Spring trip mouldboard
- ◆ Hydraulic angle 30° both ways
- ◆ Crossover relief valve
- ◆ Lateral Float

HEAVY DUTY ANGLE BLADE

- ◆ 24" high 60"- 96" wide 30-50 HP
- ◆ 30" high 72"- 108" wide 30-80 HP
- ◆ 34" high 108"- 168" wide 60-120 HP
- ◆ 42" high 144"- 192" wide 90-200 HP
- ◆ Spring trip cutting edge
- ◆ Crossover relief valve
- ◆ Adjustable skid shoes
- ◆ Reversible cutting edge
- ◆ Lateral Float
- ◆ Hydraulic angle 30° both ways



SNOW PUSHER
REGULAR DUTY


SNOW PUSHER Regular

- ◆ 30" high 96" wide 30-50 HP
- ◆ 34" high 120" wide 40-90 HP
- ◆ 38" high 168" wide 80-120 HP
- ◆ AR400 skid shoes adjustable
- ◆ Spring trip cutting edge

SNOW PUSHER Heavy Duty

- ◆ 42" high 144"-192" 40-90 HP
- ◆ 48" high 144"-192" 150-200 HP

EXTRA HD CONSTRUCTION
FOR WHEEL LOADERS
MADE TO FIT ANY LOADER
OR BUCKET



WING BLADES

PUSH, PULL & ANGLE FEATURES

- ◆ Blade wings hydraulically extend from 0 - 180°
- ◆ Spring trip cutting edge Lateral float
- ◆ Cross over relief protection on all cylinders
- ◆ Hydraulic angle 30° both ways
- ◆ Reversible cutting edge
- ◆ Adjustable skid shoes
- ◆ Round pipe bull-nose edge on wings to protect tires
- ◆ 30" high 72"-105" wide 55-85 HP
- ◆ 34" high 96"-168" wide 80-155HP
- ◆ Wings are 30" deep
- ◆ Extended wings add a maximum of 60" to main mould board width



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

S-1

PAGE 1



SNOW BLOWER

LIST PRICE EFFECTIVE JUNE 1, 2023

BLACK - SINGLE AUGER - MANUAL CHUTE ROTATOR INCLUDED

US DOLLARS

ITEM #	MODEL	WIDTH	HEIGHT	FAN DIAMETER	WEIGHT /LB.	LIST PRICE
104500	R 51 SM	51"	24.5"	20"	480	\$2,428
104495	R 54 SM	54"	24.5"	20"	488	\$2,494
104510	R 60 SM	60"	24.5"	20"	503	\$2,581
104520	R 68 SM	68"	24.5"	20"	512	\$2,668
104530	R 74 SM	74"	30"	26"	880	\$3,785
104454	R 80 SM	80"	30"	26"		\$3,928
104540	R 86 SM	86"	30"	26"	930	\$4,060
104550 STANDARD	R 96 SM	96"	38.5"	30"	1075	\$4,307



BLACK - SINGLE AUGER - HYDRAULIC CHUTE ROTATOR INCLUDED

ITEM #	MODEL	WIDTH	HEIGHT	FAN DIAMETER	WEIGHT /LB.	LIST PRICE
104505	R 51 SH	51"	24.5"	20"	490	\$2,804
104497	R 54 SH	54"	24.5"	20"	510	\$2,864
104515	R 60 SH	60"	24.5"	20"	525	\$2,956
104525	R 68 SH	68"	24.5"	20"	535	\$3,038
104535	R 74 SH	74"	30"	26"	900	\$4,148
104455	R 80 SH	80"	30"	26"		\$4,291
104545	R 86 SH	86"	30"	26"	950	\$4,415
104445 STANDARD	R 96 SH	96"	38.5"	30"	1095	\$5,099
104555 HEAVY DUTY	R 96 HSH	96"	38.5"	32"	1520	\$6,801



BLACK - DOUBLE AUGER - HYDRAULIC CHUTE ROTATOR INCLUDED

ITEM #	MODEL	WIDTH	HEIGHT	FAN DIAMETER	WEIGHT	LIST PRICE
104560	R 96 DH	96"	38.5"	32"	1720	\$7,363
104570	R 108 DH	108"	38.5"	32"	2010	\$7,917

BLACK - DOUBLE AUGER - 1000 RPM - HYDRAULIC CHUTE ROTATOR INCLUDED

ITEM #	MODEL	WIDTH	HEIGHT	FAN DIAMETER	WEIGHT	LIST PRICE
104565	R 961 DH	96"	38.5"	32"	1820	CALL FOR PRICING
104575	R 1081 HD	108"	38.5"	32"	2010	

ITEM #	SKID SHOES FOR MODELS 2018 & NEWER	LIST PRICE
104710	51" to 68"	\$92
104711	74 to 86"	\$114

* SNOW BLOWERS WITH ELECTRIC ROTORS AVAILABLE AT SAME PRICE AS HYDRAULIC ROTORS

Black - PULL TYPE - SINGLE AUGER - MANUAL CHUTE ROTATOR INCLUDED

ITEM #	MODEL	WIDTH	HEIGHT	FAN DIAMETER	WEIGHT /LB.	LIST PRICE
104470	R68 SMP	68"	24.5"	20"	approx. 550	\$3514
104475	R74 SMP	74"	30"	26"	approx. 850	\$4933

RED - GREEN - ORANGE - BLUE These colours available on **booking orders only**

104625 Hydraulic cylinder for chute deflector 3PH blowers only. Complete w/th hose \$300

SKID STEER SNOW BLOWER

US DOLLARS

ITEM #	MODEL	WIDTH	FAN DIAMETER	HYDRALIC GPM	WT. /LBS.	LIST PRICE
104590	R48SSLF	4'	26"	Low Flow 14 - 22 GPM		\$6,044
104591	R60SSLF	5'	26"	Low Flow 14 - 22 GPM		\$6,196
104598	R66SSLF	66"	26"	Low Flow 14 - 22 GPM		\$6,288
104592	R74SSLF	74"	26"	Low Flow 14 - 22 GPM		\$6,480
104593	R74SSMF	74"	26"	Medium Flow 23 - 28 GPM		\$7,007
104594	R74SSHF	74"	26"	High Flow		\$8,168
104595	R86SSMF	86"	30"	Medium Flow 23 - 28 GPM		\$7,264
104596	R86SSHF	86"	30"	High Flow		\$7,944
104597	R96SSHF	8'	30"	High Flow		\$8,793

ALL ABOVE UNITS ARE PRICED WITH A 12 VOLT MOTOR TO TURN HOOD

HYDRAULIC MOTOR TO TURN HOOD AVAILABLE FOR SKID STEER WITH 2 OIL OUTLETS; ADD \$572

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice



OPTIONAL



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

S-2

PAGE 1

SNOW PUSHER

LIST PRICE - EFFECTIVE JUNE 7, 2023



Renegade



ITEM #	DESCRIPTION	WIDTH	HEIGHT	SIDE THICKNES	WT./LBS.	US DOLLARS
						LIST PRICE
142325	Skid Steer Snow Pusher	6'	35"	3/8"	684	\$2,350
142326	Skid Steer Snow Pusher	8'	35"	3/8"	922	\$3,175
142327	Skid Steer Snow Pusher	10'	35"	3/8"	1140	\$3,595
142328	Skid Steer Snow Pusher	12'	35"	3/8"	1220	\$3,945
142321	Euro Snow Pusher	6'	35"	3/8"	684	\$2,350
142322	Euro Snow Pusher	8'	35"	3/8"	922	\$3,175
142323	Euro Snow Pusher	10'	35"	3/8"	1140	\$3,595
142324	Euro Snow Pusher	12'	35"	3/8"	1220	\$3,945

1-3/8 x 10" Reversible Rubber Cutting Edge.

Rear Drag Option available. Call for price.



Renegade



SNOW BLADES

LIST PRICE EFFECTIVE JUNE 7, 2023

ITEM #	DESCRIPTION	WIDTH	APPROX. WT. /LBS.	US DOLLARS
				LIST PRICE
800586	Universal Skid Steer Snow Blade Steel cutting edge, spring trip blade, Hydraulic angle cylinder	1.8m / 71"	469	\$1,910
800587	Universal Skid Steer Snow Blade Steel cutting edge, spring trip blade, Hydraulic angle cylinder	2m / 78"	506	\$1,930
800588	Universal Skid Steer Snow Blade Steel cutting edge, spring trip blade, Hydraulic angle cylinder	2.2m / 86"	543	\$2,025



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

T

PAGE 1

TRYGG FAST TRAC

LIST PRICE EFFECTIVE SEPTEMBER 1, 2023

TIRE CHAIN
SOLD / SET
US

SNOW REMOVAL
OR ROADWORK



ITEM #	TIRE SIZE	SNOW REMOVAL OR ROADWORK			CHAIN SIZE	LIST PRICE
507161	16.9-38	18.4x30	18.4x34	18.41x38	8 mm	1389.00
	420/85-38	460/85-34	480/70-30	480/70-34		
	480/70-38	480/80-30	480/80-38	520/70-30		
	520/70-34	540/65-30	540/65-34			
	540/65-38	540/70-30	540/70-34			
507162	14.9 x 28	14.9x30	15.5x38	16.9x28	8 mm	1280.00
	16.9x30	16.9x34	18.4x26	380/85/2		
	380/85-30	385/95-25	420/70-30	420/70-34		
	420/85-28	420/85-30	420/85-34	440/80-26		
	440/80-30	420/80-34	480/65-28	480/70-28		
		16.9 x 24	17.5 x 24	16.9 x 30		
507163	14.9x20	14.9x24	340/85-28	360/70-24	8 mm	1246.00
	360/70-28	360/80-24	365/80-20	365/85-20		
	375/75-20	380/70-20	380/70-24	380/70-28		
	380/85-24	395/80-20	400/80-24	405/70-18		
	405/70-20	405/70-24	420/65-20	44 x 80 x 20		
405/70-20	405/70-24	420/65-20	44 x 80 x 20	15 x 19.5	8 mm	1098.00
	11.2x28	12.4x24	12.4x28	13.6x24		
	13.6x28	280/85-28	300/70-24	320/70-24		
	320/70-28	320/85-24	320/85-28	340/80-24		
	340/85-24					

SMT STUDDED

SUPERB TRACTION



ALL PURPOSE
ALL TERRAIN

ITEM #	TIRE SIZE	CHAIN SIZE	LIST PRICE
507200	11.2 X 24	5/16"	965.00
507201	11.2 x 28	5/16"	930.00
507202	12.4 X 24	3/8"	1106.00
507203	12.4 X 28	3/8"	1183.00
507204	13.6 X 24	3/8"	1166.00
507205	13.6 X 28	3/8"	1246.00
507206	14.9 X 24	3/8"	1324.00
507208	16.9 x 24, 14.9 X 28, 420/70R24	3/8"	1410.00
507209	16.9 X 28	3/8"	1547.00
507210	16.9 X 30	3/8"	1603.00
507211	18.4 X 30	3/8"	1736.00
507212	18.4 X 34	3/8"	1900.00
507213	18.4 x 38	3/8"	2016.00
507215	20.8 X 38	3/8"	2194.00

Other sizes available on request



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

T

PAGE 2

LIST PRICE EFFECTIVE SEPTEMBER 1, 2023

TWINWAY-TWO

TIRE CHAIN
SOLD / SET

US DOLLARS



ALL PURPOSE
TRACTOR CHAIN

ITEM #	TIRE SIZE	STOCK #	LIST PRICE
502036	11.2-24	2-9336	320.00
502038	9.5-32, 11.2-28, 12.4-24, 15x19.5, 10x28	2-9338	355.00
502042	9.5-36, 11.2-32, 12.4-28	2-9342	390.00
502046	9.5-40, 11.2-36	2-9346	420.00
502048	9.5-42, 11.2-38, 11.2-40, 12.4-36, 12.4-38	2-9348	426.00
502073	13.6-26, 13.6-28, 14.9-24, 14.9-26	2-9373	362.00
502074	14.9-28, 420/70R24	2-9374	420.00
502076	13.6-36, 14.9x30	2-9376	470.00
502077	13.6-38	2-9377	490.00
502079	14.9-38	2-9379	512.00
502087	16.9-24, 17.5L-24	2-9387	404.00
502089	16.9-28, 18.4-24, 19.5L-24	2-9389	407.00
502090	16.9-30, 18.4-26	2-9390	437.00
502091	16.9-32, 18.4-28	2-9391	438.00
502092	16.9-34, 18.4-30, 15.5-38	2-9392	470.00
502094	18.4-34, 16.9-38	2-9394	512.00
502095	18.4 x 42	2-9395	795.00
502096	18.4-38	2-9396	568.00
502097	20.8-34, 23.1-26, 23.1-30	2-9397	735.00
502098	23.1-34, 20.8-38 2-9398		774.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

TWINWAY-TWO WITH 3/8 V-BAR CROSS CHAIN



ITEM #	TIRE SIZE	STOCK	LIST PRICE
502136	11.2-24 2-9336		380.00
502138	9.5-32, 11.2-28, 12.4-24, 15 x 19.5, 10 x 28	2-9338	426.00
502142	9.5-36, 11.2-32, 12.4-28	2-9342	464.00
502146	9.5-40, 11.2-36	2-9346	500.00
502148	9.5-42, 11.2-38, 11.2-40, 12.4-36, 12.4-38	2-9348	506.00
502173	13.6-26, 13.6-28, 14.9-24, 14.9-26	2-9373	435.00
502174	14.9-28, 420/70R24	2-9374	500.00
502176	13.6-36, 14.9x30	2-9376	565.00
502177	13.6-38 2-9377		582.00
502179	14.9-38 2-9379		613.00
502187	16.9-24, 17.5L-24	2-9387	482.00
502189	16.9-28, 18.4-24, 19.5L-24	2-9389	488.00
502190	16.9-30, 18.4-26	2-9390	524.00
502191	16.9-32, 18.4-28	2-9391	400.00
502192	16.9-34, 18.4-30, 15.5-38	2-9392	565.00
502194	18.4-34, 16.9-38	2-9394	606.00
502195	18.4 x 42 2-9395		940.00
502196	18.4-38 2-9396		682.00

TWINWAY-SIX STUDDED TRACTOR CHAIN



TWINWAY-SIX
WITH
STUDED
SECTIONS

ITEM #	TIRE SIZE	STOCK #	LIST PRICE
506122	11.2-24		565.00
506121	9.5-32, 11.2-28, 12.4-24, 15 x 19.5, 10 x 28		606.00
506120	9.5-40, 11.2-36		668.00
506119	9.5-36, 11.2-32, 12.4-28, 9.5-42, 11.2-38, 11.2-40, 12.4-36, 12.4-38		679.00
506118	13.6x24, 13.6-26, 13.6-28, 14.9-24, 14.9-26,		700.00
506117	14.9-28, 420/70R24		755.00
506116	13.6-36, 14.9x30, 14.9x38		888.00
506115	16.9-24, 17.5L-24		710.00
506114	16.9-28, 18.4-24, 19.5L-24		744.00
506113	16.9-30, 18.4-26, 16.9-32, 18.4-28		770.00
506111	16.9-34, 18.4-30, 15.5-38		863.00
506110	18.4-34, 16.9-38		968.00
506109	18.4-38		1014.00

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

T

PAGE 3

LAWN & GARDEN TRACTOR CHAIN

LIST PRICE - EFFECTIVE SEPTEMBER 1, 2023

TIRE CHAIN
SOLD / SET

2 LINK SPACING 7/32"

(4 Link Spacing available on request)

US DOLLARS

ITEM #	TIRE SIZE	LIST
520101	16 x 6.50 x 8	66.00
518127	16 x 7.50 x 8	71.00
520100	18 x 6.50 x 8	71.00
520098	18 x 7.50 x 8	74.00
520102	18 x 8.50 x 8	77.00
520103	18 x 9.50 x 8	81.00
520129	20 x 8.00 x 8	81.00
520105	20 x 10.0 x 8	84.00
520106	20 x 10.0 x 10	92.00
520181	22 x 11 x 10	116.00
520107	20.5 x 8 x 10	90.00
520148	21 x 7.00 x 10	97.00
520111	22 x 7.50 x 12	97.00
520166	22 x 8.00 x 12	100.00
520113	22 x 9.00 x 12	105.00
520112	23 x 8.50 x 12	100.00
520183	22 x 9.50 x 12	109.00
520114	23 x 9.50 x 12	109.00
520120	23 x 10.5 x 12	109.00
520115	23 x 12.50 x 12	113.00
520154	23 x 8.50 x 14	109.00
520177	24 x 10.50 x 12	117.00
520138	24 x 12 x 12	120.00
520168	25 x 8.50 x 14	124.00
520211	25 x 12 x 9	124.00
520122	26 x 12.00 x 12	140.00

4 LINK SPACING 5/16"

ITEM #	TIRE SIZE	LIST
520201	7 x 16 Case Hardened	159.00
520128	8.3 x 16 Case Hardened	167.00
520215	800 x 18 Turf Case Hardened	182.00
520147	9.5 x 16 Case Hardened	190.00
520301	9.5 x 24 Case Hardened	220.00
508027	10R 165 Case H. Also for Fork Lift	178.00
520306	12.4 x 16 Case Hardened	229.00
508054	12 R x 165 Case Hardened	179.00
520212	13.6 x 16 Case Hardened	243.00
520308	18.4 x 16.1 Case Hardened	349.00
520302	43 x 13.5 22 Case Hardened	349.00
520176	44 x 18 x 20 Case Hardened	376.00
520219	41 x 14.00 x 20 Case Hardened	307.00
520310	355 x 80-D x 20 Case Hardened	283.00
520421	43 x 16 x 20 Case Hardened	349.00


PRICES SUBJECT TO CHANGE WITHOUT NOTICE

(4 Link Spacing available on request)

US DOLLARS

ITEM #	TIRE SIZE	LIST
520121	27 x 8.50 x 15	146.00
520125	27 x 9.50 x 15	150.00
520130	29 x 12.00 x 15	165.00
520135	31 x 13.50 x 15	175.00
520140	31 x 15.5 x 15	223.00
520311	212 x 80-D x 15	165.00
520213	33 x 12.50 x 15	202.00
520171	41 x 14.00 x 20	206.00
520206	25 x 10 x 12	132.00
520205	24 x 8.5 x 12	109.00
520131	29 x 12.5 x 15	170.00
520141	7 x 16 Case Hardened	150.00
520146	8.3 x 16 Case Hardened	167.00
520144	9.50 x 16 Case Hardened	178.00
520305	12.4 x 16 Case Hardened	202.00
520150	13.6 x 16 Case Hardened	219.00
520216	35 x 12.00 x 15 Case Hardened	233.00
520214	36 x 13.50 x 15 Case Hardened	262.00
508430	43 x 13.5 x 22 Case Hardened	290.00
520175	44 x 18 x 20 Case Hardened	307.00

Three dimensions are needed as shown below,
if you tire size is not on the price list



V-BAR CROSS CHAIN AVAILABLE @ EXTRA COST



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION


T

PAGE 4

SNOW BLOWER TIRE CHAIN


LIST PRICE - EFFECTIVE SEPTEMBER 1, 2023

TIRE CHAIN
SOLD / SET



4mm 2-LINK SPACING

ITEM #	TIRE SIZE	US DOLLARS
		LIST PRICE
518116	10 x 2.75	33.00
518104	10.25 x 3.25	36.00
518106	12 x 4.00 x 6	43.00
518107	12 x 3.50 x 6	45.00
520001	4.10 x 3.50 x 4	33.00
520005	4.10 x 3.50 x 6	37.00
520004	13.00 x 5.00 x 6	45.00
518115	5.30 x 4.50 x 6	48.00
518118	12.50 x 4.50 x 6	48.00
520007	4.80 x 4.00 x 8	57.00
520006	13 x 6.50 x 6	48.00
520002	15 x 6.00 x 6	52.00
520011	13 x 4.00 x 6	49.00



4 mm SNOW HOG - Zig Zag

ITEM #	TIRE SIZE	LIST PRICE
518120	4.10 x 3.50 x 4	38.00
518121	5.3 x 6	40.00
518122	4.8 x 4.00 x 8	52.00
520012	15.00 x 6 x 6	52.00
518123	16 x 6.50 x 8	61.00
518124	13.5 x 500 x 6	49.00
518128	4.10 x 6	48.00
518132	14 x 4 x 6	46.00

ATV TIRE CHAIN - V Bar Type



4 LINK CHAIN

ITEM #	TIRE SIZE	US DOLLARS
		LIST PRICE
525006	21 x 11 x 8 / Ht 20 Rim 9 Hs 21	97.00
525001	22 X 11 X 8 / 22 X 12 X 8	14 cross chains 107.00
525003	25 x 8 x 12	14 cross chains 97.00
525004	25 x 10 x 12	14 cross chains 104.00
525015	25 X 12 X 9	120.00
525005	24 x 11 x 10	14 cross chains 83.00
525020	25 X 13 X 9 / Hr 25 Rim 10 Hs 22	14 cross chains 126.00
520241	23 x 10.5 x 12	14 cross chains 126.00
525010	24 X 9 X 11	119.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

T

PAGE 5

FORKLIFT TIRE CHAIN

LIST PRICE - EFFECTIVE SEPTEMBER 1, 2023

TIRE
CHAIN

US DOLLARS

LIST PRICE

ITEM #	TIRE SIZE	CHAIN SIZE	LIST PRICE
508050	6.50 x 10	7/32"	176.00
508074	7.50 x 10	7/32"	178.00
508073	900 x 10	7/32"	198.00
508004	700 x 12	7/32"	188.00
508005	700 x 15	7/32"	210.00
508002	750 x 15 x 30 & 32	7/32"	242.00
508067	28 x 9 x 15	7/23"	233.00
508015	7.50 x 15 x 30	5/16"	285.00
508077	250 x 15	7/32"	263.00
508008	825 x 15	5/16"	284.00
508048	750 x 16	5/16"	329.00
508047	32 x 12.1 x 15	5/16"	398.00
508068	28 x 12.50 x 15	5/16"	277.00
508059	28 x 9 x 15	5/16"	279.00
508039	7 x 12, 2-link	6/16"	256.00
508044	31 x 10.50 x 15	5/16"	354.00
508090	27 x 10.50 x 15	5/16"	278.00

CASE HARDENED CROSS CHAIN WITH TWO-LINK SPACING,
SETS AVAILABLE WITH V-BAR AT EXTRA COST




SKID STEER TIRE CHAIN

US DOLLARS

ITEM #	TIRE SIZE	CHAIN SIZE	LIST PRICE
2-LINK SPACING - CASE HARDENED			
508128	10R 165	5/16"	188.00
508040	12R 165	5/16"	254.00
508127	14 x 17.5	5/16"	272.00
508126	15 x 19.5	5/16"	412.00
4-LINK SPACING - CASE HARDENED			
508027	10R 165	5/16	178.00
508054	12R 165	5/16	179.00
508143	14 x 17.5	5/16"	177.00
508094	15 x 19.5	5/16	289.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE



FOR TIRES NOT SHOWN ON PRICE LIST,
THREE TIRE DIMENSIONS ARE NEEDED.

TIRE CHAIN PARTS & ACCESSORIES

LIST PRICE EFFECTIVE SEPTEMBER 1, 2023

US DOLLARS

ITEM #	DESCRIPTION			LIST PRICE / FT.	
500039	5/32" /4mm	Zinc	Cross Chain		1.15
500055	7/32"	Zinc	Cross Chain		1.62
500053	7/32"	Case Hardened	Cross Chain		2.30
500061	1/4"	Case Hardened	Cross Chain		3.01
500081	5/16"	Case Hardened	Cross Chain		3.64
500096	3/8" /9.5mm	Case Hardened	Cross Chain		5.57
500115	7/16"	Case Hardened	Cross Chain		10.00
500130	1/2"	Case Hardened	Cross Chain		13.00
500205	5.5mm	Case Hardened	Cross Chain	Studded	6.04
500206	9/32"	Case Hardened	Cross Chain	Studded	6.88
500208	5/16"	Case Hardened	Cross Chain	Studded	8.51
500210	3/8"	Case Hardened	Cross Chain	Studded	10.03
500211	7/16"	Case Hardened	Cross Chain	Studded	16.18
500213	1/2"	Case Hardened	Cross Chain	Studded	19.34
500310	3/8"	Square Link	Cross Chain		7.70
500311	7/16"	Square Link	Cross Chain		9.13
500406	5.5 mm	Zinc	V-bar cross chain		2.30
500407	5/16"	Self-colour	V-bar cross chain		2.92
501039	5/32 / 4mm	Zinc	30 mm link	Side Chain	.67
501038	5/32 /4mm	Zinc		Side Chain	.67
599999	3/16"	Zinc		Side Chain	1.54
501086	5/16"	Regular		Side Chain	2.68
501102	3/8"	Regular		Side Chain	3.82
501125	7/16"	Regular		Side Chain	5.76
501130	1/2"	Regular		Side Chain	7.33
505135	Chain Pliers - handle 26" long - overall 33" long				220.00
505134	Chain Pliers for Lawn & Garden - overall 13" long				15.00
503210	10mm	Hardened Connect /S-Link	for 5/16 Trygg cross chain		4.02
503211	11mm	Hardened Connect /S-Link	for 11/32 Trygg cross chain		4.26
503212	12mm	Hardened Connect /S-Link	for 3/8 Trygg cross chain		4.98
505039	4mm	Cross Chain Hook			.19
505055	7/32"	Cross Chain Hook			.61
505063	1/4"	Cross Chain Hook			.80
505061	7mm	Cross Chain Hook			.80
505080	5/16"	Cross Chain Hook			.97
505062	3/8"	Cross Chain Hook			1.34
505110	7/16"	Cross Chain Hook			2.80
505130	1/2"	Cross Chain Hook			4.10
503704	3/16"	Repair Link			.28
503706	1/4"	Repair Link			.48
503708	5/16"	Repair Link			.85
503710	3/8"	Repair Link			1.16
503713	1/2"	Repair Link			2.65
503402	1/8"	Quick Link			.41
503404	3/16"	Quick Link			.46
503406	1/4"	Quick Link			.58
503408	5/16"	Quick Link			.88
503410	3/8"	Quick Link			1.37
503411	1/2"	Quick Link			2.58
503009	#555	1/4" Side Chain Lock			5.82
503015	#889	5/16" Side Chain Lock			7.60
503014	#1011	3/8" Side Chain Lock			13.20
503007		Wire Lock			2.21
503016	#675	NA Lock - 5/16"			11.45
503018	#714	NA Lock - 3/8"			16.66
503004	#543	Lawn and Garden Outside Chain Lock			2.88
503005	#500	Lawn and Garden Inside Lock			1.42
503019	6-7mm	Lawn and Garden Inside Lock			1.76
503008	7-9mm	Lawn and Garden Inside Lock			2.46

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

T


PAGE 7

TRUCK TIRE CHAIN

LIST PRICE EFFECTIVE SEPTEMBER 1, 2023

TIRE CHAIN
SOLD / SET

SINGLE



US DOLLARS
LIST PRICE

TIRE SIZE 4-LINK	ITEM #	9/32 LIST	ITEM #	5/16 LIST	ITEM #	3/8"-9.5
10.00-20, 11-22.5	507950	154.00	508328	182.00	508342	383.00
10-R-20, 11-R-22.5					508341	299.00
10.00-22, 11-24.5	507951	175.00	508350	219.00	508357	427.00
10-R-22, 11-R-24.5					508354	370.00
11.00-20, 12-22.5			508360	320.00	508368	447.00
11-R-20, 12-R-22.5						
12.00-20, 12-R-20			508382	335.00	508370	465.00
12-24.5, 11-R-22			508403	329.00	508378	465.00
11.00-22, 12-R-24.5, 445/50R 22.5 with Cams			520293	277.00		

TIRE SIZE 2-LINK	ITEM #	5/16
10 X 20	508332	658.00




ATV STYLE V-BAR

with Cam Tightener

TIRE SIZE 4-LINK	ITEM #	9/32 LIST	ITEM #	5/16 LIST
10x20, 11x22.5	508427	176.00	508194	200.00


OTHER SIZES AVAILABLE WITH V-BAR

DUAL



TIRE SIZE 4-LINK	ITEM #	9/32 LIST	ITEM #	5/16 LIST	ITEM #	3/8"-9.5
10.00-20, 11-22.5			508329	407.00	508330	523.00
10-R-20, 11-R-22.5						
10.00-22, 11-24.5			508361	427.00	508400	562.00
10-R-22, 11-R-24.5					508352	575.00
11.00-20, 12-22.5			508380	448.00	508369	587.00
11-R-20, 12-R-22.5			508424	463.00		
12.00-20, 12-R-20				500.00	508180	593.00
12-24.5, 11-R-22						
11.00-22, 12-R-24.5						

TRIPLE



TIRE SIZE 4-LINK	ITEM #	5/16 LIST	ITEM #	3/8 LIST	ITEM #	9.5 LIST
10.00-20, 11-22.5	508292	657.00			508343	762.00
10-R- 20, 11-R-22.5						
10.00-22, 11-24.5	508326	794.00			508358	820.00
10-R- 22, 11-R-24.5					508355	794.00
11.00-20, 12-22.5					508367	852.00
11-R- 20, 12-R-22.5	508395	526.00				
12.00-20, 12-R-20						935.00
11.00-22, 12-R-24.5						
11-R-22, 12-R-24.5						

See parts pages for cross chain and hooks.

◆◆ OTHER SIZES AVAILABLE ◆◆

CABLE TRUCK CHAINS

ITEM #	TIRE SIZE	LIST /SET
508422	11RX22.5 Triple	59.00
508414	900X20	33.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice




MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

T

PAGE 8



TRUCK TIRE CHAIN

FOR RADIAL & BIAS PLY TIRES
LIST PRICE EFFECTIVE SEPTEMBER 1, 2023

TIRE CHAIN
SOLD / SET

		US DOLLARS		
		LIST PRICE		
ITEM #	TIRE SIZE	2-LINK 7/32	ITEM #	4 LINK 5/16
	5.6-15, 6.00-15, BR70-13, BR78-14, CR78-14, 175R14, 155R15, 165R15, 185/70R14, 175/70R14, 185/80R14, 185/80R13	229.00		
	CR70-13, 175R13, 185R13, 185/10R13, 195/70R13, 175/10R14, 165R14, 175/80R13	234.00		
	DR87-14, ER78-14, 185R14, 175R15, 195/70R14, 185/70R15, 205/70R13, 205/70R14, 195/75R14	247.00		
508049	205/70R14	242.00		
	FR70-14, FR78-14, GR78-14, FR78-15, 195R14, 185R15, 195R15, 215/70R14, 205/70R15, P205/75R14	246.00		
508299	GR70-14, HR70-14, GR70-15, HR78-14, GR78-15, HR78-15, 205R15, 225/70R15, 205/75R15, 215/70R15	264.00	520335	242.00
	215/75R15		508021	242.00
508081	225R15	238.00		
	LR78-15, L84-15, 215R15, 230R15, 225/75R15	300.00		281.00
	H78-15, 8.00-R-16.5, 8.00-16.5, G78-G78-15, 225-75R14, 215-75R15	281.00		268.00
508022	235-75R15,	247.00	508010	249.00
	215-85R16		508011	247.00
	L78-15, 8.75-16.5, 8.75-R-16.5, 235-15, 230-15, J78/JR78-15,	313.00		293.00
	8.00-16.5	313.00		293.00
	8.75-16.5	316.00	508098	210.00
	9.5-16.5, 7.50-R16-17, 9.50-R16.5, 7.50-16/17	333.00		307.00
	6.00-16, 6.70-15	313.00		293.00
	6.50-16, 6.50-R-16	333.00		307.00
	7.00-15/16, 7.50-15, 9.50-16.5, 7.17.5, 8-17.5, 700-R-15, 9.50-16.5, 8-R-17.5, 215/85-R-16	333.00		307.00
508036	235/85-R-16	270.00	508086	240.00
	7.50-16/17, 7.00-17/18, 7.50-18, 7-22.5, 8-19.5, 10-16.5, 7.50-R-17, 8-R-19.5, 10-R-16.5, 255/85-R-16, 7.00-20,	352.00		316.00
	7.00-20,	316.00		
	7.50-20, 8-22.5, 10-17.5	325.00		
	8.25-20, 9-22.5, 255/70-R-22.5, 8.25-R-20, 9-R-20.25	330.00		
520370	9.00-20, 10-22.5, 275/80-R-22.5, 9-R-20, 10-R-22.5	253.00		

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION


T

PAGE 9


LOADER & GRADER

LIST PRICE EFFECTIVE SEPTEMBER 1, 2023

TIRE CHAIN
SOLD / SET



2 LINK SPACING



4 LINK SPACING

REGULAR LINK CROSS CHAIN - 2 LINK SPACING

TIRE SIZE	ITEM #	3/8" LIST	ITEM #	7/16" (11mm) LIST	US DOLLARS
13.00 x 24	508202	1002.00			1628.00
14.00 x 24	508221	1040.00	508224		1685.00
16.00 x 24	508246	1199.00	508260		1685.00
17.5 x 25	508231	1042.00	508234		1410.00
20.5 x 25	508254	1446.00	508240		1504.00
23.5 x 25	508253	1919.00	520368		2025.00

SQUARE LINK CROSS CHAIN

2-LINK SPACING FOR BETTER TRACTION AND LONGER LIFE.


TIRE SIZE	ITEM #	3/8" LIST	ITEM #	7/16" (11 mm) LIST	US DOLLARS
13.00 x 24		1329.00			
14.00 x 24	508229	1366.00	520367		1487.00
16.00 x 24	508235	1550.00			1753.00
17.5 x 25	508230	1366.00	508238		1493.00
20.5 x 25	508244	1517.00	508243		1750.00
23.5 x 25			508214		2022.00

Also available with studded cross chain, and with 4-link spacing.

SPECIAL ORDERS: *Tire Chains not shown on Walco Price List*

Three measurements are needed to make any size of tire chain.

Tire Size appearing on the tire: _____





MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

T

PAGE 10

RING CHAIN

LIST PRICE EFFECTIVE SEPTEMBER 1, 2023

TIRE CHAIN
SOLD / SET

FIXED RING

US DOLLARS

ITEM #	TIRE SIZE	CHAIN SIZE	LIST PRICE
530150	16.9 x 30	9/16"	1707.00
530153	18.4 x 34	5/8"	2198.00
530154	23.1 x 26	5/8"	2198.00
530156	24.5 x 32	5/8"	2524.00
530160	24.5 x 32	3/4"	3420.00
530162	30.5 x 32	3/4"	3690.00



MULTI-RING

ITEM #	TIRE SIZE	CHAIN SIZE	LIST PRICE
530165	18.4 x 34	5/8"	2360.00
530167	23.1 x 26	5/8"	2360.00
530168	24.5 x 32	5/8"	2524.00
530177	24.5 x 32	3/4"	3663.00
530170	30.5 x 32	5/8"	2727.00
530179	30.5 x 32	3/4"	4000.00



FIXED RING



MULTI RING



STUDDED SKIDDER CHAIN

DOUBLE DIAMOND

US DOLLARS

ITEM #	TIRE SIZE	CHAIN SIZE	LIST PRICE
530185	18.4 x 34	5/8"	3100.00
530186	23.1 x 26	5/8"	3262.00
530187	24.5 x 32	5/8"	3650.00
530189	30.5 x 32	5/8"	3967.00

CHAIN COLOURS MAY NOT BE AS SHOWN

PRICES SUBJECT TO CHANGE WITHOUT NOTICE





650042



650041



650021




650022



650020



650024



650025



650001



650002



650003



650004



650040



650023



650000



650005

Display Stand Available
Présentoir disponible



**ONE FREE
DISPLAY STAND**
WITH THE ORDER OF
ONE OR MORE
START-UP KITS
SEE PRICE LIST

Un présentoir gratuit
Avec l'achat d'un ensemble
de départ
VOIR LISTE DE PRIX



650054



650051



650053

**Sturdy Wire Display Stand**

- Tall pocket fronts keep sheets from leaning forward
- Three display sides
- Rotates easily
- Converts to display stand for packaged products using interchangeable hooks to replace some or all pockets

Présentoir de broches d'acier

- Panier haut pour garder les feuilles droites
- Présentoir 3 côtés
- Tourne facilement
- Convertis le présentoir pour les produits en utilisant les crochets interchangeables pour remplacer les brochures



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

email: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST. GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

email: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 1

Display Packaged CARGO CONTROL

LIST PRICE – EFFECTIVE SEPTEMBER 11, 2023

START-UP
KIT
QUANTITIES



NYLON WEBBING - VINYL COATED HOOKS

US DOLLARS

ITEM #	PACKAGE	SIZE	DESCRIPTION	WLL	LIST PRICE	
650000	4 Pack Combo	2 – 1"x10' 2 – 1"x6'	Ratchet Cam	400 # 200 #	8.88	3
650001	4 Pack	4 – 1"x15'	Ratchet	400 #	13.60	4
650002	4 Pack	4 – 1"x6'	Cam	200 #	7.39	3
650003	4 Pack	4 – 1"x10'	Ratchet	300 #	12.45	2
650004	4 Pack	4 – 1"x15'	Ratchet with Rubber Handle	700 #	18.48	4
650005	4 Pack Combo	2 - 1"x6' 2 - 1"x10'	Cam - Camouflage Cam – Camouflage	200 # 200 #	8.92	3
650020	2 Pack	2 – 1"x15'	Ratchet	400 #	7.05	5
650021	2 Pack	2 – 1"x6'	Cam	200 #	4.03	3
650022	2 Pack	2 – 1"x10'	Ratchet	300 #	6.50	2
650023	2 Pack	2 – 1.5"x15'	Ratchet with Rubber Handle	1000 #	18.7	6
650024	2 Pack	2 – 1"x15'	Ratchet with Rubber Handle	700 #	9.21	3
650025	2 Pack	2 – 1"x15'	Ratchet - Rubber Handle - Camouflage	400 #	10.15	3
650040	Single Pack	1 - 1.5"x15'	Ratchet with Rubber Handle	700 #	10.07	6
650041	Single Pack	1 – 1"x15'	Ratchet	400 #	3.65	4
650042	Single Pack	1 – 1"x10'	Cam	200 #	2.72	4
650051	Single Bag	1 – 2"x 15'	Tow Strap		8.84	2
650053	10 Pack - 2 ea.	13", 18", 24", 30" 36"	Bungee Assortment		4.42	6
650054	6 Pack - 2 each	9", 15", 21"	Rubber Tie Down Assortment		5.86	8

One Free Display Stand
with the order of one
or more starter kits

930100 - **Display Stand**
650027 - **Start up Kit**

Display Stand Only

ITEM #	DESCRIPTION	LIST PRICE
930100	DISPLAY STAND complete with hooks for packaged items	161.50
930096	LITERATURE HOLDER small (1-1/2) pocket for 8.7 x 11 sheets (as shown above)	2.80
930098	LITERATURE HOLDER deep (2-1/2) pocket for 8.7 x 11 sheets	3.35



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 2

CARGO CONTROL EQUIPMENT

LIST PRICE - EFFECTIVE SEPTEMBER 11, 2023

1" RATCHET STRAPS



ITEM #	DESCRIPTION	US DOLLARS LIST PRICE
649012	Ratchet w/ 1"x12' Bar Hook Strap 3000 lb. M.B.S	9.30
649016	Ratchet w/ 1"x16' Bar Hook Strap 3000 lb. M.B.S.	1092



2" RATCHET STRAPS

BAR HOOK

FLAT HOOK

GRAB & CHAIN

ITEM #	DESCRIPTION	LIST PRICE
649025 / 649026	Long Wide Handle Ratchet c/w 2" x 25' Bar Hook Strap	26.85
649025 / 649027	Long Wide Handle Ratchet c/w 2" x 30' Bar Hook Strap	28.36
649025	Long Wide Handle Ratchet c/w Bar Hook Short Section Only	13.17
649035 / 649036	Long Wide Handle Ratchet c/w 2" x 25' Flat Hook Strap	26.85
649035 / 649037	Long Wide Handle Ratchet c/w 2" x 30' Flat Hook Strap	28.35
649035	Long Wide Handle Ratchet c/w Flat Hook Short Section Only	13.17
649045 / 649046	Long Wide Handle Ratchet c/w 2" x 25' Chain End Strap	35.24
649045 / 649047	Long Wide Handle Ratchet c/w 2" x 30' Chain End Strap	36.46
649045	Long Wide Handle Ratchet c/w Chain End Short Section Only	14.96
649075	Ratchet 2 x 27 with Bar Hook	16.87
649077	Ratchet 2 x 27 with Flat Hook	18.84
649079	Ratchet 2 x 27 with Chain End	28.77

WINCH STRAPS

ITEM #	DESCRIPTION	US DOLLARS LIST PRICE
649026	2" X 25' Winch Strap - Bar Hook	13.68
649027	2" x 30' Winch Strap - Bar Hook	15.19
649036	2" x 25' Winch Strap - Flat Hook	13.68
649037	2" x 30' Winch Strap - Flat Hook	15.18
649046	2" x 25' Winch Strap - Chain End	20.28
649047	2" x 30' Winch Strap - Chain End	21.50
649102	3" x 30' Winch Strap - Bar Hook	18.81
649112	3" x 30' Winch Strap - Flat Hook	19.35
649117	3" x 30' Winch Strap - Chain End	24.73
649202	4" x 30' Winch Strap - Flat Hook	22.48
649222	4" x 30' Winch Strap - Chain End	33.33

WINCHES & ACCESSORIES

ITEM #	DESCRIPTION	LIST PRICE
649314	H. D. Large Frame Sliding Winch Only - no washers W.L.L. 6,000	28.22
649360	H. D. Small Frame Portable Winch W.L.L. 6,000	20.82
649313	H. D. Solid Barrel Small Winch - with washers W.L.L. 6,000	27.11
649315	H. D. Solid Barrel Winch - without washers	26.26
649305	6' Steel Winch Track	95.20
649306	H. D. Black Winch Bar	14.23

RUBBER TARP TIES

ITEM #	DESCRIPTION	LIST PRICE
649602	9" Stretch resistant, synthetic rubber strap with hooks	.96
649603	15" Stretch resistant, synthetic rubber strap with hooks	1.13
649604	21" Stretch resistant, synthetic rubber strap with hooks	1.36
649606	31" Stretch resistant, synthetic rubber strap with hooks	1.85
649607	41" Stretch resistant, synthetic rubber strap with hooks	2.00
649600	S Hook for tarp tie	.55



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice. Taxes extra



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 3

CHAIN ACCESSORIES

LIST PRICE - EFFECTIVE SEPTEMBER 11, 2023

CLEVIS SLIP HOOK - CARBON STEEL - GRADE 40


US DOLLARS

ITEM #	CHAIN		DIMENSIONS - INCHES					WEIGHT			Per 100	LIST PRICE
	SIZE	A	B	C	D	E	F	H	K	L		
604100	1/4	13/16	11/32	11/32	2-5/8	15/32	7/8	27/32	17/32	3-11/16	50 lb.	2.39
604167	5/16	7/8	13/32	13/32	3	1-3/32	1-1/16	15/16	19/32	4-3/16	80 "	2.59
604109	3/8	1	15/32	15/32	3-1/2	1-1/4	1-1/4	1-1/8	21/32	4-15/16	130 "	3.96
604113	1/2	13/16	5/8	5/8	4-5/8	1-3/4	1-5/8	1-21/32	7/8	6-5/8	275 "	9.54

FOR USE WITH GRADE 30, 43 & 50 CHAIN

CLEVIS SLIP HOOK - GRADE 70


ITEM #	SIZE	LIST PRICE
604099	1/4"	2.40
604169	5/16"	3.14
604106	3/8"	4.57
604118	1/2"	10.25



CLEVIS GRAB HOOK - CARBON STEEL - GRADE 40

ITEM #	CHAIN		DIMENSIONS - INCHES					WEIGHT/LB.	LIST PRICE
	SIZE	A	B	C	D	E	L		
604102	1/4	13/16	11/32	11/32	1-7/8	3/8	3-3/8	43	1.85
604103	5/16	1-1/16	13/32	13/32	2-1/4	9/16	3-29/32	76	2.42
604115	3/8	1-1/4	15/32	15/32	2-5/8	1/2	4-1/2	121	3.30
604116	1/2	1-5/8	19/32	5/8	3-1/4	21/32	5-9/16	220	6.82

FOR USE WITH GRADE 30, 43, & 50 CHAIN



CLEVIS GRAB HOOK - GRADE 70


ITEM #	CHAIN	W.L.L.	WEIGHT PER 100	DIMENSIONS - INCHES					LIST PRICE
	SIZE	LBS.		A	B	C	D	E	
604101	1/4	3,300							1.75
604168	5/16	4,700	85 lbs.	3-7/16	2-17/32	29/32	3/8	7/16	2.65
604110	3/8	6,600	138 "	3-15/16	2-15/64	1	1/2	1/2	3.13
604114	1/2	11,300	300 "	5-1/8	3-7/32	1-5/8	5/8	5/8	6.77

HEAT TREATED - FOR USE WITH GRADE 70, TRANSPORT 7, AND GRADE 43 CHAIN



CLEVIS SLIP HOOK - WITH LATCH

ITEM #	CHAIN SIZE	WEIGHT	LIST PRICE
604060	1/4	.60 lbs.	2.81
604062	5/16	.81 lbs.	3.82
604064	3/8	1.32 lbs.	5.25
604066	1/2	2.88 lbs	9.11



LATCH ASSEMBLY - FOR SLIP HOOK

ITEM #	CHAIN SIZE	WEIGHT/LB.	LIST PRICE
604061	1/4	.1	1.00
604063	5/16	.1	1.10
604065	3/8	.1	1.18
604067	1/2	.11	1.58





MINNESOTA OFFICE: 4469 292ND ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 4

CHAIN ACCESSORIES

LIST PRICE - EFFECTIVE SEPTEMBER 11, 2023

SCREW PIN ANCHOR SHACKLE - Hot Galvanized

US DOLLARS

ITEM #	SHACKLE SIZE	W.L.L. TONS	PIN DIA.	LENGTH INSIDE	WIDTH AT PIN	INSIDE AT BOW	OUTSIDE EYE DIA.	WT.EA. LB.	LIST PRICE
604164	3/16	1/3	1/4	7/8	3/8	11/16	9/16	.04	.87
604208	1/4	1/2	5/16	1-1/8	1/2	25/32	11/16	.11	1.05
604214	5/16	3/4	3/8	1-7/32	11/32	27/32	13/16	.19	1.61
604210	3/8	1	7/16	1-7/16	21/32	1-1/32	31/32	.31	1.89
604211	7/16	1-1/2	1/2	1-11/16	23/32	1-5/32	1-1/16	.44	2.77
604213	1/2	2	5/8	1-7/8	13/16	1-5/16	1-3/16	.77	2.90
604216	5/8	3-1/4	3/4	2-3/8	1-1/16	1-11/16	1-9/16	1.41	4.53
604219	3/4	4-3/4	7/8	2-13/16	1-1/4	2	1-7/8	2.25	6.69
604220	7/8	6-1/2	1	3-5/16	1-7/16	2-9/32	2-1/8	3.57	9.10
604221	1	8-1/2	1-1/8	3-3/4	1-11/16	2-11/16	2-3/8	5.07	14.10
604222	1-1/8	9-1/2	1-1/4	4-1/4	1-13/16	2-29/32	2-5/8	7.10	23.50
604224	1-1/4	12	1-3/8	4-11/16	2-1/32	3-1/4	3	10.15	34.23
604225	1-3/8	13-1/2	1-1/2	5-1/4	2-1/4	3-5/8	3-5/16	14.11	46.95
604226	1-1/2	17	1-5/8	5-3/4	2-3/8	3-7/8	3-5/8	17.64	58.56
604223	1-3/4"								110.35



Load Limit and size embossed on the shackle body. DO NOT EXCEED WORKING LOAD LIMIT

MID LINK - DOUBLE CLEVIS LINK - GRADE 70

ITEM #	LINK SIZE	W.L.L. LBS.	WEIGHT PER 100	LIST PRICE
604306	1/4-5/16	4,700	33	3.26
604310	3/8	6,600	45	3.96
604311	7/16-1/2	11,300	100	6.86
604316	5/8			9.20


WORKING LOAD LIMIT MUST NOT BE EXCEEDED.



MALLEABLE CABLE CLAMP - (WCG)-HOT GALVANIZED

HEAT TREATED. TEMPERED. BRIGHT

ITEM #	For Rope		Dimensions - Inches			LIST PRICE
	DIA.	Weight PER 100	A	B	C	
503418	1/8	4 Lbs.				.16
503419	3/16	11	1	19/32	3/8	.24
503420	1/4	17	1-7/32	13/16	13/16	.36
503421	5/16	19	1-7/32	13/16	7/8	.38
503422	3/8	26	1-9/16	7/8	15/16	.61
503423	1/2	42	2	1-1/16	1-1/16	1.00
503424	5/8	64	2-5/16	1-3/16	1-5/16	1.17
503425	3/4	100	2-9/16	1-3/8	1-9/16	2.00
503427	7/8	131	3-1/16	1-1/2	1-7/8	2.80
503428	1	172	3-7/16	1-3/4	2	3.29
503429	1-1/8	250				



WIRE ROPE THIMBLE - ZINC

ITEM	FOR ROPE DIA.	WEIGHT /100 LBS.	LENGTH INCHES	LIST PRICE
604318	1/8"			.16
604319	3/16	1.2	1-1/2	.17
604320	1/4	1.9	1-9/16	.18
604322	5/16	2.7	1-7/8	.23
604324	3/8	6.8	2-5/8	.27
604326	1/2	12.5	3	.38





MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 5

CHAIN ACCESSORIES

LIST PRICE - EFFECTIVE SEPTEMBER 11, 2023

D-RING - SELF COLOUR, WITH WELD-ON STRAP

			US DOLLARS
ITEM	DIA.	MAX BREAKING STRENGTH	LIST PRICE
649626	1/2"	12,000 lb.	3.91
649632	5/8"	18,390 lb.	5.90
649636	3/4"	26,500 lb.	9.18
649638	1"	46,760 lb.	15.30
649645	1" long bent	46,760 lb.	15.72
649646	1" short	46,760 lb.	15.13



SNAP LINK - ZINC PLATED - BULK

ITEM	SIZE	LIST PRICE
605172	3/16" Snap Link	.31
605173	1/4" Snap Link	.40
605174	5/16" Snap Link	.56
605178	3/8" Snap Link	1.00
605177	7/16" Snap Link	1.53
605181	1/2" Snap Link	1.95



LAP REPAIR LINK CONNECTOR

LINK		W.L.L.	WEIGHT	LIST
ITEM #	SIZE	LB.	PER 100/LB.	PRICE
503704	3/16x1	200	4	.28
503706	1/4 x1-1/4	300	8	.48
503708	5/16x1-1/2	500	14	.85
503710	3/8 x1-5/8	825	25	1.15
503713	1/2 x 2-1/2	2,000		2.65



DO NOT EXCEED WORKING LOAD LIMIT

QUICK LINK

LINK		W.L.L.	WEIGHT	LIST
ITEM #	SIZE	LBS.	PER 100/LB.	PRICE
503402	1/8	220	3	.35
503404	3/16	610	5	.45
503406	1/4	880	7	.56
503408	5/16	1,540	16	.85
503410	3/8	1,980	22	1.34
503411	1/2	3,300	51	2.45

Use with chain of equal or lower Load Limit.



DO NOT EXCEED WORKING LOAD LIMIT

COLD SHUT

LINK		W.L.L.	WEIGHT	LIST
ITEM #	SIZE	LBS.	PER 100/LB.	PRICE
503604	3/16	340	3	.39
503606	1/4	750	6	.52
503608	5/16	1,250	10	.78
503610	3/8	1,900	10	.83
503611	7/16	2,650	27	1.12
503613	1/2	4,090	38	1.86



It is recommended that the next larger size cold shut be used than the diameter of the grade 30 chain.

DO NOT EXCEED WORKING LOAD LIMIT



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 6

WALCO SAFETY CHAIN

LIST PRICE EFFECTIVE SEPTEMBER 11, 2023



SAFETY CHAIN meets ASAE specification and MTO regulation 618 section 5, subsection 1 & 2. Latch type SLIP HOOKS ensure a secure hook up. Finish is zinc plated. Each assembly comes with identification tag.

US DOLLARS

ITEM #	DESCRIPTION	LIST PRICE
604420	1/4 G-7 x 5' c/w 2 1/4 G-7 Clevis Slip Hook w/Latch (Rated 10,000 lb.) Per Foot Adder	25.48 2.05
604440	5/16 G-7 x 5' c/w 2 5/16 G-7 Clevis Slip Hooks w/Latch (Rated 15,000 lb.) Per Foot Adder	31.40 2.31
604460	3/8 G-7 x 5' c/w 2 3/8 G-7 Clevis Slip Hooks w/Latch (Rated 20,000 lb.) Per Foot Adder	37.82 3.20



ITEM #	DESCRIPTION - GRADE 70 - CLEVIS LINK & SLIP HOOKS W/LATCH	LIST PRICE
604449	5/16" x 5' Chain Assembly	32.13

AGRICULTURAL SAFETY CHAIN



SAFETY CHAIN meets ASAE specification and MTO 489 regulations. Latch type Grab Hook ensures a secure hook up. Each assembly comes with identification tag. Finish is bright zinc plated

ITEM #	SAFETY CHAIN ASSEMBLY	RATED	LIST PRICE
651027	1/4" Gr. 70 - 5' reach	10,000 lb.	29.11
651030	5/16" Gr. 70 - 5' reach	15,000 lb.	32.50
651028	3/8" Gr. 70 - 5' reach	20,000 lb.	40.45
651029	1/2" Gr. 70 - 5' reach	33,000 lb.	58.25

AVAILABLE IN VARIOUS LENGTHS

SAFETY CHAIN Gr. 30

ITEM #	SAFETY CHAIN ASSEMBLY	LIST PRICE
604431	1/4" X 34" w/S Hook and Safety Latch	6.88



CLEVIS LINK Gr. 70

ITEM #	SIZE	WEIGHT	LIST
604071	1/4" - 5/16"	1.2 lb.	5.15
604072	3/8"	1.6 lb.	5.86
604073	1/2"	1.9 lb.	8.71



ITEM #	LATCH TYPE GRAB HOOK	LIST PRICE
698024	1/4" Gr. 70 hook w/latch 10,000 lb. rated	3.71
698022	5/16" Gr. 70 hook w/latch 15,000 lb.	4.60
698025	3/8" Gr. 70 hook w/latch 20,000 lb.	6.05
698026	1/2" Gr. 70 hook w/latch 33,000 lb.	9.77





MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 7

CHAIN ASSEMBLIES

LIST PRICE – EFFECTIVE SEPTEMBER 11, 2023



US DOLLARS

ITEM #	G-7 TIE DOWN CHAIN - 3150 LBS. RATED W.L.L.	LIST PRICE
601068	1/4 Gr. 70 x 12' c/w Grab Hook each end	32.38
601069	1/4 Gr. 70 x 16' c/w Grab Hook each end	35.95
601070	1/4 Gr. 70 x 20' c/w Grab Hook each end	41.05

ITEM #	G-7 TIE DOWN CHAIN - 4700 LBS. RATED W.L.L.	LIST PRICE
601087	5/16 Gr. 70 x 12' c/w Grab Hook each end	38.10
601088	5/16 Gr. 70 x 16' c/w Grab Hook each end	40.41
601089	5/16 Gr. 70 x 20' c/w Grab Hook each end	44.62
601090	5/16 Gr. 70 x 25' c/w Grab Hook each end	64.98

ITEM #	G-7 TIE DOWN CHAIN - 6600 LBS. RATED W.L.L.	LIST PRICE
601112	3/8 Gr. 70 x 12' c/w Grab Hook each end	48.28
601105	3/8 Gr. 70 x 16' c/w Grab Hook each end	54.90
601114	3/8 Gr. 70 x 20' c/w Grab Hook each end	66.15
601113	3/8 Gr. 70 x 25' c/w Grab Hook each end	68.22



ITEM #	LOGGING CHOKER	LIST PRICE
605321	5/16" x 60" Choker Chain with Hook & Rod	20.31
605322	5/16" x 72" Choker Chain with Hook & Rod	23.46
605304	5/16" x 90" Choker Chain with Hook & Rod	30.26
605497	1/4" x 60" Choker Chain with Hook & Rod	18.70
605498	1/4" x 72" Choker Chain with Hook & Rod	22.22
605499	1/4" x 90" Choker Chain with Hook & Rod	27.80
604090	Choker only	12.28

ITEM #	LOAD BINDERS	LIST PRICE
604128	Standard Load Binder (1/4 - 5/16 G-7)	17.17
604132	Standard Load Binder (5/16 - 3/8 G-7)	25.07
604140	Standard Load Binder (3/8 - 1/2 G-7)	40.37
604160	Safety Load Binder (5/16 - 3/8 G 7)	32.75
604161	5/16 - 3/8 Ratchet Load Binder	29.08
604162	3/8 - 1/2 Ratchet Load Binder	41.23
604163	1/2 - 5/8 Ratchet Load binder	54.48

649635	Yellow Binder Lock	4.05
--------	--------------------	------



Standard



Safety



Ratchet



Binder Lock



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 8

WELDED CHAIN

LIST PRICE – EFFECTIVE SEPTEMBER 11, 2023



US DOLLARS

GRADE 70 TRANSPORT (GOLD)

BARREL LOTS

METRIC SIZE	IMP. SIZE	WIRE DIA.	FT. PER DRUM	WEIGHT PER 100'	W.L.L. /LB.	ITEM #	LIST/FT.
7.7	1/4	.281	800	75	3150	601027	1.70
8.5	5/16	.343	550	113	4700	601028	2.18
10.0	3/8	.394	400	152	6600	601029	2.67
12.7	1/2	.500	200	240	11300	601030	5.05

GRADE 70 TRANSPORT (GOLD)

PER PAIL

SIZE	FT. PER PAIL	ITEM #	LIST PRICE
1/4	150	601006	296.95
5/16	135	601009	340.45
3/8	100	601011	368.47
1/2	50	601014	291.89

NOTE: 20 % Surcharge for less than pail quantities.



GRADE 80 - ALLOY CHAIN – SUITABLE FOR OVERHEAD LIFTING

ITEM #	CHAIN SIZE IN.	MM	INSIDE LENGTH	INSIDE WIDTH	LINKS PER FT.	WT. PER 100' /LB.	WLL LB.	PRICE PER /FT.
602005	7/32	5.6				42	2,100	4.62
602030	9/32	7	.870	.395	14	71	3,500	3.65
602032	3/8	10	1.223	.575	10	144	7,100	4.57
602033	1/2	13	1.401	.720	7-3/4	236	12,000	7.21
602034	5/8	16	1.734	.853	6-1/4	380	18,000	11.00
602035	3/4"							18.40



GRADE 40 HI-TEST CHAIN - REGULAR LINK BARREL LOTS

SIZE	WIRE DIA.	FT. PER DRUM	WEIGHT PER 100'	SELF COLOUR ITEM #	LIST/FT.
1/4	.278	900	62	600050	1.50
5/16	.334	550	104	600051	2.06
3/8	.394	400	145	600049	2.39

GRADE 30 PROOF COIL - REGULAR LINK

BARREL LOTS

Metric SIZE	Imperial Wire SIZE	DIA.	Weight /100'	Feet /DRUM	LIST PRICE/FT.	SELF COLOUR ITEM #	LIST PRICE/FT.	ZINC ITEM #
4.8	3/16	.188	29	1600	.58	600125	.58	600126
6.5	1/4	.250	52	900	.85	600127	.85	600128
8.0	5/16	.312	86	600	1.19	600008	1.19	600130
9.5	3/8	.375	125	400	1.82	600010	1.82	600132
12.4	1/2	.500	224	250	2.28	600013	2.28	600041

NOTE: 20 % Surcharge for less than pail quantities

GRADE 30 PROOF COIL CHAIN

SIZE	WIRE DIA.	FT. PER PAIL	ITEM #	SELF COLOUR	ITEM #	ZINC
3/16	.188	400	600025	249.00	600029	301.00
1/4	.250	200	600026	195.50	600030	218.00
5/16	.312	138	600027	187.85	600031	202.00
3/8	.375	100	600028	189.55	600080	246.00



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 9

CHAIN REELS

LIST PRICE - EFFECTIVE SEPTEMBER 11, 2023

US DOLLARS

TWIN LOOP CHAIN



SIZE	ITEM #	WIRE DIA.	FINISH	WEIGHT PER / FT.	CHAIN LENGTH	LIST PRICE/FT.
No. 4	600276		Zinc		250'	61.63
No. 3	600275	.080	Zinc	.45 lb.	150'	27.15
No. 2 / 0	605035	.135	Zinc	.12 lb.	125'	48.05
No. 1 / 0	605036	.120	Zinc	.14 lb.	100'	27.10
No. 3 / 0	605040		Zinc		100'	28.95

TWIN LOOP CHAIN - BULK



						PER FOOT
No. 3	600274	.080	Zinc	.45 lb.		.18
No. 2 / 0	605039	.135	Zinc	.12 lb.		.36
No. 1 / 0	605038	.120	Zinc	.14 lb.		.26

MACHINE TWIST LINK



						LIST/REEL
No. 4	605003	.125	Zinc	.14 lb.	100'	41.10
No. 3	600003	.136	Zinc		100'	51.20
No. 2 / 0	600002		Zinc	.32 lb.	75'	63.64

MACHINE STRAIGHT LINK



						LIST/REEL
No. 2	600101		Zinc		125'	66.00

STEEL SASH CHAIN



						LIST/REEL
No. 8	605010		Zinc	.45 lb.	100	36.96
No.35	605011		Zinc	.8 lb.	100'	33.46
No. 45	605012		Zinc	.11 lb.	100	38.72

SINGLE JACK CHAIN



						LIST/REEL
No. 8	605053		Zin	.21 lb.	100'	39.08
No. 10	605050		Zinc		100'	32.91
No. 12	605054		Zinc	.10 lb.	100'	28.75
No. 16	605057		Zinc		100'	26.13

PASSING LINK CHAIN



						LIST/FT
No. 2 / 0	605120		Zin	.31 lb.	100'	.711

WIRE ROPE REELS

ITEM #	DIAMETER	DESCRIPTION	FEET / REEL	LIST / REEL
605540	1/8"	Galvanized 7 x 19	250'	33.78
605541	3/16"	Galvanized 7 x 19	250'	51.85
605542	1/4"	Galvanized 7 x 19	250'	72.07
605543	5/16"	Galvanized 7 x 19	250'	100.95
605544	3/8	Galvanized 7 x 19	250'	146.20
605551	3/16	Galvanized 7 x 19	1000'	207.40
605552	1/4"	Galvanized 7 x 19	1000'	272.95
605550	5/16	Galvanized 7 x 19	1000'	395.25
605553	3/8	Galvanized 7 x 19	1000'	556.75
605547	1/16"	Galvanized 7x7	250'	16.15
605546	3/32"	Galvanized 7x7	250'	17.85
605545	1/8"	Galvanized 7x7	250'	24.56
605571	1/16"	Galvanized 7x7	500'	32.30
605570	3/32	Galvanized 7x19	500'	35.70
605575	3/16"	Galvanized 7 x 19 Clear Coated to 1/4"	250'	55.44
605576	3/32"	Galvanized 7 x 7 Clear Coated to 1/8"	250'	21.46
605577	1/8"	Galvanized 7 x 7 Clear Coated to 3/16"	250'	34.72



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice. Taxes extra



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

PAGE 10

LIST PRICE - EFFECTIVE SEPTEMBER 11, 2023

AIRCRAFT CABLE - GALVANIZED

7 X 7 CONSTRUCTION

US DOLLARS

ITEM #	DIAMETER	NOM/BS/LBS	WEIGHT/LBS/1000 FT	LIST PRICE/FT
605220	1/16"	480	7.5	.057
605221	3/32"	920	16.0	.067
605222	1/8"	1,700	28.5	.090
605223	3/16"	3,700	66.0	.114

7 X 19 CONSTRUCTION

ITEM #	DIAMETER	NOM/BS/LBS	WEIGHT/LBS/1000 FT	LIST PRICE/FT
605205	1/8"	2,000	29	.109
605204	3/16"	4,200	65	.187
605207 **	1/4"	7,000	110	.266
605208	5/16"	9,800	173	.396
605211 **	3/8"	14,400	243	.581
605212 **	1/2"	19,140	440	.956

Note: Available on 2500' reels.

7 X 7 CONSTRUCTION - COATED - CLEAR PVC

ITEM #	DIAMETER	NOM/BS/LBS	WEIGHT/LBS/1000 FT	LIST PRICE/FT
605202	1/8" 3/16"	1700	37	.127

AIRCRAFT CABLE - STAINLESS STEEL

Not intended for use in aircraft applications.
Designed for industrial and marine use only

7 X 19 CONSTRUCTION

ITEM #	DIAMETER	NOM/BS/LBS	WEIGHT/LBS/1000 FT	LIST PRICE/FT
605230	1/8"	1,760	29	.297
605231	3/16"	3,700	65	.374
605232	1/4"	6,400	110	.680
605233	5/16"	9,000	173	.833
605235	3/8"	12,00	243	1.44

1 X 19 CONSTRUCTION

ITEM #	DIAMETER	NOM/BS/LBS	WEIGHT/LBS/1000 FT	LIST PRICE/FT
605239	1/4"	8200	110	.918

Priced for reel quantities. \$7.00 charge applies for all quantities less than 5,000 feet.

Note: 5,000 feet per reel unless noted above.

WIRE ROPE

6 x 19 CLASSIFICATION - FIBER CORE- BRIGHT

ITEM #	DIAMETER	IPS/BS/TONS	WEIGHT/LBS/FT	LIST PRICE/FT
605250	3/8"	6	.23	.51
605264	1/2"	11	.40	.731


6 X 19 CLASSIFICATION - IWRC

ITEM #	DIAMETER	ISP/BS/TONS	WEIGHT/LBS/FT	LIST PRICE/FT
605252	3/8"	6.4	.25	Call for Price
605263	1/2"	11.8	.44	.765

Note: Priced for reel quantities. \$7.00 per reel charge applies for all quantities less than 5,000 feet

SWAGE SLEEVES - ALUMINUM

ITEM #	CABLE DIAMETER	TYPE	LIST PRICE/FT
604360	1/16"	Oval	.084
604363	1/16"	Stop	.074
604362	3/32"	Oval	.084
604375	3/32"	Stop	.084
604367	1/8"	Oval	.102
604365	1/8"	Stop	.102



ITEM #	CABLE DIAMETER	TYPE	LIST PRICE/FT
604366	3/16"	Oval	.204
604364	3/16"	Stop	.138
604368	3/16"	Spools	.351
604369	1/4"	Oval	.305
604376	1/4"	Stop	.503
604370	5/16"	Oval	.359
604371	3/8"	Oval	.51



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION



EXTRA PAGE 1

Components Secured on Display Cards

LIST PRICE EFFECTIVE JUNE 10/23

USA \$

ITEM #	PACKAGE	SIZE "	DESCRIPTION	LIST PRICE
770007	1	1/4	Grab Hook yellow zinc	2.05
770006	1	5/16	Grab Hook yellow zinc	2.60
770008	1	3/8	Grab hook yellow zinc	3.60
770010	1	1/4	Slip Hook yellow zinc	3.06
770015	1	5/16	Slip Hook yellow zinc	3.87
770009	1	3/8	Slip Hook yellow zinc	5.05
770022	1	3/8	Double Clevis Link zinc	4.30
770023	1	1/4 – 5/16	Double Clevis Link zinc	2.10

Components Heat Sealed on Display Cards

ITEM #	PACKAGE	SIZE "	DESCRIPTION	LIST PRICE
770017	2 pk.	1/4 x 1	Repair Link zinc	.90
770018	2 pk.	5/16	Repair Link zinc	1.58
770030	1	5/16	Quick Link zinc	1.04
770031	1	1/2	Quick Link zinc	2.85
770014	1	3/16	Anchor Shackle galvanized	1.10
770020	1	1/4	Anchor Shackle galvanized	1.15
770011	1	5/16	Anchor Shackle galvanized	1.50
770019	1	3/8	Anchor Shackle galvanized	1.80
770021	1	1/2	Anchor Shackle galvanized	3.38
770001	2 pk.	1/8	Wire Rope Clip zinc	.60
770004	2 pk.	3/16	Wire Rope Clip zinc	.80
770049	2 pk.	5/16	Wire Rope Clip zinc	.90
770003	2 pk.	3/16	Wire Rope Thimble zinc	.68
770005	2 pk.	1/8	Wire Rope Thimble zinc	.67
770048	4 pk.	1/4	Clamp Set zinc	1.40
770002	4 pk.	5/16	Clamp Set zinc	1.60
770024	2 pk.	1/8	Ferrule & Stop Set aluminum	.72
770025	2 pk.	3/16	Ferrule & Stop Set aluminum	.82
770026	2 pk.	1/16	Ferrule & Stop Set aluminum	.60
770027	2 pk.	3/32	Ferrule & Stop Set aluminum	.64



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

U

EXTRA PAGE 2



Components Heat Sealed on Display Cards

LIST PRICE EFFECTIVE JUNE 1/23

USA \$

ITEM #	PACKAGE	SIZE "	DESCRIPTION		LIST PRICE
770036	8pc.	Asst. box 2-1/2" max.	Screw eyes	zinc	1.30
770034	2 pk.	1 x 3-1/2	Screw Eye	zinc	.90
770035	2 pk.	3/4 x 3	Screw Eye	zinc	.80
770028	1	2	Hitching Ring		1.20
770037	2 pk.	4	Utility Hook	zinc	1.45
770046	1	1/4	Eye & Eye Swivel	galvanized	2.92
770047	1	5/16	Eye & Eye Swivel	galvanized	3.85
770012	1	1 x 4-1/4	Swivel Bolt Snap	nickel	1.98
770013	1	3/8 x 2	Swivel Spring Snap	nickel	.80
770016	1	3/4 x 3-1/8	Swivel Quick Snap	nickel	1.70
770042	1	1/4 x 2-3/8	Spring Link	zinc	.76
770043	1	5/16 x 3-1/4	Spring Link	zinc	1.05
770044	1	3/8 x 3-1/2	Spring Link	zinc	1.48
770039	1	1/2 x 5-1/2	Spring Link	zinc	2.20
770040	4 pk.	Asst.	Spring Links		2.16
770038	1	9/16 x 4	Fixed Snap Hook	zinc	1.35
770029	1	1-1/4	Swivel Pulley	nickel	2.45
770033	1	5-1/8	Rope Hook	zinc	.86



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436


SECTION



PAGE 1

S-TINES LIST PRICE - EFFECTIVE JANUARY 1, 2024 US DOLLARS


ITEM #	DESCRIPTION	LIST PRICE
200001	3210560 Standard S-Tine 32 x 10 x 560	12.00
200002	3212560 Heavy Duty S-Tine 32 x 12 x 560	14.00
200003	3212660 High Clearance S-Tine 32 x 12 x 660	26.00
200004	4512660 Heavy High Clearance 45 x 12 x 660	32.00



STANDARD S-TINE
ORDER #3210560
Specifications
10 mm - .394"
32 mm - 1.25"
342 mm - 13.46"
560 mm - 22.00"
Weight: 2.7 kg - 5.95 lbs.

POINTS


200005	4062090 Reversible 42 x 209 x 6 1/4"	2.15
200025	6063716 Reversible 60 x 260 x 6mm 1/4", 7/16 hole	5.00
200039	302005 Duck foot Point 2-3/4 x 4mm 10mm hole	4.60
200040	302025 Duck foot Point 2-3/4 x 6mm 10mm hole	9.00



HEAVY DUTY TINE
ORDER #3212560
Specifications
12 mm - .472"
32 mm - 1.25"
342 mm - 13.46"
560 mm - 22.00"
Weight: 3.42 kg - 7.14 lbs.

SWEEPS

200009	4006100 Sweep, 4" x 6mm x 1/4"	7.26
--------	--------------------------------	------



HIGH CLEARANCE TINE
ORDER #3212660
Specifications
12 mm - .472"
32 mm - 1.25"
442 mm - 17.40"
660 mm - 26.00"
Weight: 4.0 kg - 8.81 lbs.

CLAMPS

200014	1002020 Clamp, 2 x 2 for standard tine	2.08
200016	1022020 Clamp, 2 x 2 for heavy 45x12 tine	3.80
200019	1042525 Clamp, 2-1/2 x 2-1/2 for 45x12 tine	5.40
200018	100202 Clamp 12mm 2 x 2	3.15

BOLTS

200011	1003800 Bolt and Nut, 10 x 38 mm	.58
200012	1004500 Bolt and Nut, 10 x 45 mm	.63
200029	Bolt and Nut, 7/16 x 3/8 x 1-3/4	.30



PLOW BOLTS GR 5 #3 - w/Nuts

ITEM #	SIZE	LIST / 50 BOX
209901	3/8 x 1	\$ 10.20
209902	3/8 x 1-1/4	\$ 11.22
209903	3/8 x 1-1/2	\$ 11.24
209904	3/8 x 1-3/4	\$ 13.26
209905	3/8 x 2	\$ 15.31
209910	7/16 x 1-1/4	\$ 13.27
209911	7/16 x 1-1/2	\$ 15.20
209912	7/16 x 1-3/4	\$ 16.70
209913	7/16 x 2	\$ 18.50
209914	7/16 x 2-1/4	\$ 20.50
209915	7/16 x 2-1/2	\$ 21.10
209916	7/16 x 3	\$ 25.10

ITEM #	SIZE	LIST / 25 BOX
209920	1/2 x 1-1/4	\$ 9.38
209921	1/2 x 1-1/2	\$ 10.41
209922	1/2 x 1-3/4	\$ 11.46
209923	1/2 x 2	\$ 12.51
209924	1/2 x 2-1/4	\$ 13.55
209925	1/2 x 2-1/2	\$ 14.60
209926	1/2 x 3	\$ 17.710

PLOW BOLT CLIPPED HEAD - w/Nuts

ITEM #	LIST PRICE
208063 3/8 x 1-1/4	\$.26
208065 7/16 x 1-1/4	\$.32

PLOW BOLTS GR 5 - Oversized head - NO Nut

ITEM #	HEAD	BODY	LENGTH	LIST / 50 BOX
209930	7/16	3/8	1-1/4	\$ 19.40
209932	7/16	3/8	1-3/4	\$ 17.35
209940	1/2	7/16	1-3/4	\$ 23.46
209941	1/2	7/16	2	\$ 24.48
209942	1/2	7/16	2-1/4	\$ 26.52
209943	1/2	7/16	2-1/2	\$ 30.61



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

W

PAGE 1

HITCH ACCESSORIES

EFFECTIVE SEPTEMBER 1, 2023


HITCH BALLS (FORGED AND CHROME PLATED) HIGH QUALITY - LOAD RATED

ITEM #	VESC CLASS	MAX. LOAD	BALL SIZE	THREAD DIA.	STUD LENGTH	US DOLLARS LIST PRICE
385401	I	2000	1-7/8	3/4	1-3/4	7.35
385402	II	3500	2	3/4	1-3/4	8.20
385403	III	5000	2	1	2-1/8	8.65
385404	IIII	7500	2-5/16	1-1/4	2-1/8	13.80



ANCHOR POINTS (FOR PICK UP TRUCKS)

ITEM #	TYPE	FINISH	LIST PRICE
381001	Eyebolt	Zinc Plated	1.80
381002	Decorative	Chrome Plated	4.05



HITCH PINS (PLASTIC COATED)

ITEM #	DIA.	USABLE LENGTH	LIST
384501	1/2	3-5/8	3.70
384502	5/8	4	3.85
384503	5/8	5-1/2	4.80
384504	3/4	4	4.75
384505	3/4	6-1/2	5.55
384506	7/8	6-1/2	7.40
384507	1	7-1/2	9.55
384508	1-1/8	8-1/2	13.15
384509	1-1/4	8-1/2	16.35
384510	1-1/2	8-1/2	20.90

Made of high tensile steel.
One-piece forged pin
w/ extra large head.
Welded,
red plastic-coated handle.
Baked black painted
finish on pin.
Includes pin.
Heat treated to 28
35 rockwell.



HITCH PINS (DROP FORGED)

ITEM #	DIA.	USABLE LENGTH	LIST
384604	3/4	4	4.40
384607	5/8	6	3.95
384608	3/4	6-1/4	5.36
384609	7/8	6-1/2	6.35
384610	1	6-3/4	8.40
384611	1-1/8	7	11.40
384612	1-1/4	7	11.85

Forged from high tensile steel.
One piece, drop forged pin
painted and baked bright red.
Zinc plated spring
Wire handle.
Includes hair pin
Heat-treated to 28, 35 rockwell



HITCH PINS

HITCH PINS				WITH CHAIN	
ITEM #		USABLE	LIST	ITEM #	LIST
/CLIP	DIA.	LENGTH	PRICE	/CHAIN	PRICE
384701	1/2	4-1/4	2.40	384801	3.45
384702	5/8	4-1/4	2.80	384802	3.45
384703	5/8	6-1/4	3.45	384803	5.35
384704	3/4	4-1/4	3.75	384804	5.15
384705	3/4	6-1/4	4.40		
384706	7/8	4-1/4	5.10	384806	5.85
384707	7/8	6-1/4	5.35	384807	6.10
384708	1	4-1/4	5.85		
384709	1	6-1/4	6.45		

Forged 1040 steel.
Zinc plated, pin
Spring wire handle.
Includes Hair clip cotter pin.



HITCH PINS WITH LOCK HANDLE

ITEM #	PIN DIA.	COLLAR DIA.	USABLE LENGTH	LIST PRICE
387120	.50"	1"	4.25"	3.35
387121	.62"	1.13"	4.25"	4.40
387122	.75"	1.25"	4.25"	5.20
387123	.75"	1.25"	6.25"	5.70
387124	.87"	1.38"	6.25"	6.90
387125	1"	1.50"	6.25"	8.65

Made of 1040 Steel
Zinc plated



HITCH PINS (BENT)

ITEM #	DIA.	LENGTH	PRICE
385001	1/2	3	1.25
385002	5/8	3	1.85
385003	3/4	3-1/2	2.75

One-piece pin,
high carbon steel
Zinc plated. Includes clip.



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION


W

PAGE 2

LYNCH PINS


PRICE EFFECTIVE SEPTEMBER 1, 2023

ITEM #	A		B		C		US DOLLARS
	IN.	MM.	IN.	MM.	IN.	MM.	LIST PRICE
385501	3/16	4	1-1/8	28	13/8	35	.17
385502	1/4	6	1-7/16	36.5	1-3/4	44.5	.24
385503	5/16	8	1-7/16	36.5	1-3/4	44.5	.34
385505	3/8				1-3/4		.35
385507	7/16	11	1-13/32	36	1-3/4	44.5	.40
385508	7/16	11	1-17/16	36.5	2	51	.51
WITH HEAVY DUTY RING							
385510	7/16	11	1-13/32	36	1-3/4	44.5	.68




HAIR CLIP COTTER

ITEM #	A				PIN SIZE		B		LIST PRICE
	in.	mm	in.	mm	in.	mm	in.	mm	
383502	3/32	2.4	5/16-1/2	8-12	1-11/16	43			.12
383503	1/8	3	3/8-11/16	10-18	2-1/2	64			.14
383504	5/32	4	1/2-7/8	12-22	3	76			.25
383506	13/64	5	5/8-1-1/16	16-27	4	100			.49
383507	1/4	6	3/4-1-1/4	19-32	4-1/2	110			.80
383508	9/32	7	1-1-1/2	25-28	6	152			1.10



SAFETY PINS

ITEM #	LENGHT-A	LENGHT-B	WIDTH -C	LIST PRICE
387301	1-9/16"	1-5/16"	3/8"	.46
387302	1-3/4"	1-1/16"	3/8"	.52
387303	2-3/4"	1-11/16"	5/8"	.65
387304	4-3/8"	2-13/16"	13/16"	1.20
387305	5-3/4"	3-3/4"	1-1/8"	1.30




SNAPPER PINS

ITEM #	SIZE	SHAPE	LIST PRICE
387104	1/4 x 1-3/8	Round	.53
387105	1/4 x 1-3/4	Round	.49
387115	1/4 x 2-1/2	Square	.54
387114	1/4 x 2-1/2	Round	.50
387106	1/4 X 2-3/4	Round	.50
387112	1/4 X 2-3/4	Square	.50
387108	5/16 X 2-1/4	Round	.53
387109	5/16 X 2-1/4	Square	.56
387110	3/8 X 2-1/4	Round	.63
387113	3/8 X 2-1/2	Square	.75
387103	1/4 x 3-1/2	Round	.56



LIFT ARM PINS

ITEM #	CAT.	TYPE	USABLE	PIN DIA.	THREAD DIA.	OVERALL	LIST PRICE
386001	0	Adj.	Adj.	5/8	5/8	4	2.10
386002	1	Adj.	Adj.	7/8	7/8	5-5/16	3.82
386003	1	Forged	1-3/4	7/8	7/8	5-1/2	5.00
386006	1 to 2	Adj.	Adj.	1-1/8	7/8	5-3/16	5.60
386007	1 to 2	Forged	1-3/4	1-1/8	7/8	5-1/4	5.75
386009	2 to 1	Forged	1-3/4	7/8	1-1/8	5-3/4	8.85
386010	1 & 2	Forged	2-1/16	7/8&1-1/8	1	8	9.44
386011	2	Adj.	Adj.	1-1/8	1-1/8	6-1/4	7.45
386012	2	Forged	1-3/4	1-1/8	1-1/8	6-1/4	7.56
386013	2 to 3	Forged	1-7/8	1-7/16	1-1/8	5-7/8	10.50
386014	3	Forged	2	1-7/16	1-3/8	5-7/8	13.15
386015	2	Clevis	4-7/16	1-1/8		6-1/2	7.20





MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

W

PAGE 3

PRICE EFFECTIVE SEPTEMBER 1, 2023

DRAWBAR

LIFT ARM		# OF		HOLE		PIN		US DOLLARS	
ITEM #	L CAT.	SPACING	HOLES	DIA.	DIA.	THICKNESS	WIDE/LONG	LIST PRICE	
383001	1	20	7	3/4	7/8	1	2-1/2 x 25-11/16	34.00	
383002	1	26	11	3/4	7/8	1	2-1/2 x 31-3/4	46.50	
383003	2	26	11	3/4	1-1/8	1-1/4	3 x 32-3/8	70.15	
383004	2	32	13	3/4	1-1/8	1-1/4	3 x 38-7/16	80.15	



ONE PIECE

TOP LINKS

ITEM #	CAT	TYPE	HOLES	DIA.	BODY	Hole	Center	PRICE
387601	0	Std	5/8	3/4	7-1/2	10-3/4	16-3/8	15.30
387602	1	Std	3/4	1-1/8	13	17-1/2	26	29.85
387603	1	Std.	3/4	1-1/8	16	20-1/2	29	33.00
387604	1	Std	3/4	1-1/8	20	24-1/2	33	34.85
387605	1&2	Std	3/4&1	1-1/8	16	20-3/4	31	36.50
387606	1&2	Std	3/4&1	1-1/8	20	24-3/4	35	38.25
387608	2	Std	1	1-1/8	16	21	33	37.40
387609	2	Std	1	1-1/8	20	25	37	43.30
387612	3	HD	1-1/4	1-3/8	19	25-1/2	36-1/2	60.00



TOP LINK PINS

ITEM #	CAT.	DIA.	USABLE	OVERALL	LIST PRICE	
387501	0	5/8	2-3/4	4-7/16	1.53	
387502	1	3/4	2-3/4	4-1/2	1.98	
387503	1	3/4	3-7/8	5-1/2	2.42	
387504	1	3/4	4-3/4	6-3/8	3.14	
387505	2	1	3-9/16	5-1/4	3.82	
387506	2	1	4-5/16	6	4.16	
387507	3	1-1/4	4-7/16	6-1/2	6.20	



REPLACEMENT ENDS

ITEM #	THREAD	CAT.	HOLES	DIA.	LIST PRICE
387709	LH	0	3/4	1-1/8	6.20
387702	RH	1	3/4	1-1/8	8.45
387703	LH	2	1	1-1/8	12.75
387704	RH	2	1	1-1/8	12.75
387705	LH	2 HD	1	1-1/4	15.60
387706	RH	2 HD	1	1-1/4	15.60
387707	LH	3 HD	1-1/4	1-3/8	21.40
387708	RH	3 HD	1-1/4	1-3/8	21.40
387650	Hvd. Top Link Adapter Kit		Cat. II		26.80



ITEM #	DESCRIPTION	H.P.	FEMALE	MALE	PTO	OVERALL	LIST PRICE
			SPLINE	SPLINE			
386801	Forged Increaser	70	1-1/8 x 6	1-3/8 x 6	1-1/8	3	10.57
386802	Sleeve Increaser	70	1-1/8 x 6	1-3/8 x 6	0	2-1/4	7.75
	Fits all except Ford						
386803	Sleeve Increaser	70	1-1/8 x 6	1-3/8 x 6	0	1-7/8	7.90
386804	Forged Increaser	70	1-1/8 x 6	1-3/8 x 6	2-1/2	4-5/8	12.50
386805	Forged Reducer	70	1-3/8 x 6	1-1/8 x 6	2-3/4	5-3/8	17.85
386806	Forged Extender	70	1-3/8 x 6	1-3/8 x 6	3	5-3/8	22.00
386808	21 to 6 Splined OR	70	1-3/8x21	1-3/8x6	4-1/8	6-3/8	41.65
	1000 to 540 RPM						
386809	QR 6 Splined Extender	70	1-3/8 x 6	1-3/8 x 6	4-1/8	3-3/8	28.20
386810	QR 21 Splined Extender	70	1-3/8 x 21	1-3/8 x 21	4-1/8	5-7/8	27.60
386813	20 to 6 Splined	150	1-3/4 x 20	1-3/8 x 6	5	7-7/8	84.25
	H.D. Adaptor						
386815	20 to 21 Splined	150	1-3/4 x 20	1-3/8 x 21	5-1/2	7-7/8	84.25
	H.D. Adaptor						



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

W


PAGE 4

PRICE EFFECTIVE SEPTEMBER 1, 2023

BALL ENDS (LOWER LINK WELD-ON)


US DOLLARS

ITEM #	A	B	C	D	E	F	PRICE
	in.	mm	in.	mm	in.	mm	
381806	2-3/4	70	7/8	22	2-3/8	60	5/8 16 1-3/8 35 2-5/8 66 12.10
381807	3-1/8	80	1	25	2-3/4	70	3/4 19 1-1/2 38 3-1/4 82 18.40
381808	3-1/8	80	1-1/8	28.5	2-3/4	70	3/4 19 1-1/2 38 3-1/4 82 18.90




LIFT ARM SOCKETS (NOT PLATED)

ITEM #	DESCRIPTION	LIST PRICE
387907	H.D. Cat. 1 & 2 .7/8 & 1-1/8"	1-3/4" 1-3/8" 3-1/8" 14.15
387911	H.D. Cat. 2. 1-1/8"	1-3/4" 1-3/8" 3-1/8" 14.25
387913	Standard Cat. 3 1-7/16"	1-3/4" 1-11/32" 3-1/2" 17.10



TOP LINK SOCKET (NOT PLATED)

ITEM #	CAT.	A	B	C	D	LIST PRICE
		in.	in.	in.	in.	
381501	0 Standard	5/8"	1"	7/8"	2"	5.85
381502	1 Standard	3/4"	1-5/8"	3/4"	2"	6.65
381504	2 Standard	1"	1-3/32"	7/8"	2-3/8"	9.35
381506	3 Standard	1-1/4"	1-3/4"	1-9/32"	3-1/8"	14.80



PIN KIT

ITEM #	DESCRIPTION	PIN DIA.	USABLE	OVERALL	LIST PRICE
386502	Pin w/2 Clips	1	2-3/4	3 1/2	5.00



STABILIZER PIN

ITEM #	PIN DIA.	THREAD DIA.	USABLE	OVERALL	LIST PRICE
	in.	in.	in.	in.	
387002	7/8"	5/8"	3/8"	2-5/8"	1.80
387020	7/8"	no thread	3/8"	1-1/2	2.40



BUSHINGS (ZINC PLATED)

ITEM #	TYPE	CATEGORY	I.D.	O.D.	OVERALL	LIST PRICE
			in.	in.	in.	
381701	Top Link	1-2	3/4	1	2	.98
381702	Top Link	1-2	3/4	1	1-5/8	1.00
381703	Top link	2-3	1	1-1/4	2	1.25
381704	Lift Arm	1-2	7/8	1-1/8	1-3/4	.92
381705	Lift Arm	1-2	7/8	1-1/8	1-3/8	.86
381706	Lift Arm	2-3	1-1/8	1-7/16	1-3/4	1.45
381707	Lift Arm		1-1/8		2-3/4	2.05
381708	Lift Arm	2-3	1-1/8	1-7/16	3-1/4	2.40
381709	Lift Arm	2-3	1-1/8	1-7/16	2-1/2	2.25



HITCH BUSHING (ZINC PLATED)

ITEM #	CATEGORY	I.D.	O.D.	LIST PRICE
		in.	in.	
385301	2 to 3	1-1/8	1-7/16	10.50



RATCHET JACK

THREAD CLEVIS

ITEM #	DESCRIPTION	DIA.	PIN DIA.	ADJ.	LIST PRICE
		in.	in.		
386501	Ratchet Jack w/Pins & Handle	1-1/4	1	20 - 28	65.00



TRACTOR DRAWBAR GRAB HOOK

ITEM #	PIN DIAMETER	W.L.L. LBS.	LIST PRICE
	in.		
387801	3/4	9500	11.30



CLEVISES

ITEM #	TYPE	PIN SIZE	BODY DIA.	W.L.L. LBS.	LIST PRICE
		in.	in.		
382501	Straight	1/2	5/8	7,000	9.60
382502	Twist	1/2	5/8	7,000	9.75
382503	Straight	5/8	3/4	14,000	11.60
382504	Twist	5/8	3/4	14,000	11.80
382505	Straight	3/4	7/8	18,000	14.40
382506	Twist	3/4	7/8	18,000	14.95
382507	Straight	7/8	15/16	22,000	23.00
382508	Twist	7/8	15/16	22,000	23.25
382509	Straight	1	1	25,000	29.00
382510	Twist	1	1	25,000	29.50



See term schedule for dealer discounts. All prices F. O. B. Randolph, MN and subject to change without notice.



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

X

PAGE 1

MISCELLANEOUS ITEMS

LIST PRICE EFFECTIVE JANUARY 2023



UTILITY RUBBER TIES *Stretch, Wrap and Lock. Safe, Simple and Tight*

US DOLLARS

ITEM #	DESCRIPTION	LIST PRICE
649615	8" 10lb. limit	.31
649616	14" 50lb. limit	2.40
649617	24" 75lb. limit	3.65



CABLE TIES

ITEM #	DESCRIPTION	SIZE	LIST PRICE
800730	Reusable Velcro Organizer ties 8/package	1" x 6.5"	1.35
800731	Reusable Velcro Organizer ties 6/package	3/4" x 8"	1.10



MESH WARNING FLAGS

ITEM #	DESCRIPTION	LIST PRICE
800712	18" x 18" flag w/ 5/8" x 30" dowel	5.25
800713	18" x 18" flag only with 2 grommets	4.00



MARKER FLAGS

ITEM #	DESCRIPTION	LIST PRICE
800715	7"x10" Flag with fluorescent center. 6' fiberglass pole	Price / each 4.90



OIL CANS

ITEM #	DESCRIPTION	LIST PRICE
800665	6 oz. - Red - Flex nozzle	3.75
800666	16 oz - Black - Flex nozzle	4.75



GRINDING WHEELS

ITEM #	DESCRIPTION	LIST PRICE
800720	1/4" x 4-1/2" Multipurpose 7/8" Hole	1.50



ELECTRIC WINCH

ITEM #	SPECIFICATIONS	LIST PRICE
149252	Rated line pull: 3000 lb. with 15 m. cable	110.00



MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065
TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE 20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9
TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

X

PAGE 2

LIST PRICE EFFECTIVE JANUARY 2023

US DOLLARS



PORTABLE FLASHING LED LIGHTS

ITEM #	DESCRIPTION	LIST PRICE
800674	Amber Light - 12 volt to 24 volt - Magnet base and cigarette plug	23.95
800675	Red Light - 12 volt to 24 volt - Magnet base and cigarette plug	23.95



FLASHING LED LIGHTS

ITEM #	DESCRIPTION	LIST PRICE
800673	Amber Light – Battery powered - with magnetic base	9.95
800672	Red Light – Battery powered - with magnetic base	9.95

LED EQUIPMENT LIGHTS

ITEM #	DESCRIPTION	LIST PRICE
139860	LED LIGHTS: Includes 35' wire and Mounting Brackets Perfect for use with CHC carriers, wagons or utility trailers Universal mount makes it easy to move from one piece of equipment to another. Use on Farm, Industrial, or Recreational equipment.	190.00





MINNESOTA OFFICE: 4469 292nd ST. EAST, BOX 57 RANDOLPH, MN 55065

TEL: (507) 663-9090 FAX: (507) 663-0999

HEAD OFFICE

20 ARTHUR ST. NORTH, ELMIRA, ONTARIO CANADA N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

SECTION

Y

PAGE 1

TOY TRACTORS & ACCESSORIES - PRICE EFFECTIVE SEPTEMBER 1, 2023

					US DOLLARS
ITEM #	MFG. #	DESCRIPTION	LINE OR COLOUR		LIST PRICE
	800000	132102	Tractor Mini	Deutz	77.00
	800002	132089	Tractor Mini	New Holland	77.00
	800003	132263	Tractor Mini	Case	77.00
	800007	132331	Tractor Mini	Massey	77.00
	800005	132423	Tractor Mini	Pink	77.00
	800029	012169	Tractor w/Trailer	Rolly Kid – Green	117.00
	800030	012121	Tractor w/Trailer	Rolly Kid – Red	117.00
	800028	013074	Tractor w/Trailer	Rolly Kid – New Holland	122.00
	800037	012305	Tractor w/Trailer	Rolly Kid – Massey Ferguson	122.00
	800038	012411	Tractor w/Trailer	Rolly Kid – Case	127.00
	800208	014941	Tractor w/Trailer	 Rolly Kid Little Grey Fergie	157.00
	800194	409310	Loader only	Rolly Kid	36.00
	800193	025053	Construction w/Loader	Rolly Kid - Yellow	142.00
	800018	611003	Farm Tractor Rolly	JCB 8250 -Yellow	259.00
	800043	700233	Farm Tractor Rolly	Class Arion 640	238.00
	800042	601059	Tractor CVX 225	Farmtrac – Case – Puma	210.00
	800041	611065	Tractor CVX 225 w/Loader	Farmtrac – Case – Puma	264.00
	800034	611256	Tractor w/loader	 New Holland - NEW	268.00
	800012	601295	Tractor (original)	New Holland	210.00
	800014	046713	Tractor w/Loader (original)	New Holland	228.00
	800015	601158	Tractor	Massey Ferguson - New	210.00
	800016	611133	Tractor w/Loader	Massey Ferguson - New	252.00
	800035	611058	Tractor w/ Loader	Fendt	268.00
	800021	700035	Tractor	Deutz Agrotion	231.00
	800022	710034	Tractor w/Loader	Deutz Agrotion	286.00
	800080	409341	Loader Only	Yellow & Black	54.00
	800096	409204	Steering Wheel –Sound	Black	14.00
	800120	409181	Wheel Kit – A 308x98 (4)	Black	136.00

See term schedule for dealer discounts.

All prices F. O. B. Randolph, MN and subject to change without notice.

TOY TRACTORS & ACCESSORIES - PRICE EFFECTIVE SEPTEMBER 1, 2023

	ITEM #	MFG #	DESCRIPTION	LINE OR COLOUR	USA LIST PRICE
	800094	122103	Farm Trailer – Rolly	Green & Yellow	50.00
	800091	122097	Farm Trailer – Rolly	Red & Silver	46.00
	800209	123193	Dump Trailer - Half Pipe – single	New Grey	71.00
	800190	122264	Dump Trailer - Half Pipe – dual wheel	Joskin Gold & Green	94.00
	800082	122981	Hay Wagon	Green	94.00
	800081	122158	Timber Trailer	Green	109.00
	800087	121502	Mega Trailer	Duetz Green	119.00
	800086	122004	Mega Trailer	J.D. Green	119.00
	800085	123001	Trailer Mega 3-WayDumper	Red	123.00
	800068	121106	Mega Trailer	Blue	119.00
	800160	128822	Trailer – Rolly Kipper	J.D. Green	44.00
	800050	128853	Trailer – Rolly Kipper	Claas Green	54.00
	800180	121700	Trailer Rolly Kid	Red	29.00
	800181	121724	Trailer Rolly Kid	Green Light	29.00
	800182	121748	Trailer Rolly Kid	J.D. Green	29.00
	800183	121762	Trailer Rolly Kid	Blue	29.00
	800004	409709	Sweeper		177.00
	800073	123810	Lawn Roller		67.00
	800092	122776	Tanker w/sprayer	Silver	95.00
	800093	122967	Tanker Fire w/sprayer	Red	54.00
	800079	123841	Roller Cambridge	Red & Green	74.00
	800046	421008	Digger – 4 Wheel	Yellow & Black	74.00
	800210	422036	Digger – Stationary	Red	74.00
	800195	421091	Digger – Construction	New Holland	78.00
	800047	513215	Digger CAT w/track	Gold/Black	414.00
	800059		Timber Loader (Grapple and Bucket)		30.00
	800049	813001	Back-Hoe Loader Unit	Yellow & Black	273.00
	800077	409327	Excavating Attachment	Red	69.00

See term schedule for dealer discounts.

All prices F. O. B. Randolph, MN and subject to change without notice.